HTS Description     Applicable List     Tariff Rate     Effective Date     Notes / Federal Register (Cless     for Outy of Cless       036-72.500     Filets, frazen, of haddod, other than above     3     Ficulated     13-Dec-19     84 FR 60012 of 12/17/2019     9303.88.13       036-83.1001     finderssin, sole     3     Excluded     13-Dec-19     84 FR 60012 of 12/17/2019     9303.88.24       036-83.1001     finderssin, flow "illes, skinned, in blocks weighing over 4.5 kg, to be minced, ground or cut into pieces of Usa.83.1001     3     Excluded     13-Dec-19     84 FR 60012 of 12/17/2019     9903.88.34       036-83.1001     interssin, flow "illes, skinned, frozen in blocks, in cases with net weight of more than 4.5 kg     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2000     9903.88.34       0364.83.2001     reporting number veight of more than 4.5 kg (described in statistical reporting number 038.83.5001)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.34       0364.83.2002     reporting number 038.83.5001     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.34       0364.83.5002     reporting number 038.48.50001     3     Excluded     31-Jan-20							UTC To Us	
Prozem That Filters, stanned, in blocks weighing over 4.5 %, to be minned, ground or cut into preses of prozem That Filters, skinned, in blocks weighing over 4.5 %, to be minned, ground or cut into preses of prozem That Filters, skinned, inclusive set of the skinned, increases with net weight of more than 4.5 kg     Excluded     13-Dec: 19     AF R 60012 of 12/17/2019     9033.83.83       0204.83.100     United methods, nucleases with net weight of more than 4.5 kg     Sciuded     13-Dec: 19     AF R 60012 of 12/17/2019     9033.83.24       0204.83.200     United methods, nucleases with net weight of more than 4.5 kg     Sciuded     13-Jan-20     85 FR 6674 of 02/05/2020     9903.88.32       0204.83.2007     Initiational frozem science and with the weight of more than 4.5 kg (described in statistical reporting number 0348.35.051)     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.32       0304.83.2007     Initiational frozem filters of floander, including, arrowordort Floander (Atherestites evernann), each weight of more than 4.5 kg (described in statistical reporting number 0348.35.051)     Sciuded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.32       0304.83.2007     reporting number 0348.35.051     Sciuded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.32       0304.83.2007     reporting number 0343.35.051     Sciuded     31-Jan-20     85 FR 6674 of 02/0	HTS #	HTS Description		Tariff Rate		Cites	Exclusion	CSMS #
0304 3.005     unform weight and dimension, spie     3     Excluded     13-Dec-19     84 FR 60012 of 12/17/2019     9008.83 at 300       0304 83 1020     unform weight and dimension, founder     3     Sciculed     13-Dec-19     84 FR 60012 of 12/17/2019     9003.83 at 300       0304 83 1020     unform weight and dimension, founder     3     Sciculed     13-Dec-19     84 FR 60012 of 12/17/2019     9003.88 at 300       0304 83 105     Centrole and statistical reporting number to 30.5 (Science) at statistical reporting number to 30.4 (Science) at statistical reporting number 30.4 (S	0304.72.5000	Fillets, frozen, of haddock, other than above	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
From "Bit Philes, stande, the block weighing over 4.5 kg, to be minned, ground or cut into pices of 03.8.8.3000     Fulluded     13-Dec:19     84 FR 69012 of 12/17/17/019     9903.88.37       0304.83.000     Missian sole (vellowin, rock or flathead, frozen in blocks, in cases with net weight of more than 4.5 kg     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.37       0304.83.001     Missian sole (vellowin, rock or flathead, frozen in blocks, in cases with net weight of more than 4.5 kg (described in statistical reporting number 0304.83.501)     85 FR 6674 of 02/05/2020     9903.88.37       0304.83.001     reporting number 0304.83.502)     85 FR 6674 of 02/05/2020     9903.88.37       0304.83.001     reporting number 0304.83.502)     85 FR 6674 of 02/05/2020     9903.88.37       0304.83.002     reporting number 0304.83.502)     907 more than 4.5 kg (described in statistical number 0304.83.502)     903.88.34       0304.83.500     FB ft fbh (Pieuronettidae, Sonthidae, Conglossidae, Solekidae, Conglossidae, Solekidae, Conglossidae, Solekidae, Conglossidae, Solekidae, Conglossidae, Solekidae, Conglossidae, Solekidae, Sol		Frozen "flat fish" fillets, skinned, in blocks weighing over 4.5 kg, to be minced, ground or cut into pieces of						#41052773
0306.83.10.00   uniform weight and dimension, floonder   3   Excluded   13-Dec-19   84 FR 6012 of 12/17/2019   9903.88.35     0306.83.1012   Alaskan sole (vellowfin, rock or flathead), frozen in blocks, in cases with net weight of more than 4.5 kg (described in statistical reporting number weight of more than 4.5 kg (described in statistical reporting number 03.5 pb (described in 3.5 pb (described in 3.5 pb (described in 3.5 pb (described in statistical reporting number 03.5 pb (described in 3.5 pb (described in	0304.83.1015	uniform weight and dimension, sole	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
Alaskan sole (vellowfin, rock or flathead), frozen in blocks, in cases with net weight of more than 4.5 kg (described in statistical reporting number of 100, 83, 517, 6674 of 02,057,000 990, 88, 83 0304,835,001 reporting number (030, 48, 5020) 1004,835,001 reporting number (030, 48, 5020) 1004,835,000 reporting number (030, 40, 00, 00) 1004,835,000 reporting number (030, 00, 00) 1004,835,000 reporting number (030, 00, 00) 1004,835,000 reporting number (030, 00, 00) 1005,1000,00 reporting number (031, 00, 00) 1005,1000,00 reporting number (031, 00, 00) 1005,1000,00 reporting number (031, 00, 00) 1006,1000,00 reporting number (031, 00, 00) 1007,1000,00 reporting number (031, 00		Frozen "flat fish" fillets, skinned, in blocks weighing over 4.5 kg, to be minced, ground or cut into pieces of						#41052773
0304.83.005     (lescribed in statistical reporting number weight of more than 4.5 kg (described in statistical reporting number 03.85 FR 6674 of 02/05/2000     9903.88.35       0304.83.007     reporting number 0304.83 S015)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2000     9903.88.35       0304.83.007     reporting number 0304.83 S015)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.35       0304.83.007     reporting number 0304.83 S020)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.35       0304.83.007     reporting number 0304.83 S020)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.35       0304.83.007     reporting number 0304.83 S020)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.35       0304.83.000     fait fish (Pleuronecidae, Bothidae, Cynoglossidae, Soleidae,	0304.83.1020	uniform weight and dimension, flounder	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
a)     Excluded     3     3     Excluded     3     3     Excluded     3 <td>0304.83.5015</td> <td></td> <td>3</td> <td>Excluded</td> <td>31-Jan-20</td> <td>85 FR 6674 of 02/05/2020</td> <td>9903.88.38</td> <td></td>	0304.83.5015		3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
Alaskan piker, frozen in blocks, in cases each with net weight of more than 4.5 kg (described in statistical comporing number 0048.85.020)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     903.8.8.32       0304.83.5020     reporting number 0304.83.5020)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     903.8.8.32       0304.83.5020     reporting number 0304.83.5020)     903.88.32     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     903.88.32       0304.83.5020     Flat fish (Pleuronectidae, Bothidae, Cynoglossidae, Soleidae, Scophthalmidae, and Citharidae) Other, other     3     Excluded     13-Dec-19     84 FR 60012 of 12/17/2019     903.8.8.32       0306.13.00.01     statistical reporting number 0303.00/051     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     903.8.8.32       0306.13.00.001     statistical reporting number 0303.00/051     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     903.8.8.32       0313.00.000     statistical reporting number 0313.00/051     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     903.8.8.32       0313.00.000     statistical reporting number 0313.00/051     3     Excluded     31-Ja		Sole fillets, individually frozen, each fillet weighing more than 50 g but less than 150 g (described in statistical						
130.4.83.5020 reporting number 0304.83.5020) 3 Excluded 31-Jan-20 85 FR 6674 of 02/05/2020 9003.88.32   030.4.83.5020 reporting number 0304.83.5020) 3 Excluded 31-Jan-20 85 FR 6674 of 02/05/2020 9003.88.32   030.4.83.5020 reporting number 0304.83.5020) 3 Excluded 13-Dec-19 84 FR 60012 of 12/17/2019 9003.88.32   030.4.83.5020 Fight fish (Pleuronectidae, Bothidae, Cynoglossidae, Scophthalmidae, and Citharidae) Other, other 3 Excluded 13-Dec-19 84 FR 60012 of 12/17/2019 9003.88.32   030.61.90.061 net weight of not more than 2.27 kg (described in statistical reporting number 0306.19.0061) 3 Excluded 31-Jan-20 85 FR 6674 of 02/05/2020 9003.88.32   030.61.90.061 net weight of not more than 2.27 kg (described in statistical reporting number 0306.19.0061) 3 Excluded 13-Dec-19 84 FR 69012 of 12/17/2019 9903.88.32   030.80.005 statistical reporting number 083.30.000 statistical reporting number 083.30.000 13 Excluded 13-Dec-19 84 FR 69012 of 12/17/2019 9903.88.32   031.30.000 reserv-ofied and Sliced, put up for retail sale in packages each having a net weight of 15 g (described in 3 Excluded 13-Dec-19 84 FR 69012 of 12/17/2019 9903.88.32   031.40.4000 Feeze-ofied and Sliced,	0304.83.5015		3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
Individually frozen fillets of flounder, including Arrowtooth Flounder (Ahtersthes stomias) and Kanchatla     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.35       0304.83.5020     reporting number 0304.83.5020)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.36       0304.83.5020     Slipper lobster meet (blcus cilitaus), frozen, raw, whether whole or in pieces, put up for sale in bags each with a     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.36       0306.10.061     net weight of not more than 2.27 kg (described in statistical reporting number 0306.190.061)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.36       0306.10.001     met weight of not more than 2.27 kg (described in statistical reporting number 0306.30.0045     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.36       0303.0000     statistical reporting number 0303.00.005)     Statistical reporting number 0303.30.0001     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.36       0313.00000     tatistical reporting number 0313.00.0001     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.36       0313.00000		Alaskan plaice, frozen in blocks, in cases each with net weight of more than 4.5 kg (described in statistical						
Flourder (Atheresthes verwann), each weighing 80 g or more but not exceeding 200 g (described in statistical gold 83.5202)     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.35       0304.83.5202)     Flat fish (Pleuronectidae, Bothidae, Cynoglossidae, Soleidae, Scophthalmidae, and Citharidae) Other, other     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.35       0306.19.0061     net weight of not more than 2.27 kg (described in statistical reporting number 0306.19.0061)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.35       0306.19.0061     net weight of not more than 2.27 kg (described in statistical reporting number 0306.19.0061)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.35       0303.00.004     Baranas, freeze-dried and sliced, put up for retail sale in packages each having a net weight of 15 g (described in 31-Jan.0000     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.36       031.40.4000     Paches, freeze-dried and sliced, put up for retail sale in packages each having a net weight of 15 g (described in 31-Jan.200     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.36       031.40.4000     Statistical reporting number 0631.30.0000     Statistical reporting number 0631.30.0000     Stat	0304.83.5020	reporting number 0304.83.5020)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
133     Excluded     31     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.35       0304.83.5000     Flat fish (Pleuronectidae, Bothidae, Cynoglossidae, Soleidae, Scophthalmidae, and Citharidae) Other, other     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.35       0306.13.0061     net weight of not more than 2.27 kg (described in statistical reporting number 0805.00051)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.35       0305.13.0061     net weight of not more than 2.27 kg (described in statistical reporting number 0805.00051)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.35       0803.30.0005     statistical reporting number 0803.50.0045)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.35       0813.40.000     statistical reporting number 0813.40.4000)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.35       0813.40.000     statistical reporting number 0813.40.4000     statistical reporting number 0813.40.4000     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.35       0813.40.4000     statistical reporting number 0813.40.4000 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>								
Ogo     Flat     Fish     Flat     Fish								
Slipper lobster meat (blcus ciliatus), frazen, raw, whether whole or in pieces, put up for sale in bags each with a net weight of not more than 2.27 kg (described in statistical reporting number 0306.19.0061)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/202     9903.88.36       0003-00.045     Bananas, freeze-dried and sliced, put up for retail sale in packages each having a net weight of 15 g (described in statistical reporting number 0306.19.0061)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.36       003-30.045     Statistical reporting number 0316.19.0061)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.36       003-30.045     Statistical reporting number 0316.19.0061)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.36       0813-06.000     Statistical reporting number 0316.0000)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.36       0813-04.0000     Statistical reporting number 0315.0020)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.36       0813-00.0021     Mixtures of strawberries and bananas, freeze-dried and sliced, put up for retail sale in packages each having a net weight of 15 g (described in statistical reporting number 1015.00.002)     3     Excluded	0304.83.5020	reporting number 0304.83.5020)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
0306.19.0061     net weight of not more than 2.27 kg (described in statistical reporting number 0306.19.0061)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.32       0803.90.0045     statistical reporting number 0803.90.0045)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.32       0813.30.0000     statistical reporting number 0813.90.000)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.32       0813.30.0000     statistical reporting number 0813.40.4000)     Pears, freeze-dried and sliced, put up for retail sale in packages each having a net weight of 15 g (described in 3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.32       0813.40.000     statistical reporting number 0813.40.4000)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.32       0813.40.000     statistical reporting number 0813.40.4000)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.32       0813.40.000     statistical reporting number 0813.40.4000)     3     Excluded     13-Dec-19     84 FR 69012 of 12/17/2019     9903.88.32       0813.40.000     statistical reporting number 0813.40.0000     3	0304.83.5090	Flat fish (Pleuronectidae, Bothidae, Cynoglossidae, Soleidae, Scophthalmidae, and Citharidae) Other, other	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
10803.90.0045   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.30.0005   statistical reporting number 0813.30.0000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.0005   statistical reporting number 0813.30.0000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.0000   statistical reporting number 0813.40.0000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.0000   statistical reporting number 0813.40.0000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.0000   statistical reporting number 0813.40.0000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.0000   istatistical reporting number 0813.40.0000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.0000   istatistical reporting number 0813.40.00000   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.0000   istatistical reporting number 1605.10.2021   istatistical reporting number 0613.30.0020   3   Exclu	0306.19.0061		3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
0813.30.0000   statistical reporting number 081.30.0000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.0000   statistical reporting number 0813.40.000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.0000   statistical reporting number 0813.40.000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.50.0020   net weight of 15 g (described in statistical reporting number 0813.50.0020)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.50.0020   net weight of 15 g (described in statistical reporting number 0813.50.0020)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     1605.10.2010   (described in statistical reporting number 0813.50.0020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2010   (described in statistical reporting number 1605.10.2010)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2020   in statistical reporting number 1605.10.2020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2030	0803.90.0045		3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
0813.40.4000   statistical reporting number 0813.40.4000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.9000   statistical reporting number 0813.40.4000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.40.9000   statistical reporting number 0813.40.4000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.50.0020   net weight of 15 g (described in statistical reporting number 0813.50.0020)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     1605.10.2010   King crab meat, frozen in blocks, in airtight containers ach with net weight of not more than 1.2 kg, in airtight containers each with net weight of not more than 1.2 kg   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2030   In statistical reporting number 1605.10.2032)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2030   In statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2030   In statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020	0813.30.0000		3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
0813.40.9000   statistical reporting number 0813.40.9000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     0813.50.0020   net weight of 15 g (described in statistical reporting number 0813.50.0020)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     1605.10.2010   (described in statistical reporting number 065.10.2010)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2020   (described in statistical reporting number 1605.10.2021)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2020   (described in statistical reporting number 1605.10.2022)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2020   (described in statistical reporting number 1605.10.2022)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2030   in statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2030   containers with net weight of not more than 1.2 kg (described in statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.8	0813.40.4000	statistical reporting number 0813.40.4000)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
0813.50.0020   net weight of 15 g (described in statistical reporting number 0813.50.0020)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36     1605.10.2010   (described in statistical reporting number 1605.10.2010)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2021   (described in statistical reporting number 1605.10.2022)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2022   (described in statistical reporting number 1605.10.2022)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2030   in statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2030   in statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2030   in statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36     1605.10.2030   containers with net weight of not more than 1.2 kg (described in statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.36 <td>0813.40.9000</td> <td>statistical reporting number 0813.40.9000)</td> <td>3</td> <td>Excluded</td> <td>13-Dec-19</td> <td>84 FR 69012 of 12/17/2019</td> <td>9903.88.36</td> <td>#41052773</td>	0813.40.9000	statistical reporting number 0813.40.9000)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
King crab meat, frozen in blocks each weighing at least 1 kg but not more than 1.2 kg, in airtight containers (described in statistical reporting number 1605.10.2010)3Excluded31-Jan-2085 FR 6674 of 02/05/20209903.88.381605.10.2021(described in statistical reporting number 1605.10.2022)3Excluded31-Jan-2085 FR 6674 of 02/05/20209903.88.381605.10.2021Dungeness crab meat, frozen in blocks, in airtight containers with net weight of not more than 1.2 kg (described in statistical reporting number 1605.10.2022)3Excluded31-Jan-2085 FR 6674 of 02/05/20209903.88.381605.10.2030in statistical reporting number 1605.10.202003Excluded31-Jan-2085 FR 6674 of 02/05/20209903.88.381605.10.2030in statistical reporting number 1605.10.2020)3Excluded31-Jan-2085 FR 6674 of 02/05/20209903.88.381605.10.2030in statistical reporting number 1605.10.2030)3Excluded31-Jan-2085 FR 6674 of 02/05/20209903.88.381605.10.2090containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090)3Excluded31-Jan-2085 FR 6674 of 02/05/20209903.88.351605.10.2090containers with net weight of retail sale in packings in the form of a large plastic lollipops, each comprising a spheroid container with a major axis of 11 cm, with and a plastic stick measuring 22 cm in length inserted in the bottom of the container, with the container portion wrapped in printed plastic film cinched at the container's bottom by a printed hang tag (described in statistical reporting number 1704.90.3550			_					#41052773
1605.10.2010   (described in statistical reporting number 1605.10.2010)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2022   (described in statistical reporting number 1605.10.2022)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2022   (described in statistical reporting number 1605.10.2022)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2030   in statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2030   in statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2090   containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2090   containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2090   containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090)   3   Excluded </td <td>0813.50.0020</td> <td></td> <td>3</td> <td>Excluded</td> <td>13-Dec-19</td> <td>84 FR 69012 of 12/17/2019</td> <td>9903.88.36</td> <td></td>	0813.50.0020		3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	
1605.10.2022   (described in statistical reporting number 1605.10.2022)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2030   in statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2030   crab meat (other than King crab, Snow crab, Dungeness or swimming crabs), frozen in blocks, in airtight   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2090   containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2090   containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1704.90.3550   condy lollipops, not containing cocoa, such goods put up for retail sale in packings in the form of a larger plastic lollipop, each comprising a spheroid container with a major axis of 11 cm, with and a plastic stick measuring 22 cm in length inserted in the bottom of the container, with the container portion wrapped in printed plastic film cinched at the container's bottom by a printed hang tag (described in statistical reporting number 1704.90.3550)   84 FR 65882 of 11/29/2019   9903.88.35     2103.90.8000   3	1605.10.2010	(described in statistical reporting number 1605.10.2010)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
1605.10.2030   in statistical reporting number 1605.10.2030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2090   crab meat (other than King crab, Snow crab, Dungeness or swimming crabs), frozen in blocks, in airtight containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1605.10.2090   containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1704.90.3550   Candy lollipops, not containing cocoa, such goods put up for retail sale in packings in the form of a larger plastic lollipop, each comprising a spheroid container with a major axis of 14 cm and a minor axis of 11 cm, with and a plastic stick measuring 22 cm in length inserted in the bottom of the container, with the container portion wrapped in printed plastic film cinched at the container's bottom by a printed hang tag (described in statistical reporting number 1704.90.3550)   3   Excluded   26-Nov-19   84 FR 65882 of 11/29/2019   9903.88.35     2103.90.8000   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36	1605.10.2022	(described in statistical reporting number 1605.10.2022)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
1605.10.2090   containers with net weight of not more than 1.5 kg (described in statistical reporting number 1605.10.2090)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     1704.90.3550   Candy lollipops, not containing cocoa, such goods put up for retail sale in packings in the form of a larger plastic lollipop, each comprising a spheroid container with a major axis of 14 cm and a minor axis of 11 cm, with and a plastic stick measuring 22 cm in length inserted in the bottom of the container, with the container portion wrapped in printed plastic film cinched at the container's bottom by a printed hang tag (described in statistical reporting number 1704.90.3550)   84 FR 65882 of 11/29/2019   9903.88.35     2103.90.8000   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36	1605.10.2030		3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
Candy lollipops, not containing cocoa, such goods put up for retail sale in packings in the form of a larger plastic lollipop, each comprising a spheroid container with a major axis of 14 cm and a minor axis of 11 cm, with and a plastic stick measuring 22 cm in length inserted in the bottom of the container, with the container portion wrapped in printed plastic film cinched at the container's bottom by a printed hang tag (described in statistical reporting number 1704.90.3550)   3   Excluded   26-Nov-19   84 FR 65882 of 11/29/2019   9903.88.35     Mixed seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale in packages each weighing 200 g (described in statistical reporting number 2103.90.8000)   3   Excluded   13-Dec-19   84 FR 69012 of 12/17/2019   9903.88.36	1605.10.2090		3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
Mixed seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale   Image: Seasoning for fact, put up for retail sale   Image: Seasoning for fact, put up for fact, pu		Candy lollipops, not containing cocoa, such goods put up for retail sale in packings in the form of a larger plastic lollipop, each comprising a spheroid container with a major axis of 14 cm and a minor axis of 11 cm, with and a plastic stick measuring 22 cm in length inserted in the bottom of the container, with the container portion wrapped in printed plastic film cinched at the container's bottom by a printed hang tag (described in statistical					9903.88.35	#40901928
	2103.90 8000	Mixed seasoning of Himalayan salt, tomato flake, lemon peel, basil, black pepper and sage, put up for retail sale	з	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
2805.11.0000   Sodium metai (LAS NO. /440-23-5), in bulk solid form (described in statistical reporting number 2805.11.0000)   3   Excluded   26-Nov-19   84 FR 65882 of 11/29/2019   9903.88.35								
	2805.11.0000	Sodium metal (CAS No. 7440-23-5), in bulk solid form (described in statistical reporting number 2805.11.0000)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928

						HTS To Use	
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	for Duty or Granted Exclusion	CSMS #
	Synthetic silica gel, in granules measuring 0.25 to 0.6 mm in diameter, put up in retail packaging, of a kind used						
2811.22.1000	for drying and preserving flowers (described in statistical reporting number 2811.22.1000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
2011/22/1000		5	Excluded	01 701 20	0011100710102,00,2020	5500100100	
	Nitrous oxide (dinitrogen monoxide) (CAS No. 10024-97-2), pressurized to 250 bars in cylindrical, zinc-coated,						
	steel cartridges, each measuring not more than 18.1 mm in diameter and not more than 65.6 mm in length,						
2811.29.5000	containing not more than 8.3 g of nitrous oxide (described in statistical reporting number 2811.29.5000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
2823.00.0000	Titanium dioxide (CAS No. 13463-67-7) (described in statistical reporting number 2823.00.0000)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
2905.49.4000	Erythritol (CAS No. 149-32-6) (described in statistical reporting number 2905.49.4000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	3-Trifluoromethyl-4-nitrophenol (CAS No. 88-30-2) (IUPAC: 4-nitro-3-(trifluoromethyl)phenol), valued over \$16						
2908.99.8000	per kg but not over \$25 per kg (described in statistical reporting number 2908.99.8000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
2917.13.0030	Sebacic acid (CAS No. 111-20-6) (described in statistical reporting number 2917.13.0030)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	4,4'-Diamino-2,2'-stilbenedisulfonic acid (CAS No. 81-11-8) (described in statistical reporting number						
2921.59.2000	2921.59.2000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	Ethyl 4-aminobenzoate (CAS No. 94-09-7) (Benzocaine (INN)) (described in statistical reporting number						
2922.49.3700	2922.49.3700)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
2929.10.2700	N-Butyl isocyanate (CAS No. 111-36-4) (described in statistical reporting number 2929.10.2700)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
2940.00.6000	D-Ribose (CAS No. 50-69-1) (described in statistical reporting number 2940.00.6000)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
	Fertilizer, derived from soybeans, powdered, put up in bags each with net weight of 23 kg, of which 14 percent						
	by weight is nitrogen (N) and containing no phosphorus (P) or potassium (K) (described in statistical reporting						
3101.00.0000	number 3101.00.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
3204.17.9050	Pigment yellow 13 (CAS No. 5102-83-0) (described in statistical reporting number 3204.17.9050)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	Nonwoven wipes, impregnated with organic surfactant preparations of a kind used to remove hair-color stains						
	from the skin, put up for retail sale in canisters each containing 100 wipes (described in statistical reporting						
3401.11.5000	number 3401.11.5000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Laundry detergent powder, put up for retail sale, whether as powder or as water-soluble, pre-measured pods						
3402.20.1100	(described in statistical reporting number 3402.20.1100)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Polyethylene terephthalate (PET) film coated with a photoresist solution, in rolls, sensitized, unexposed, without						
3702.44.0160	perforations, of a width exceeding 105 mm but not exceeding 610 mm, not used as graphic arts film (described	3	Excluded		84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	in statistical reporting number 3702.44.0160)			23-Oct-19			
	Herbicide consisting of 1,1'-dimethyl-4,4'-bipyridinium dichloride (CAS No. 1910-42-5) (Paraquat concentrate in						
	liquid form) up to 45 percent concentration with application adjuvants (described in statistical reporting number						
3808.93.1500	3808.93.1500)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Supported nickel-based catalysts, of a kind used for methanation, desulfurization, hydrogenation, pre-reforming						
	or reforming of organic chemicals or for protection of hydrotreating catalysts from arsine poisoning (described						
3815.11.0000	in statistical reporting number 3815.11.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Supported catalysts for high-temperature shift reactions for ammonia, hydrogen, and methanol, with carbon						
3815.19.0000	monoxide or carbon dioxide as the active ingredients (described in statistical reporting number 3815.19.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
3815.19.0000	Supported catalysts for polymerization (described in statistical reporting number 3815.19.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Supported catalysts of cuprous oxide and zinc oxide as the active ingredients for arsine removal (described in	-					
3815.19.0000	statistical reporting number 3815.19.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Supported catalysts with alumina as the active substance for chlorine removal (described in statistical reporting						
3815.19.0000	number 3815.19.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Supported catalysts with copper carbonate or zinc carbonate as the active ingredients for low temperature	-					
3815.19.0000	desulfurization (described in statistical reporting number 3815.19.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Supported catalysts with metal sulfide as the active substance for mercury removal (described in statistical	5					1
3815.19.0000	reporting number 3815.19.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	

HTS #	HTS Description	Applicable	Tariff Rate	Effective	Notes / Federal Register	HTS To Use for Duty or	CSMS #
		List		Date	Cites	Granted Exclusion	
	Supported catalysts with molybdenum compounds as the active substance for hydrogenation (described in						
3815.19.0000	statistical reporting number 3815.19.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Supported catalysts with zinc oxide absorbent as the active substance (described in statistical reporting number						
3815.19.0000	3815.19.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	ļ
3824.99.3900	Chabazite zeolites having a silica-alumina ratio of 20:1 to 24:1, valued at \$31 to \$39 per kg (described in statistical reporting number 3824.99.3900)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
3901.90.1000	Chlorinated polyethylene elastomer, in white or pale yellow powder form, containing 28 to 44 percent by weight of chlorine (described in statistical reporting number 3901.90.1000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
3904.61.0090	Polytetrafluoroethylene ((C2F4)n), having a particle size of 5 to 500 microns and a melting point of 315 to 329 degrees Celsius (described in statistical reporting number 3904.61.0090)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
3906.90.2000	Expandable plastics beads, 0.30 to 0.50 mm in diameter, consisting of copolymers of methylmethacrylate (62 to 64 percent by weight) and styrene (26 to 28 percent by weight) (described in statistical reporting number 3906.90.2000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.02	
3906.90.5000	Acrylic acid-2-acrylamido-2-methylpropanesulfonic acid-acrylic ester (AA/AMPS/HPA) terpolymers, presented in dry form (described in statistical reporting number 3906.90.5000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3906.90.5000	Copolymers of acrylic acid and 2-acrylamide-2-methylpropanesulfonic acid, valued at \$5.40 to \$5.60 per kg (described in statistical reporting number 3906.90.5000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3906.90.5000	Pet urine collection and disposal kits, put up in retail packaging, each comprising seven disposable trays of plastics measuring 8.3 cm in depth, 27.9 cm in length, and 16.5 cm in width, one scoop of plastics and one bottle containing 42 g of absorbent sodium acrylate powder (described in statistical reporting number 3906.90.5000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
3907.20.0000	Polyol blends containing 92 percent or more by weight of polyether polyol (CAS number 9049–71–2) and 2.5% or more by weight of N,Ndimethylcyclohexamine (described in statistical reporting number 3907.20.0000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
3910.00.0000	Silicone presented in 210 liter (55 gallon) drums or 1,040 liter (275 gallon) intermediate bulk containers (IBCs) (described in statistical reporting number 3910.00.0000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
3911.10.0000	Granular hydrocarbon resins, each pellet not larger than 1 cm in any dimension and having a melting point greater than 95 degrees C but not greater than 105 degrees C, presented in immediate packings of paper, paperboard or kraft paper weighing with their contents greater than 23 kg but not greater than 27 kg (described in statistical reporting number 3911.10.0000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3911.10.0000	Elastomeric petroleum resins (CAS No. 64742-16-1) (described in statistical reporting number 3911.10.0000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
3916.20.0020	Profile shapes, of a kind used in producing doorjambs, composed of a composite of polyvinyl chloride, calcium carbonate and sawdust (described in statistical reporting number 3916.20.0020)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3917.23.0000	Hose of braided polyvinyl chloride, having crimped fittings, designed to carry water, valued not over \$2.00 per kg (described in statistical reporting number 3917.23.0000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3917.29.0090	Molded acrylonitrile-butadiene-styrene (ABS) tubes, of a kind used to effect the sterile transfer of fluid from a bag or vial to another container, each tube measuring 7.5 cm or more but not exceeding 23 cm in length, with an inner diameter of less than 0.65 cm and an outer diameter of less than 9 cm, one end having been angle-cut to form a spike, and having an integrated flange, less than 3 cm in diameter (splash guard) near the spike end and removable polyethylene caps on each end, put up in sterile packing (described in statistical reporting number 3917.29.0090)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3917.29.0090	Polymer strips curled in helical fashion to form a flexible tube having a constant circular cross-section with a diameter not exceeding 2 cm (described in statistical reporting number 3917.29.0090)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3917.32.0020	Flexible tubes, pipes and hoses, of cross-linked polyethylene (PEX), each measuring 6.1 m in length and having an outside diameter of 9.5 mm or more but not exceeding 28.6 mm (described in statistical reporting number 3917.32.0020)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
3917.32.0050	Drinking straws, of plastics, each straw 8 mm or more in outside diameter and 20 cm or more in length (described in statistical reporting number 3917.32.0050)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
3917.40.0090	Bulkhead fittings, each comprising a hollow, threaded cylindrical body with a hexagonal or octagonal head on one end, of a length 9.53 cm or more but not exceeding 23.5 cm and having an inside diameter of 1.27 or more but not exceeding 15.24 cm, a polymer gasket and a hexagonal or octagonal tightening nut (described in statistical reporting number 3917.40.0090)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3917.40.0090	Polyacetal brackets for connectors, of a length measuring 3.84 cm or more but not exceeding 4.57 cm, a width of 0.838 cm and a height of 2.15 cm (described in statistical reporting number 3917.40.0090)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3917.40.0090	Polyacetal filters measuring 3.76 cm x 3.76 cm x 0.31 cm (described in statistical reporting number 3917.40.0090)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3917.40.0090	Polyacetal hose barb fittings, with a length of 2.27 cm, width of 0.99 cm and height of 2.29 cm (described in statistical reporting number 3917.40.0090	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3917.40.0090	Tube, pipe and hose couplings and connectors of plastics, with maximum outside dimensions of 6.5 cm by 6.35 cm by 6.35 cm (described in statistical reporting number 3917.40.0090)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3917.40.0090	Y-shaped fittings of plastics, each measuring 6.99 cm in length and 3.18 cm or more but not exceeding 3.81 cm in width and height, incorporating a valve stem of plastics and brass in its center (described in statistical reporting number 3917.40.0090	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3918.10.1000	Floor coverings of polyvinyl chloride, presented in the form of tiles or planks designed to snap together during installation (described in statistical reporting number 3918.10.1000)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
3918.10.1000	Vinyl floor tiles of polymers of vinyl chloride, designed to click together during installation, each measuring 4.7 mm or more but not over 8 mm in thickness, 18 cm or more but not over 23 cm in width and 120 cm or more but not over 182 cm in length (described in statistical reporting number 3918.10.1000)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
3918.10.1000	Vinyl floor tiles of polymers of vinyl chloride, designed to click together during installation, measuring 7 mm in thickness, 18 cm or more but not over 19 cm in width and 120 cm or more but not over 125 cm in length (described in statistical reporting number 3918.10.1000)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
3918.10.1000	Floor coverings of polymers of vinyl chloride, with a rigid core of wood powder composite, with planks glued together, each measuring not less than 115 cm but not more than 130 cm in length (described in statistical reporting number 3918.10.1000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
3918.10.5000	Ceiling tiles of cellular polyvinyl chloride (PVC), in rolls, not backed by textile fibers, each measuring 60 cm by 60 cm by 4 mm (described in statistical reporting number 3918.10.5000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
3919.10.2020	Electrical tape of polyvinyl chloride, in rolls, measuring not more than 2 cm in width, not more than 20.2 m in length, and not more than 0.18 mm in thickness (described in statistical reporting number 3919.10.2020	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3919.10.2030	Transparent tape of plastics with an acrylic emulsion adhesive, in rolls measuring not over 4.8 cm in width, valued not over \$.25 per square meter (described in statistical reporting number 3919.10.2030)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3919.10.2055	Rolls of polyethylene film coated with a solvent acrylic adhesive (described in statistical reporting number 3919.10.2055)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3919.10.2055	Self-adhesive tape, of plastics, in rolls measuring 5.08 cm in width, 30.5 m in length and 0.254 mm in thickness, of a kind used for wrapping and sealing connections between metal pipes and fittings (described in statistical reporting number 3919.10.2055)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
3919.10.2055	Self-adhesive tape, of polyvinyl chloride, in rolls measuring 1.905 cm in width, 6.706 m in length and 0.18 mm in thickness (described in statistical reporting number 3919.10.2055)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
3919.90.5040	Self-adhesive film, of clear vinyl, exceeding 20 cm in width, designed for use as shelf liner (described in statistical reporting number 3919.90.5040)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
3919.90.5060	Hot melt flat shapes of biaxiallyoriented polypropylene (BOPP) film with an acrylic emulsion (described in statistical reporting number 3919.90.5060)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
3919.90.5060	Polyethylene film, 20.32 to 198.12 cm in width, and 30.5 to 2000.5 m in length, coated on one side with solvent acrylic adhesive, clear or in transparent colors, whether or not printed, in rolls (described in statistical reporting number 3919.90.5060)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
3919.90.5060	Polyvinyl chloride film, coated on one side with pressure sensitive solvent-acrylic adhesive that allows for easy removal from a flat glass or flat, rigid, clear plastics surface, 106.7 cm, 137.2 cm or 152.4 cm in width, and 30.38 m or 49.99 m in length, with regular perforations measuring 1.5 to 1.6 mm in diameter, where the perforations cover 30, 40 or 50 percent of the surface area (described in statistical reporting number 3919.90.5060)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
3919.90.5060	Printed rectangular polyethylene sheets depicting images on one side, with self-adhesive edges protected with peel-off liners on the other side, measuring 30.5 cm by 45.7 cm or 30.5 cm by 25.4 cm (described in statistical reporting number 3919.90.5060)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
3919.90.5060	Self-adhesive colored or printed polyvinyl chloride film with a peelable liner, in rolls, measuring 30.5 cm or 50.8 cm in width and 3.05 m to 6.10 m in length, of a kind used for lining shelves or drawers (described in statistical reporting number 3919.90.5060)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
3920.10.0000	Printed, nonpermeable plastic film of ethylene designed for use in packaging personal care products such as baby wipes, adult wipes and similar wet stack products (provided for in statistical reporting number 3920.10.0000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
3920.10.0000	Polyethylene film of a kind used for wrapping perishable foods, in rolls measuring 30.5 cm in width and up to 76.2 m in length, with a starter edge tab, put up in retail packages incorporating a built-in slide cutter and grip strip for holding the film in place until subsequent use (described in statistical reporting number 3920.10.0000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
3920.10.0000	Rectangular sheets of high-density or low-density polyethylene, 111.75 cm to 215.9 cm in width, and 152.4 cm to 304.8 cm in length, with a sticker attached to mark the center of each sheet, of a kind used in hospital or surgery center operating rooms (described in statistical reporting number 3920.10.0000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
3920.20.0055	Heat-sealable printed films, of plastics, having a thickness of more than 20 microns but not more than 30 microns, in rolls wider than 15 cm but not more than 20 cm (described in statistical reporting number 3920.20.0055)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3920.43.5000	Rolls of polyvinyl chloride, measuring 2.5 cm or more but not exceeding 5.1 cm in width and 182.9 m in length (described in statistical reporting number 3920.43.5000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3920.43.5000	Sheets of polyvinyl chloride, in rolls measuring 0.6 m or more in width, whether or not printed in various colors, valued at \$0.88 or more but not over \$2.42 per kg 1.5 m or more in width, printed in various colors, valued at \$1.60 to \$1.90 per kg (described in statistical reporting number 3920.43.5000)	2	Excluded	18-Sep-19	Updated: 84 FR 69011 of 12/17/2019 Original: 84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3920.43.5000	Sheets of polyvinyl chloride, measuring 2.44 m mm or more but not exceeding 3.66 m in width, 3.05 or more but not exceeding 5.18 m in length and 0.5 cm in thickness (described in statistical reporting number 3920.43.5000)	2	Excluded	18-Sep-19	Updated: 84 FR 69011 of 12/17/2019 Original: 84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3920.43.5000	Sheets of polyvinyl chloride, 45.72 cm in width, 60.96 cm in length and 0.6096 mm in thickness -measuring 47.5- cm in width, 61.0 cm in length and 24 mm in thickness, coated on both sides with a printable primer (described in statistical reporting number 3920.43.5000)	2	Excluded	18-Sep-19	Updated: 84 FR 69011 of 12/17/2019 Original: 84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3920.43.5000	Sheets of transparent (double polished or super double polished) polyvinyl chloride, whether or not with an integrated pattern, in rolls, measuring 1.37 m or more but not exceeding 1.83 m in width, not more than 54.9 m in length, and 0.075 mm or more but not exceeding 0.51 mm in thickness, valued at \$2.35 or more but not exceeding \$3.35 per square meter (described in statistical reporting number 3920.43.5000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
3920.49.0000	Uncoated polyvinyl chloride (PVC) film, containing by weight less than 6% of plasticizers, less than 0.07 mm in thickness, in rolls weighing 1 t or more (described in statistical reporting number 3920.49.0000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3920.62.0090	Films coated on one or both sides with polyvinylidene chloride (PVdC) or polyvinyl alcohol (PVOH), whether or not having a primer layer between the base and coating; any of the foregoing having a total thickness greater than 0.01 mm but not greater than 0.03 mm (described in statistical reporting number 3920.62.0090	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3920.62.0090	Thermoformable polyethylene terephthalate (PET) sheets, with a thickness of 0.35 mm or more but not exceeding 1.7 mm, to which PET glitter flakes are permanently fastened, in rolls not less than 250 mm in width and not more than 1,092 mm in length (described in statistical reporting number 3920.62.0090)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
3920.99.2000	Sheets of transparent polyurethane, measuring 112 cm in width and 112 cm or more but not exceeding 168 cm in length, whether or not put up in sterile packaging (described in statistical reporting number 3920.99.2000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.12.1100	Printed film of polyvinyl chloride, laminated with foamed-polyvinyl chloride- coated polyester scrim, in rolls, of a kind used for lining shelves or drawers (described in statistical reporting number 3921.12.1100)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.12.1100	Three-ply polyvinyl chloride film laminated with nonwoven polyester scrim, in rolls, measuring not more than 5 m in width and not more than 91.5 m in length, valued at \$2.10 or more but not exceeding \$2.40 per square meter (described in statistical reporting number 3921.12.1100)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.12.5000	Sheets of foamed polyvinyl chloride combined with a non-textile moisture barrier, in rolls, measuring 45.7 cm in width and 1.83 m in length, each roll weighing not more than 0.39 kg (described in statistical reporting number 3921.12.5000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.13.1500	Synthetic leather sheeting, comprising three layers of polycarbonate-type polyurethane, the outer layer surface treated, the middle layer of foamed polyurethane, and the bottom adhesive layer combined with a support layer of polyester knit fabric, weighing 441 g or more but not exceeding 539 g per square meter, in rolls, measuring 1.4 m or more but not exceeding 1.5 m in width and 20 m or more in length (described in statistical reporting number 3921.13.1500)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.14.0000	Cellular regenerated cellulose plates (blocks), measuring 99.1 cm by 99.1 cm by 35.6 cm (described in statistical reporting number 3921.14.0000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.19.0000	Non-adhesive translucent ethylene-vinyl acetate, in sheets or rolls, of a kind used for shelf liners (described in statistical reporting number 3921.19.0000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.19.0000	Plates composed of layers of closed-cell ethylene-vinyl acetate and polyethylene foam, in rectangular shapes, each having a surface area of 2 m <sup>2</sup> or more but not greater than 2.25 m <sup>2</sup> (described in statistical reporting number 3921.19.0000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.19.0000	Sheets and strips consisting of both cross-linked polyethylene and ethylene vinyl acetate, of a width greater than 1 m but not greater than 1.5 m, and a length greater than 1.75 m but not greater than 2.6 m (described in statistical reporting number 3921.19.0000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.19.0000	Colored or printed sheets of cellular ethylene vinyl acetate plastics, in rectangles measuring 15 cm or more but not exceeding 31 cm in width, 22 cm or more but not exceeding 46 cm in length and 2 mm or more but not exceeding 6 mm in thickness, or in rolls measuring 91.44 cm in width, 152.4 cm in length, and 2 mm or more but not exceeding 6 mm in thickness (described in statistical reporting number 3921.19.0000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
3921.90.1100	Sheets of noncellular polyvinyl chloride combined with man-made textile fabric, valued at \$6.15 or more but not exceeding \$6.30 per square meter (described in statistical reporting number 3921.90.1100	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
3921.90.1500	Polyethylene sheet and film laminated with spunbond-spunbond-spunbond nonwoven polypropylene fabric, measuring 1.12 m or more but not over 1.52 m in width and 1.93 m or more but not over 2.29 m in length 1.12- cm or more but not exceeding 1.52 cm in width and 1.93 cm or more but not exceeding 2.29 cm in length, and weighing 55 g/m2 or more but not exceeding 88 g/m2 (described in statistical reporting number 3921.90.1500)	2	Excluded	18-Sep-19	Updated: 84 FR 69011 of 12/17/2019 Original: 84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.90.1950	Plastic sheeting, core/scrim woven layer of high-density polyethylene (HDPE) textile strip, coated on both sides with a low density polyethylene (LDPE), with a layer of visible black file of linear LDPE, polyvinyl chloride free, weighing not over 1.492 kg/m2, in rolls each not over 5 m in width. Plastics sheeting made up of plain woven, high density polyethylene fabric coated on both sides with low density polyethylene, in rolls measuring 5 m in-width (described in statistical reporting number 3921.90.1950)	2	Excluded	18-Sep-19	Updated: 84 FR 69011 of 12/17/2019 Original: 84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.90.4090	Sheets of transparent (double polished or super double polished) laminated polyvinyl chloride, whether or not with an integrated pattern, in rolls, measuring 1.37 m or more but not exceeding 1.83 m in width, not more than 54.9 m in length, and 0.075 mm or more but not exceeding 0.51 mm in thickness, valued at \$2.35 or more but not exceeding \$3.35 per square meter (described in statistical reporting number 3921.90.4090	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3921.90.4090	Sheets of transparent (double polished or super double polished) polyvinyl chloride, whether or not with an integrated pattern, in rolls, measuring 1.37 m but not exceeding 1.83 m in width, not more than 54.9 m in length, and 0.075 mm but not exceeding 0.51 mm in thickness, valued at \$2.35 or more but not exceeding \$3.35 per square meter (described in statistical reporting number 3921.90.4090)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
3923.10.9000	Container units of plastics, each comprising a tub and lid therefore, configured or fitted for the conveyance, packing, or dispensing of wet wipes (described in statistical reporting number 3923.10.9000)	3	Excluded	6-Aug-19	84 FR 38717 of 08/07/2019	9903.88.13	#39268267
3923.10.9000	Plastic trays, of a kind used for retail packaging, custom vacuum formed from polyvinyl chloride or polystyrene sheets (0.45 to 0.9 mm in thickness), each measuring 7.62 cm or more but not over 53.34 cm in length, 17.15 cm or more but not over 42.55 cm in width, and 3.18 cm or more but not over 15.24 cm in depth (described in statistical reporting number 3923.10.9000)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
	Bags of plastic certified by the Biodegradable Products Institute as being compostable, each measuring 43 cm or more but not more than 107 cm in width and 45 cm or more but not more than 122 cm in length, of sheet or film measuring 0.02 mm or more but not more than 0.056 mm in thickness (described in statistical reporting						
3923.29.0000 3923.50.0000	number 3923.29.0000) Injection molded polypropylene plastic caps or lids each weighing not over 24 grams designed for dispensing	3	Excluded Excluded	31-Jan-20 6-Aug-19	85 FR 6674 of 02/05/2020 84 FR 38717 of 08/07/2019	9903.88.38 9903.88.13	#39268267
3923.90.0080	wet wipes (described in statistical reporting number 3923.50.0000) Cups of polypropylene, with a fluted wood paper filter fitted and affixed to the inside, measuring 44.1 mm in height, of a kind used to produce capsules for single-cup coffee brewing systems (described in statistical reporting number 3923.90.0080)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
3926.90.3000	Kayak paddles, double ended, with shafts of aluminum and blades of fiberglass reinforced nylon (described in statistical reporting number 3926.90.3000)	3	Excluded	6-Aug-19	84 FR 38717 of 08/07/2019	9903.88.13	#39268267
4010.35.9000	Endless synchronous belts of vulcanized rubber, molded polyurethane, neoprene, or welded urethane, each of an outside circumference of 60 cm or more but not more than 77 cm and a width of 2.5 cm or more but not exceeding 4 cm, weighing 0.18 kg or more but not exceeding 0.45 kg (described in statistical reporting number 4010.35.9000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
4011.50.0000	New pneumatic tires of rubber of a kind used on bicycles, each having a carbon steel wire-reinforced bead and weighing not more than 2.27 kg each (described in statistical reporting number 4011.50.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Seamless disposable gloves of acrylonitrile butadiene rubber, other than for surgical or medical use (described in statistical reporting number 4015.19.1010)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
	Seamless disposable gloves of natural rubber latex, other than for surgical or medical use (described in						
4015.19.1010	statistical reporting number 4015.19.1010)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Anti-electrostatic discharge mats, comprising a conductive rubber mat measuring 40 cm or more but not						
	exceeding 60 cm in width, 80 or more but not exceeding 125 cm in length, and 2 mm in thickness, with						
4016.91.0000	integrated discharge points for a grounding wire clip or an anti-static wrist strap, such mats printed on the	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
	surface with measuring rules and technical reference data (described in statistical reporting number						
	4016.91.0000)						
4016.93.1010	O-rings, of nitrile rubber, ethylene propylene diene monomer (EPDM) rubber or fluoroelastomers (described in	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#4000302
	statistical reporting number 4016.93.1010)						
4016.93.5050	Gaskets, washers and other seals (other than O-rings or oil seals), of nitrile rubber, ethylene propylene diene	3	Evelvele d		04 ED EZ002 - £ 10/20/2010	9903.88.33	#4056425
4016.93.5050	monomer (EPDM) rubber or fluoroelastomers (described in statistical reporting number 4016.93.5050)	3	Excluded	22 0-+ 10	84 FR 57803 of 10/28/2019	9903.88.33	#4056425
	Mechanical articles for motor vehicles, of vulcanized rubber other than hard rubber, each comprising a guide or			23-Oct-19			
	a stopper for a sunroof or sunshade and weighing not more than 4 g (described in statistical reporting number						
4016.99.6010	4016.99.6010)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
4016.99.6050	Brake bushings, hard or soft (described in statistical reporting number 4016.99.6050)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#4056425
4201.00.3000	Dog harnesses and retractable dog leashes (described in statistical reporting number 4003.05.0000)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#4000302
201.00.3000	Dog <del>and cat</del> leashes, collars, harnesses, retractable leashes, muzzles, and head halters of nylon, polyester or soy-		Excluded	10 300 13	0411(455510105/20/2015	5565.66.16	114000302
	based webbing of various sizes; and tie out cables, stakes and aerials of iron or steel of various sizes, such				Modified ***** 2/29/2020		
4201.00.3000	cables, stakes and aerials presented in a form to be sold individually or in sets cables and aerials, of iron or steel	3			84 FR 61674 of 11/13/2019	9903.88.34	#4071074
	(described in statistical reporting number 4201.00.3000)		Excluded	7-Nov-19			
	Briefcases with outer surface of leather, each measuring no more than 37 cm by 45 cm by 17 cm (described in						
4202.11.0030	statistical reporting number 4202.11.0030)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Bags of woven nylon with leather trim, each having a metal slide fastener and a locking mechanism on one end						
	of the bag to prevent the slide fastener from opening, measuring 11 cm or more but not more than 20 cm in						
	length, 5 cm or more but not more than 9 cm in width, and 7 cm or more but not more than 12 cm in height						
4202.22.8100	(described in statistical reporting number 4202.22.8100)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Stuff sacks with outer surface of textiles of man-made fibers, each measuring 77.5 cm or more but not over						
	127.7 cm in circumference, cylindrical in shape with a single compartment, a drawstring closure at one end and						
4202.92.3131	a strap at the other end of the sack (described in statistical reporting number 4202.92.3131)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
	Zippered containers with outer surface of polyester fabric, each measuring not over 170 mm by 95 mm by 30						
	mm, with clear touch-sensitive polyvinyl chloride front window, such containers mounted on armband						
4202.92.9100	(described in statistical reporting number 4202.92.9100)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
205 00 0000	Covers, of leather, designed for use with telecommunication devices (described in statistical reporting number	3	Evel, de d	10 Feb 20	05 50 0004 - 5 00 /00 /0000	0002 00 40	
4205.00.8000		3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
	Digital electronic scales, not for personal use, not for continuous weighing, other than constant-weight scales,						
	each measuring no more than 195 mm by 165 mm by 60 mm, having a maximum weight capacity of 5 kg, and						#4105277
423.81.0040	having the ability to reset tare (zero point reset) multiple times while adding to the article being weighed	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	
+23.01.0040	(described in statistical reporting number 8423.81.0040)	3	Excluded	12-Def-13	04 I'K 05012 01 12/17/2019	5305.00.30	
	Portable, single-use grills for heating food, each comprising bamboo charcoal fuel, expanded perlite insulation,						
4402.10.0000	bamboo rods for suspending foods over the charcoal flame, and cut paper or paperboard in shapes specially	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#4000302
	designed for assembly of a grill body (described in statistical reporting number 4402.10.0000)						
1409.29.4100	Standard wood moldings, of oak (described in statistical reporting number 4409.29.4100)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#4071074
	Fiberboard sheets, containing phenolic resin, each not exceeding 0.635 mm in thickness (described in statistical		2.010000	,			
411.93.9090	reporting number 4411.93.9090)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#4071074

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
4412.99.5105	Laminated wood flooring panels having a hardwood veneer finished surface and a backing of pine strips or blocks, the panels having tongue-and-groove outer edges and being in thickness greater than 1.4 cm but not greater than 1.5 cm. (described in statistical reporting number 4412.99.5105)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
4412.99.5105	Engineered flooring, of oak, consisting of a 1.2 mm thick oak veneer top layer, 5.8 mm stone-plastic composite core and a 2 mm polyethylene backing, such flooring coated with aluminum oxide, measuring not over 191 cm long by 19 cm wide by 0.9 cm thick (described in statistical reporting number 4412.99.5105)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
4412.99.5105	Flooring panels constructed of a hardwood veneer measuring 0.6 mm or more but not over 1.2 mm in thickness laminated onto a waterproof stone-polymer composite base, with the thickness of each panel between 5 mm and 7.5 mm, with tongue and groove mechanism for installation and an attached foam pad (described in statistical reporting number 4412.99.5105)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
	Two-layer wood flooring consisting of a non-coniferous wood veneer measuring at least 0.6 mm but not more than 1.2 mm in thickness laminated to a single-layer base of fiberboard, each board measuring at least 9 cm but not more than 21 cm in width, at least 35 cm but not more than 1.9 m in length and at least 5 mm but not more			10.5 \ 20		0000.00.40	
4412.99.5105	than 12 mm in thickness (described in statistical reporting number 4412.99.5105) Storage containers of paulownia wood, each measuring 8 cm or more but not over 41 cm in width, 8 cm or more but not over 41 cm in depth and 9 cm or more but not over 41 cm in height (described in statistical reporting	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
4420.90.8000	number 4420.90.8000 Desk accessories of medium density fiberboard, painted or stained, including but not limited to desk organizers, letter trays, business card holders, incline files, pencil cups, note holders, corner shelves, monitor risers, magazine holders, book ends and storage caddies, each weighing at least 0.06 kg but not more than 5.5 kg, measuring at least 10 cm but not more than 35 cm in length, at least 4 cm but not more than 43 cm in width and at least 4.5 cm or more but not more than 30 cm in height (described in statistical reporting number	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
4420.90.8000	4420.90.8000)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
4421.91.7020	Assembled fence sections, of reeds held together with rows of wire, each section measuring 1.8 m or more but not over 1.9 m in height and 4.5 m or more but not over 4.6 m in width, or measuring not over 1.3 m in height and not over 2.5 m in width (described in statistical reporting number 4421.91.7020)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
	Poles, finials, tiebacks and similar drapery hardware of wood (described in statistical reporting number						
4421.99.9780 4601.93.0100	4421.99.9780)	3	Excluded Excluded	31-Jan-20 18-Sep-19	85 FR 6674 of 02/05/2020 84 FR 49591 of 09/20/2019	9903.88.38 9903.88.18	#40003027
4819.50.4040	Rattan webbing, woven into decorative patterns (described in statistical reporting number 4601.93.0100) Rigid boxes of paperboard weighing 1.2 kg per m2 covered with paper with a decorative design, each presented with hang tag, a handle and two imitation leather straps with snaps, such boxes measuring 21 cm or more but not over 23 cm in height, 21 cm or more but not over 23 cm in length and 5 cm or more but not over 9 cm in depth (described in statistical reporting number 4819.50.4040)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
4921 10 4000	Paper and paperboard printed labels, personalized, not lithographic, on matte self-adhesive stock, with foil embellishments, each measuring 2 cm or more but not more than 6 cm in diameter, on sheets measuring not more than 21 cm in width and not more than 29 cm in length, packaged in a sealed direct mail package	2			0F FD (674 - 602/0F /2020	0002.00.22	
4821.10.4000 4823.61.0040	(described in statistical reporting number 4821.10.4000)	3	Excluded Excluded	31-Jan-20	85 FR 6674 of 02/05/2020 84 FR 57803 of 10/28/2019	9903.88.38 9903.88.33	#40564257
4823.61.0040 4823.70.0040	Trays, plates and bowls, of bamboo (described in statistical reporting number 4823.61.0040) Paper pulp sponge blocks, measuring 38 cm by 38 cm by 102 cm (15 inches by 15 inches by 40 inches) (described in statistical reporting number 4823.70.0040)		Excluded	23-Oct-19 18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.33 9903.88.18	#40564257 #40003027
4823.70.0040	Molded blocks of wood pulp cellulose sponge, each measuring not over 105 cm by 105 cm by 40 cm (described in statistical reporting number 4823.70.0040) (U.S. note 20(oo)(16))	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
	Drinking straws of paper, each measuring 12.5 cm or more but not more than 26.5 cm in length and 5 mm or						
4823.90.8600	more but not more than 10 mm in diameter (described in statistical reporting number 4823.90.8600)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Silk fabrics, containing 85 percent or more by weight of silk or of silk waste other than noil silk, the foregoing not						
5007.20.0065	printed, not jacquard woven, measuring over 127 cm in width (described in statistical reporting number 5007.20.0065)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
5106.10.0090	Yarn of carded Merino sheep wool, not put up for retail sale, containing 85 percent by weight of wool, of which the average fiber diameter is not more than 25 microns (described in statistical reporting number 5106.10.0090)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
5208.11.4090	Fabrics wholly of cotton, unbleached, plain weave, weighing not more than 100 g/m <sup>2</sup> , of numbers 43 to 68 ("cheesecloth"), 3-layer folded and crimped, less than 28 cm wide after folding and crimping, compliant with standards of Aerospace Management Services (AMS) (described in statistical reporting number 5208.11.4090) Fabrics wholly of cotton, bleached, plain weave, weighing not more than 100 g/m <sup>2</sup> , of numbers 43 to 68	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
5208.21.4090	("cheesecloth"), compliant with standards of Aerospace Management Services (AMS) (described in statistical reporting number 5208.21.4090)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
5402.20.3010	High tenacity polyester yarn not over 600 decitex (described in statistical reporting number 5402.20.3010)	3	Excluded	6-Aug-19	84 FR 38717 of 08/07/2019	9903.88.13	#39268267
5402.20.3030	High tenacity single yarn of polyester multifilament, of 554 decitex or more but not over 556 decitex, with twist of 5 turns or more per meter (described in statistical reporting number 5402.20.3030)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
5407.10.0010	Woven microfiber fabric of 100 percent polyester, not exceeding 150/75 or 104/72 threads per inch, weighing 83 gram/m <sup>2</sup> (described in statistical reporting number 5407.10.0010)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
5407.52.2060	Woven dyed fabrics of 100 percent textured polyester filament yarn, measuring 332.7 cm in width, weighing more than 170 g/m2 (described in statistical reporting number 5407.52.2060)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	Woven fabric of 100 percent textured polyester filaments, dyed, weighing more than 170 g/m <sup>2</sup> , measuring not						
5407.52.2060	more than 310 cm in width (described in statistical reporting number 5407.52.2060)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Woven fabric of synthetic filament yarn containing 85 percent or more by weight of textured polyester filaments, dyed, measuring 249 cm in width, weighing more than 170 g/m <sup>2</sup> (described in statistical reporting						
5407.61.9930	number 5407.52.2060)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
5407.61.9930	Woven dupioni fabric wholly of non-textured dyed polyester filaments, weighing not more than 170 g/m <sup>2</sup> , measuring not more than 310 cm in width (described in statistical reporting number 5407.61.9930)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Woven fabric wholly of polyester, dyed, not flat, containing non-textured polyester filaments, weighing not more than 170 g/m <sup>2</sup> , measuring not over 310 cm in width (described in statistical reporting number	_					
5407.61.9930	5407.61.9930)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
F 407 C1 0025	Woven fabric wholly of polyester, dyed, containing non-textured polyester filaments, weighing more than 170	2	Fuelvalad	21 Dec 10	05 5D 540 -£ 01/05/2020	0002 00 27	
5407.61.9935	g/m <sup>2</sup> , measuring not over 310 cm in width (described in statistical reporting number 5407.61.9935 Woven fabric containing by weight 47 percent of nylon and 53 percent of polyester, dyed, containing textured	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
5407.72.0015	filaments, weighing not more than 170 g/m <sup>2</sup> , measuring greater than 274 cm in width (described in statistical reporting number 5407.72.0015)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
5407.92.2090	Woven fabrics of synthetic filament yarn, dyed, weighing more than 280 g/m <sup>2</sup> but not more than 420 g/m <sup>2</sup> (described in statistical reporting number 5407.92.2090)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
5408.32.9050	Satin woven fabrics of artificial filament yarn, consisting of 63 percent rayon and 37 percent combed cotton, dyed, weighing not over 211 g/m <sup>2</sup> (described in statistical reporting number 5408.32.9050)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
5507.20.0085	Silk fabrics, containing 85 percent or more by weight of silk or of silk waste other than noil silk, the foregoing not printed, not jacquard woven, measuring 107 cm or more but not over 127 cm in width (described in statistical reporting number 5007.20.0085)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
5512.19.0090	Woven dyed fabrics wholly of spun polyester, weighing more than 240 g/m <sup>2</sup> and measuring not more than 310 cm in width (described in statistical reporting number 5512.19.0090)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
5513.11.0040	Woven fabric sheeting of 65 percent polyester and 35 percent cotton, weighing less than 170g/m <sup>2</sup> , not exceeding 45/45 or 110/76 threads per inch (described in statistical reporting number 5513.11.0040)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
5514.22.0020	Woven dyed 3-thread twill fabrics containing by weight 65 percent of polyester and 35 percent of cotton staple fibers, not napped, weighing more than 200 g/m <sup>2</sup> and exceeding 310 cm in width (described in statistical reporting number 5514.22.0020) Sheeting fabrics containing less than 85 percent by weight of artificial staple fibers, mixed mainly or solely with	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
5516.44.0022	cotton, such artificial staple fibers derived from wood, printed (described in statistical reporting number 5516.44.0022)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
5516.92.0060	Dyed sateen fabric containing artificial staple fibers, measuring 292.1 cm in width (described in statistical reporting number 5516.92.0060)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
5603.12.0090	Nonwoven fabrics of man-made fibers, weighing more than 25 g/m2 but not more than 70 g/m2, with a smooth or embossed texture (not impregnated, coated or covered with material other than or in addition to rubber, plastics, wood pulp or glass fibers), in rolls that are pre-slitted in lengths of not less than 15 cm to not more than 107 cm, for use in the manufacture of personal care wipes (described in statistical reporting number 5603.12.0090)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
5603.92.0090	Nonwovens weighing more than 25 g/m2 but not more than 70 g/m2 in rolls, not impregnated coated or covered (described in statistical reporting number 5603.92.0090)	3	Excluded	6-Aug-19	84 FR 38717 of 08/07/2019	9903.88.13	#39268267
5603.94.1090	Nonwoven rug pads, each comprising a 100 percent polyester fiber fabric, face laminated to a thermoplastic elastomer and weighing over 150 g/m <sup>2</sup> (described in statistical reporting number 5603.94.1090)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
5603.94.9090	Non-woven fabrics of polyethylene terephthalate (PET), in sheets measuring not more than 160 cm by 250 cm, weighing more than 1,800 g/m <sup>2</sup> but not more than 3,000 g/m <sup>2</sup> (described in statistical reporting number 5603.94.9090)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
5609.00.3000	Ropes of man-made fibers, each measuring 1.7 m or more but not over 6.1 m in length with breaking strength of 22 kg or more but not over 230 kg, with hooks of base metal and locking mechanisms to maintain tension on the rope (described in statistical reporting number 5609.00.3000)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
5609.00.4000	Storage containers of twisted paper rope, each measuring not less than 8 cm but not more than 39 cm in length, not less than 8 cm but not more than 39 cm in width and not less than 9 cm but not more than 57 cm in height (described in statistical reporting number 5609.00.4000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
5705.00.2030	Rugs of 100 percent polyester or polypropylene, with brass grommets and stainless steel springs, each measuring at least 44 cm by 45 cm but not exceeding 56 cm by 59 cm (described in statistical reporting number 5705.00.2030)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
5806.32.2000	Seat belt webbing of man-made fibers, measuring 25 mm or more but not exceeding 50 mm in width, not cut to specific length (described in statistical reporting number 5806.32.2000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
5810.92.9080	Woven dyed embroidery fabrics containing by weight 55 percent of polyester and 45 percent of nylon, weighing less than 115 g/m <sup>2</sup> and measuring 289 cm in width (described in statistical reporting number 5810.92.9080)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
5903.10.2090	Imitation leather fabrics, of man-made fibers impregnated, coated, covered or laminated with 75 percent polyvinyl chloride (PVC) by weight (described in statistical reporting number 5903.10.2090)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
5903.20.2500	Polyester or viscose fabric coated with polyurethane, the foregoing measuring 137 cm (54 inches) in width, and weighing 187 grams/m <sup>2</sup> (described in statistical reporting number 5903.20.2500)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
5903.20.2500	Fabrics of man-made micro-denier fibers impregnated, coated, covered, or laminated with polyurethane, of a width of at least 135 cm but no more than 150 cm, weighing at least 206 g/m2 but not more than 500 g/m2 (described in statistical reporting number 5903.20.2500)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	Fabrics of 100 percent polyester, silicone coated, of a kind suitable for upholstery, weighing more than 90 g/m <sup>2</sup> , meeting ASTM International standard G21, American Association of Textile Chemists and Colorists (AATCC) standards 147-2004 and 30 and Chemical Fabric & Film Association (CFFA) standard 141 method II (described in						
5903.90.2000	statistical reporting number 5903.90.2000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
6001.10.2000	Long pile knit fabrics, of acrylic pile on polyester ground, valued not over \$16 per m2 (described in statistical reporting number 6001.10.2000) Fabrics wholly of polyester, warp knit, bonded to a plain weave backing fabric, measuring not more than 141 cm	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
6001.92.0010	in width, weighing over 271 g/m <sup>2</sup> , of a kind used to upholster furniture (described in statistical reporting number 6001.92.0010) Knitted or crocheted fabrics of artificial staple fibers derived from bamboo (described in statistical reporting	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
6003.40.6000	number 6003.40.6000) Fabrics wholly of polyester, warp knit, printed, bonded to a woven backing wholly of polyester, weighing not	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
6005.39.0080	less than 290 g/m <sup>2</sup> but not more than 500 g/m <sup>2</sup> , of a kind used to upholster furniture (described in statistical reporting number 6005.39.0080)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
6505.00.8015	Nonwoven Disposable Headgear Without Peaks Or Visors Of Manmade Fibers Circular knitted fabrics of polyester and spandex, printed, other than of double knit or interlock construction, on	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
6606.34.0080 6810.99.0080	rolls (described in statistical reporting number 6006.34.0080)	3	Excluded	7-Nov-19 23-Oct-19	84 FR 61674 of 11/13/2019 84 FR 57803 of 10/28/2019	9903.88.34 9903.88.33	#40710742 #40564257
6815.10.0100	Cement backer boards (CAS No. 1309-48-4) (described in statistical reporting number 6810.99.0080) Nonelectrical graphite sheets, flexible, measuring 1,000 mm in length, 1,000 mm in width, and 0.8 mm or more but not exceeding 1.5 mm in thickness (described in statistical reporting number 6815.10.0100)	3	Excluded Excluded	23-001-19 26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.33	#40901928
6909.11.2000	Grinding beads of yttria-stabilized zirconia (described in statistical reporting number 6909.11.2000)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
7001.00.5000	Cullet of clear soda-lime glass to be used for the production of continuous filament mats (described in statistical reporting number 7001.00.5000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
7002.20.1000	Unclad glass core rods of high purity silica with a core region infused with germanium dioxide, in which the ratio of the outer diameter of the rod to the diameter of the core region is less than 5:1, such outer diameter not exceeding 65 mm, and in lengths of less than 3 m (described in statistical reporting number 7002.20.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
7006.00.4050	Glass shells fitted for incorporation into glass insulators for use in the transmission of electricity (described in statistical reporting number 7006.00.4050)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Rear-view mirrors of convex glass for motor vehicles, each measuring not less than 1.75 mm and not more than 2.4 mm in thickness, not less than 125 mm and not more than 210 mm in length, not less than 97 mm and not more than 180 mm in width, weighing not less than 74 g and not more than 188 g (described in statistical						
7009.10.0000	reporting number 7009.10.0000) Rear-view mirrors of flat glass for motor vehicles, each measuring not less than 1.75 mm but not more than 2.4 mm in thickness, not less than 163 mm but not more than 210 mm in length, not less than 107 mm but not more	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
7000 10 0000	than 167 mm in width and weighing not less than 80 g but not more than 188 g (described in statistical reporting	2	Evoluded	21 Jan 20	85 50 6674 of 02/05/2020	0002 00 20	
7009.10.0000 7016.10.0000	number 7009.10.0000) Tiles of non-recycled glass on a vinyl mesh backing, in a grid pattern of not less than 304 mm by 304 mm and not exceeding 305 mm by 305 mm, for mosaics or other decorative or construction purposes (described in statistical reporting number 7016.10.0000)	3	Excluded Excluded	31-Jan-20 23-Oct-19	85 FR 6674 of 02/05/2020 84 FR 57803 of 10/28/2019	9903.88.38 9903.88.33	#40564257
7017.90.1000	Microscope slides, each 25 mm by 76 mm, with a 25 mm by 25 mm area coated in printable paint (described in statistical reporting number 7017.90.1000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
	Non-woven fiberglass and polyester composite panels, each panel measuring not less than 120 cm by 242 cm,						
	and not less than 2 mm but not more than 10 mm in thickness (described in statistical reporting number	_					
7019.39.1090	7019.39.1090)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
7307.92.3030	Tube or pipe sleeves (couplings) of alloy steel (except stainless steel), threaded, each weighing 0.19 kg or more but not over 18.2 kg, measuring 305 cm in length, measuring 1.2 cm or more but not over 10.2 cm in diameter, UL listed (described in statistical reporting number 7307.92.3030)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
7307.93.6000	Butt welding tube or pipe elbows of galvanized steel, each weighing 0.19 kg or more but not over 17 kg, measuring 12 mm or more but not over 102 mm in inside diameter, UL listed (described in statistical reporting number 7307.93.6000)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
7308.30.5050	Vault doors of stamped, welded and powder-coated 12-gauge carbon steel, each measuring 2 m or more in height, 81 cm or more but not more than 92 cm in width and 7.7 cm in thickness, each fitted with nine locking bolts, a slip-clutch handle and a programmable electric lock with keypad, with mechanical key override, presented with matching door frame (described in statistical reporting number 7308.30.5050)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Girders of iron or steel, meeting ASTM standard A572, Grades 50, 65 or 70 (described in statistical reporting						
7308.90.3000	number 7308.90.3000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.3000	Pipes of iron or steel, with connectors, meeting ASTM standard A572, Grade 50 (described in statistical reporting number 7308.90.3000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.3000	Posts of steel pipe and tube, with ball knobs attached (described in statistical reporting number 7308.90.3000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.3000	Posts of steel pipe and tube, with sill plates and ball studs attached (described in statistical reporting number 7308.90.3000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.3000	Rib nodes of iron or steel, meeting ASTM standard A572, Grades 50, 65 or 70 (described in statistical reporting number 7308.90.3000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.3000	Steel upstand support members (described in statistical reporting number 7308.90.3000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.9590	Angle feed racks of galvanized steel, designed for use in the feeding of livestock (described in statistical reporting number 7308.90.9590)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.9590	Animal kennels of iron or steel (described in statistical reporting number 7308.90.9590)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.9590	Balusters or spindles, of iron or steel, designed for use in handrails (described in statistical reporting number 7308.90.9590)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.9590	Chain link fence panels, and fence panel stands and bases, of iron or steel (described in statistical reporting number 7308.90.9590)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.9590	Elongated half loops of galvanized steel (described in statistical reporting number 7308.90.9590)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.9590	Gazebos, pergolas and trellises of iron or steel (described in statistical reporting number 7308.90.9590)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.9590	Lockup frames of galvanized steel, of a length exceeding 3.0 m, designed for use in controlling the movement of livestock (described in statistical reporting number 7308.90.9590)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.9590	Steel plate assemblies conforming to ASTM A709 Grade 50 (described in statistical reporting number 7308.90.9590)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.9590	Tubes of galvanized steel, coped (notched) on one end, of a length not exceeding 1.0 m (described in statistical reporting number 7308.90.9590)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
7308.90.9590	Driveway gates and pedestrian gates of galvanized steel (described in statistical reporting number 7308.90.9590)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
7308.90.9590	Fence panels of galvanized steel (described in statistical reporting number 7308.90.9590)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
7308.90.9590	Gate posts of iron or steel (described in statistical reporting number 7308.90.9590)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
7308.90.9590	Gates or pens, of iron or steel (described in statistical reporting number 7308.90.9590)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
7308.90.9590	Gestation stalls, farrowing crates and rails therefor, gates and structural support posts, the foregoing of steel, of a kind used in swine penning systems (described in statistical reporting number 7308.90.9590)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881

			-	-			
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
7308.90.9590	Steel chain-link fence panels, each panel wider than 3.5 m but not wider than 4 m and higher than 1.5 m but not	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
	higher than 2 m (described in statistical reporting number 7308.90.9590)	-					
7308.90.9590	Steel wall assemblies (described in statistical reporting number 7308.90.9590)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
7308.90.9590	Structural articles of stainless steel (described in statistical reporting number 7308.90.9590)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
7314.14.1000	Stainless steel mesh filters (described in statistical reporting number 7314.14.1000)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
7315.12.0080	Articulated chains of iron, not over 8 mm in thickness and valued not over \$2 per kg (described in statistical reporting number 7315.12.0080)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	Steel staples suitable for use in powder-actuated handtools, not threaded, each weighing 37 g or more but not						
	over 41 g, measuring 2.8 cm or more but not over 12.7 cm in height, 6.4 cm or more but not over 7.4 cm in						
	width and 3.3 cm or more but not over 12.2 cm in depth (described in statistical reporting number						
7317.00.2000	7317.00.2000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Bent bolts, tube nuts, of cold-heading quality carbon steel, measuring 18.75 mm in length and 19.50 mm in						
7318.15.2046	outside diameter (described in statistical reporting number 7318.15.2046)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
7318.15.8069	Bolts of alloy steel other than stainless steel, with shanks or threads with a diameter of 6 mm or more, valued	3	Excluded		84 FR 57803 of 10/28/2019	9903.88.33	#40564257
7318.15.8069	not over \$0.10 per kg (described in statistical reporting number 7318.15.8069)	3	Excluded	23-Oct-19	84 FR 57803 OF 10/28/2019	9903.88.33	#40564257
	Perforated hollow hex head bolts ("banjo bolts") of steel other than stainless, with shanks or threads with a						
7318.15.8069	diameter of 6 mm or more, valued not over \$0.10 per kg (described in statistical reporting number	3	Excluded		84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	7318.15.8069)			23-Oct-19			
	Portable outdoor cookers, each consisting of a burner and stand made from steel and cast iron, two or more						
	pots with fitted strainer baskets, a rack suitable for supporting and lifting out large food items and an adjustable						
	pressure regulator/hose combination for connecting the burner to a portable container of LP, put up for retail						
7321.11.1060	sale (described in statistical reporting number 7321.11.1060)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
	Furnace manifold and orifice holder assemblies of steel, with an internal thread and welded flat plate with						
	screw holes, measuring not less than 15 cm in length, not less than 8 cm in width, and not less than 10 cm in						
7321.90.6060	height (described in statistical reporting number 7321.90.6060)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Grills composed of steel wire, each measuring 49 cm by 47 cm (19.25 inches by 18.5 inches), weighing 0.36 kg						
7321.90.6090	(0.80 lbs.), designed as cooking surface of barbecue grill (described in statistical reporting number	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
	7321.90.6090)	-			, -, -,		
	Kerosene air heaters, each incorporating a motor-driven fan or blower, each valued at \$100 or more but not						
7322.90.0015	exceeding \$120 (described in statistical reporting number 7322.90.0015)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	Gates for confining children or pets, of steel not coated or plated with precious metals (described in statistical						
7323.99.9040	reporting number 7323.99.9040) (U.S. note 20(00)(20))	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
7323.99.9080	Pet cages of steel (described in statistical reporting number 7323.99.9080)	3	Excluded	6-Aug-19	84 FR 38717 of 08/07/2019	9903.88.13	#39268267
	Safes of 16 gauge carbon steel, each stamped, welded and powder-coated, with a programmable electric lock						
	with keypad, mechanical key override, measuring 27 cm or more but not over 33 cm in length, 21 cm or more						
	but not over 23 cm in width and 6 cm or more but not over 23 cm in depth (described in statistical reporting						
7323.99.9080	number 7323.99.9080)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Freestanding cast iron bathtubs, without feet, coated with porcelain enamel, each valued over \$275 (described	-		01 200 12			
7324.21.5000	in statistical reporting number 7324.21.5000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
7324.90.0000	Sinks, of cast iron enameled with porcelain (described in statistical reporting number 7324.90.0000)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
		-			, ,,,,		
7326.19.0080	Stamped steel rings, measuring 1.22 mm in thickness and 35 mm in diameter, of a kind used with rubber vibration bushings in motor vehicle suspensions (described in statistical reporting number 7326.19.0080)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
7326.90.8660	Foldable stepladders of steel, each with 2, 3 or 4 steps and safety latch, with load capacity of 90 kg or more but not over 140 kg (described in statistical reporting number 7326.90.8660	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
7326.90.8688	Portable work table bases (described in statistical reporting number 7326.90.8688)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
	Sawhorses of steel, with folding legs, each with a weight capacity of at least 225 kg but not more than 685 kg						
7326.90.8688	(described in statistical reporting number 7326.90.8688)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257

						LITC To Line	
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
	Steel electrical boxes, designed for lighting fixtures, switches, receptacles or outlet devices, such boxes weighing						
	0.4 kg or more but not over 3.5 kg, 10.2 cm in length or more, 5 cm or more but not over 10.2 cm in width and						#41052773
	12 cm in height, the foregoing UL listed (described in statistical reporting number )						#41032773
7326.90.8688		3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	
	Fish tapes of steel and plastics, each weighing 516 g or more but not over 3,810 g and measuring no greater						
7326.90.8688	than 46 cm by 34 cm by 5 cm (described in statistical reporting number 7326.90.8688)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Steel clamps with rubber insulation, each weighing not more than 45.4 grams and measuring not more than 26						
	mm in height, not more than 54 mm in width and not more than 97 mm in depth (described in statistical	2	Evelvele d	21 Dec 10	05 50 540 -£ 01/06/2020	0002 00 27	
7326.90.8688	reporting number 7326.90.8688)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Telescoping poles of steel, spring loaded, with ends of plastic, each measuring not less than 127 cm but not						
7226 00 0600	more than 314 cm in height and not more than 2.6 cm in diameter (described in statistical reporting number	2	Evelvela d	21 D 10		0002 00 27	
7326.90.8688	7326.90.8688) Cable hooks of steel, each weighing not less than 0.2 kg, measuring not less than 9 cm in length, not less than 5	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
7226 00 0600	cm in width and not less than 1 cm in height with spring loaded closure gate (described in statistical reporting	2	Evelvele d	21 1 20		0000 00 00	
7326.90.8688	number 7326.90.8688) Registers, grills and diffusers of steel, of the type used for duct openings of heating and ventilating systems	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
7226 00 9699		3	Evoludod	21 Jan 20	85 50 6674 of 02/05/2020	9903.88.38	
7326.90.8688	(described in statistical reporting number 7326.90.8688)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Awning stabilizer kits, each comprising two zinc-plated steel constructed spiral stakes with two rolls of cord or	2	Evelvele d	21 1 20		0000 00 00	
7326.90.8688	two pull-tension straps, weighing not more than 2 kg (described in statistical reporting number 7326.90.8688)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
7410 20 1000	Toilet paper holders of brass with chrome or nickel finish (described in statistical reporting number	2	Evelvele d	21 1 20		0000 00 00	
7418.20.1000	7418.20.1000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
7410 00 5050	Decorative copper cup rainfall funnels, each weighing not more than 1.5 kg with a chain measuring 20 cm in	2	Excluded		84 ED E7802 of 10/28/2010	0002 88 22	#40564257
7419.99.5050	length, cups each measuring 80 cm in height, 10 cm in width, 10 cm in diameter (described in statistical	3	Excluded	22 Oct 10	84 FR 57803 of 10/28/2019	9903.88.33	#40504257
	reporting number 7419.99.5050)		-	23-Oct-19		-	
7501.20.0000	Nickel hydroxy carbonate (CAS No. 12607-70-4) (described in statistical reporting number 7501.20.0000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
				23-001-19			
	Structural angles of aluminum, in a V shape with a 90 degree angle, for sliding or rolling driveway gates, in						
7610.90.0080	packages containing 2 or 3 angles, with each piece of a length exceeding 1.5 m but not exceeding 2.0 m and a	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
	width exceeding 4 cm but not exceeding 8 cm (described in statistical reporting number 7610.90.0080)						
	Modified 7610.90.0080 by deleting "Structural angles of aluminum, in a V shape with a 90 degree angle, for						
	sliding or rolling driveway gates, in packages containing 2 or 3 angles, with each piece of a length exceeding 1.5						
7610.90.0080	m but not exceeding 2.0 m and a width exceeding 4 cm but not exceeding 8 cm (described in statistical reporting	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
	number 7610.90.0080)"						
	Awning casting endplates, of aluminum, weighing not less than 0.1 kg, measuring not less than 17 cm in length,						
	not less than 10 cm in width, and not less than 1 cm in height (described in statistical reporting number						
7610.90.0080	7610.90.0080)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
,	Decorative cast aluminum endcaps, of a kind used with structural elements of roof- mounted patio awnings for	<u> </u>					
	recreational vehicles (RVs), each measuring not more than 19 cm in length, not more than 11.5 cm in width and						
	not more than 3 cm in thickness, weighing not more than 0.15 kg each (described in statistical reporting number		1				
7610.90.0080	7610.90.0080)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Telescoping multi-position ladders of aluminum, each with maximum reach height of 4.2 m or more but not	-			,		
	over 7.9 m, with locks to adjust the telescoping positions and with load rating of 136 kg or more but not over						#41052773
	170 kg (described in statistical reporting number 7616.99.5130)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	
	Sewer hose supports constructed of flat strips of aluminum measuring 0.3 cm in thickness and riveted together						
	to extend and retract accordion-style, each not exceeding 4.6 m when extended and weighing not more than						
	1.5 kg (described in statistical reporting number 7616.99.5150)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
7616.99.5190	Mounting boards of aluminum for guitar sound modifying ("effect") devices, each consisting of an aluminum frame with above ground slots for the placement of devices and floor level slots for the on/off foot-operated pedal switches which control the modifying devices (described in statistical reporting number 7616.99.5190)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
7616.99.5190	Aluminum desktop stands for laptop computers (described in statistical reporting number 7616.99.5190)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
7616.99.5190	Clips of aluminum shaped like the letter "J", with the diameter of the loop not exceeding 13 mm, each with a hole drilled through the long part of the "J" (described in statistical reporting number 7616.99.5190) Telescoping poles of aluminum, spring loaded, with ends of plastic, each measuring not less than 1.5 m but not	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
7616.99.5190	more than 3.7 m in height and 2.9 cm or more but not exceeding 3.6 cm in diameter (described in statistical reporting number 7616.99.5190)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
7616.99.5190	Clamp edge components of aluminum, with injection molded clamp heads and levers, measuring not less than 60 cm but not more than 127 cm in length, with extensions to 254 cm in length (described in statistical reporting number 7616.99.5190)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
7907.00.6000	Awning casting pivots, of zinc coated aluminum, weighing not less than 0.6 kg, measuring not less than 9 cm in length, not less than 6 cm in width, and not less than 4 cm in height (described in statistical reporting number 7907.00.6000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8201.10.0000	Shovels of aluminum, each of adjustable length measuring not less than 65 cm but not more than 85 cm, weighing less than 1 kg (described in statistical reporting number 8201.10.0000)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8202.99.0000	Hole saw cups, tungsten carbide tipped or bi-metal, measuring not less than 18.5 mm but not more than 166 mm in diameter (described in statistical reporting number 8202.99.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8203.20.6030	Cutting pliers, each weighing 90 g or more but not over 545 g, measuring not over 32 cm in length, not over 10.5 cm in width and not over 3 cm in thickness (described in statistical reporting number 8203.20.6030)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8203.20.6060	Hand tools of steel, similar to pliers, each capable of crimping, stripping and cutting wire, weighing at least 170 g or more but not exceeding 460 g, and measuring not more than 26 cm by jaw opening size of 30 cm by 11 cm by 2.5 cm (described in statistical reporting number 8203.20.6060)		Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8203.20.6060	Hand tools of steel similar to pliers, designed for crimping electrical connectors and cutting wire, each weighing 333 g and measuring no more than 26 cm by 11 cm by 2.5 cm (described in statistical reporting number 8203.20.6060)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8204.11.0060	Extension wrenches (described in statistical reporting number 8204.11.0060)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8204.20.0000	Sockets of zinc-plated alloy steel to fit 19 mm hex, each with quick-connect shaft, weighing not more than 250 g (described in statistical reporting number 8204.20.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8205.70.0090	Parallel clamps with jaws not more than 10 cm wide (described in statistical reporting number 8205.70.0090)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8207.19.3060	Drill bits of steel, consisting of three legs that are welded together with each leg containing rotating cones, for use in drilling for oil and natural gas (described in statistical reporting number 8207.19.3060)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8207.19.3090	Cutting parts for rock drilling or earth boring tools, each containing by weight over 0.2 percent of chromium, molybdenum or tungsten or over 0.1 percent of vanadium (described in statistical reporting number 8207.19.3090)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
0007 00 0000	Stamping dies of A2 or D2 tool steel, each measuring not less than 60 cm by 60 cm by 32 cm and not more than 370 cm by 155 cm by 125 cm, weighing not less than 1,360 kg or more but not more than 5,450 kg, of a kind			24.4 22	05 50 5574 500/05 /2000		
8207.30.6032	suitable for stamping steel or aluminum (described in statistical reporting number 8207.30.6032) Automotive polishing attachments specially designed for use with a hand-held drill, each attachment including a 9.5 mm steel drive shaft, internal gear assembly, transverse hand brace and rotating disk components (described in statistical reporting number 8207.90.7585)	3	Excluded	31-Jan-20 19-Feb-20	85 FR 6674 of 02/05/2020 85 FR 9921 of 02/20/2020	9903.88.38 9903.88.40	

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8207.90.7585	Bolt-on tips of carbon alloy steel of a kind used in tub or horizontal grinders (described in statistical reporting number 8207.90.7585)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8209.00.0030	Cylindrical cemented tungsten carbide rod blanks, containing by weight 60 percent or more of tungsten carbide, 30 percent or less of cobalt, and 15 percent or less of nickel (described in statistical reporting number 8209.00.0030)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8209.00.0030	Tool tips, strips and sticks of tungsten carbide (described in statistical reporting number 8209.00.0030)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8215.20.0000	Sets of flatware of stainless steel, containing no article plated with precious metal, put up for retail sale (described in statistical reporting number 8215.20.0000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8302.30.3060	Brake pad clips, of stainless steel, for motor vehicles of headings 8703 and 8704 (described in statistical reporting number 8302.30.3060)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8302.30.3060	Mountings, each weighing less than 2 kg, designed for use in motor vehicles primarily used for amusement, recreation, sporting and off-road transportation classified in heading 8703 or motorcycles in heading 8711 (described in statistical reporting number 8302.30.3060)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8302.30.3060	Ladder hooks and supports of polyethylene coated steel suitable for carrying waste tanks of recreational vehicles, each weighing not more than 2 kg (described in statistical reporting number 8302.30.3060)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8302.30.3060	Push bars of aluminum for screen doors of recreational vehicles, each adjustable in length from not less than 500 mm to not more than 825 mm, weighing not more than 600 g (described in statistical reporting number 8302.30.3060)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8302.41.6050	Telescoping curtain rod sets put up for retail sale, each set including two or more cylindrical telescoping rods, two or more wall brackets capable of affixing the rods to building components, all the foregoing of steel, and two or more rod finials of resins or other plastics, the foregoing not including mechanisms for opening or closing curtains (described in statistical reporting number 8302.41.6050)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8302.41.6080	Hand rails of tubular stainless steel, with wall connectors, of a length exceeding 300 mm but not exceeding 1.3 m (described in statistical reporting number 8302.41.6080)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8302.41.9080	Awning roller bar hanging mountings of polyvinyl chloride for recreational vehicles, each with S-hook hangers having a capacity of not more than 7 kg, weighing not more than 200 g (described in statistical reporting number 8302.41.9080)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Towers of aluminum, unassembled, each designed to be mounted on a boat, incorporating at least one point to which a tow rope may be fastened for towing individuals participating in water sports such as wakeboarding, the assembled tower measuring not over 1.9 m in height and no more than 2.5 m in width (described in						#41052773
8302.49.6055	statistical reporting number 8302.49.6055) Towers of aluminum, unassembled, each designed to be mounted on the body of a boat, incorporating a tow point for towing individuals participating in water sports such as wakeboarding, the assembled tower measuring not over 1.6 m in height and not over 2.5 m in width (described in statistical reporting number 8302.49.6055	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
8302.49.6055		3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	l
8302.49.6085	Stamped and formed latches of steel (described in statistical reporting number 8302.49.6085)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8302.50.0000	Stamped and formed brackets of steel (described in statistical reporting number 8302.50.0000)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8302.50.0000	Flat panel display mounting adapters of base metal (described in statistical reporting number 8302.50.0000)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8302.50.0000	Articulating video monitor wall mounting assemblies of steel and aluminum, each weighing not less than 4 kg but not more than 7 kg (described in statistical reporting number 8302.50.0000)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8402.90.0010	Heat exchangers, the foregoing comprising parts of goods of heading 8402 and each fitted for heat recovery steam generator (described in statistical reporting number 8402.90.0010)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8402.90.0010	Heat exchangers, the foregoing comprising parts of goods of heading 8402 and each fitted for heat recovery generator (described in statistical reporting number 8402.90.0010)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8402.90.0090	Drums, exhaust stacks, and inlet duct panel assemblies of heat recovery steam generators (described in statistical reporting number 8402.90.0090)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8402.90.0090	Water tanks for steam or other vapor generating boilers (described in statistical reporting number 8402.90.0090)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8404.40.4000	Speed drive controllers for electric motors, each such controller measuring 100 mm or more but not over 130 mm in length, 40 mm or more but not over 125 mm in width and 24 mm or more but not over 85 mm in height (described in statistical reporting number 8404.40.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8404.40.4000	Speed drive controllers for electric motors, the foregoing operating at 250 A or more but not over 500 A (described in statistical reporting number 8504.40.0000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8404.40.4000	Variable frequency drive controllers for electric motors, each weighing more than 1 kg but not more than 11 kg (described in statistical reporting number 8504.40.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8407.21.0040	Spark-ignition Reciprocating Or Rotary Internal Combustion Piston Engines For Marine Propulsion, Outboard Motors Less Than 22.38 Kw	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8407.21.0080	Spark-ignition engines for marine propulsion, outboard, each rated at not less than 29.83 kW but not more than 44.74 kW (described in statistical reporting number 8407.21.0080)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8407.32.9040	Spark ignition reciprocating piston engines of a cylinder capacity exceeding 100 cc but not exceeding 250 cc, not exceeding 10.0 kW (described in statistical reporting number 8407.32.9040)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8407.90.1010	Spark-ignition reciprocating or rotary internal combustion piston engines, to be installed in agricultural or horticultural machinery or equipment, each rated at less than 4,200 W (described in statistical reporting number 8407.90.1010)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8407.90.1020	Spark-ignition rotary or reciprocating internal combustion piston engines to be installed in agricultural or horticulturalmachinery or equipment, 4,476 W or more but not more than 37.6 kW, each valued not over \$180 (described in statistical reporting number 8407.90.1020)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8407.90.9010	Gasoline or liquid propane (LP) engines each having a displacement of more than 2 liters but not more than 2.5 liters (described in statistical reporting number 8407.90.9010)	2	Excluded	31-Jul-19	84 FR 32821 of 07/09/2019	9903.88.12	#39169565
8407.90.9040	Spark-ignition internal combustion piston engines, not elsewhere specified or included, 746 W or greater but not exceeding 4,476 W, with an engine displacement of not more than 430 cc (described in statistical reporting number 8407.90.9040)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8407.90.9040	Spark ignition internal combustion engines (other than aircraft engines, other than marine propulsion engines, other than reciprocating piston engines of a kind used for the propulsion of vehicles of chapter 87, other than to be installed in agricultural or horticultural machinery or equipment and other than natural gas or LP engines), rated 746 W or greater but not exceeding 4,476 W, of a cylinder capacity not exceeding 220 cc (described in statistical reporting number 8407.90.9040)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8407.90.9060	Spark-ignition reciprocating or rotary internal combustion piston engines, not elsewhere specified or included, each rated at 4,476 W or more but not exceeding 18.65 kW, with an engine displacement of not more than 690 cc (described in statistical reporting number 8407.90.9060)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8407.90.9060	Spark ignition internal combustion engines (other than aircraft engines, other than marine propulsion engines, other than reciprocating piston engines of a kind used for the propulsion of vehicles of chapter 87, other than to be installed in agricultural or horticultural machinery or equipment and other than natural gas or LP engines), rated 4,476 W or greater but not exceeding 16.50 kW, of a cylinder capacity not exceeding 710 cc (described in statistical reporting number 8407.90.9060)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8408.90.9010	Compression-ignition engines with maximum power exceeding 50 kW but not exceeding 120 kW, each valued over \$6,000 but not over \$9,500 per unit (described instatistical reporting number 8408.90.9010)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8408.90.9020	Compression-ignition engines, exceeding 149.2 kW but not exceeding 373 kW and valued over \$9,800 but not over \$12,000 (described in statistical reporting number 8408.90.9020)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8409.91.9990	Hydraulic valve lifters of steel with rollers, suitable for use solely or principally with spark-ignition internal combustion piston engines (other than for aircraft engines, marine propulsion engines or for vehicles of subheading 8701.20, or headings 8702, 8703 or 8704), each measuring 5 cm or more but not over 13 cm in length and 2.5 cm or more but not over 3.9 cm in diameter and weighing 135 g or more but not over 410 g (described in statistical reporting number 8409.91.9990)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8409.91.9990	Solid valve lifters of steel, suitable for use solely or principally with spark-ignition internal combustion piston engines (other than for aircraft engines, marine propulsion engines or for vehicles of subheading 8701.20, or headings 8702, 8703 or 8704), each measuring 19 mm or more but not over 114 mm in length and 6 mm or more but not over 26 mm in diameter and weighing 20 g or more but not over 250 g (described in statistical reporting number 8409.91.9990)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Parts of nonaircraft gas turbines, other than rotors, spindles, rotor assemblies, spindle assemblies or steel						
8411.99.9085	forgings (described in statistical reporting number 8411.99.9085)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8411.99.9090	Aircraft gas turbine compressor cases of steel and Inconel alloy, each valued over \$3,000 but not over \$4,000 (described in statistical reporting number 8411.99.9090)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8411.99.9090	Engine stationary seal air supports of Inconel alloy, each measuring over 35 cm but not over 35.5 cm in outer diameter and over 3.5 cm but not over 4 cm in width (described in statistical reporting number 8411.99.9090)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8412.21.0030	Welded hydraulic linear acting (cylinders) engines and motors, each with piston bore of 12.7 mm or more but not over 34.6 mm, with stroke not over 11.43 m, overall length not over 15.24 m and rod diameter not over 1.219 (described in statistical reporting number 8412.21.0030)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8412.21.0045	Linear acting hydraulic motors with telescoping type cylinders	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8412.21.0075	Linear acting hydraulic motors (cylinder), others	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8412.29.8015	Unlimited rotary acting hydraulic motors, gear type, valued at \$70 or more but not exceeding \$75 each (described in statistical reporting number 8412.29.8015)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8412.29.8045	Hydraulic powered swing, winch and travel drives, axial piston type, with attached gearboxes, each valued over \$2,000 but not over \$7,000 (described in statistical reporting number 8412.29.8045)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8412.39.0080	Direct acting and spring return pneumatic actuators, each rated at a maximum pressure of 10 bar and valued over \$68 but not over \$96 \$72 per unit (described in statistical reporting number 8412.39.0080)	1	Excluded	9-Jul-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8412.80.1000	Spring-operated motors, each valued over \$3,000 but not over \$3,600 (described in statistical reporting number 8412.80.1000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.19.0000	Lubricating oil transfer pumps, fitted or designed to be fitted with a measuring device, each with a 1.5 kW motor (described in statistical reporting number 8413.19.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.19.0000	Pumps designed for countertop appliances for serving beer, the foregoing that control the level of carbonation by means of sonic waves (described in statistical reporting number 8413.19.0000)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8413.20.0000	Hand pumps (other than for fuel or lubricants, not fitted or designed to be fitted with a metering device), each used to dispense a metered quantity of liquid soap or sanitizer (described in statistical reporting number 8413.20.0000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
	Hand pumps for liquids (other than those of subheading 8413.11 or 8413.19) of acrylonitrile butadiene styrene	_					
8413.20.0000	(ABS) plastics (described in statistical reporting number 8413.20.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8413.30.9030	Fuel pumps for internal combustion, spark ignition piston engines (described in statistical reporting number 8413.30.9030)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8413.30.9060	Lubricating pumps for internal combustion piston engines (described in statistical reporting number 8413.30.9060)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8413.50.0010	Oil well and oil field crank-balanced, long-stroke and beam pumps (described in statistical reporting number 8413.50.0010)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.50.0010	Oil well and oil field reciprocating positive displacement plunger pumps (described in statistical reporting number 8413.50.0010)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.50.0070	Radial piston hydraulic fluid pumps weighing not over 500 grams (described in statistical reporting number 8413.50.0070)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.50.0090	Positive displacement piston liquid pumps designed for use with gas or electric powered pressure washers, rated for an output of 7 liters or more but not exceeding 16 liters per minute at a pressure of 17 MPa or more but not exceeding 28 MPa (described in statistical reporting number 8413.50.0090)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.60.0030	Gear-type hydraulic fluid power pumps, handheld, battery powered, the foregoing not over 5 cm in width and valued not over \$6 per unit (described in statistical reporting number 8413.60.0030)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.60.0090	Non-hydraulic rotary positive displacement pumps, not configured as roller pumps, each weighing less than 5.5 kg and valued not over \$25 (described in statistical reporting number 8413.60.0090)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.70.2004	Centrifugal pumps, submersible, designed for use in apparatus for supplying water to pets (described in statistical reporting number 8413.70.2004)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.70.2004	Centrifugal pumps, submersible, other than for use with machines for making cellulosic pulp, paper or paperboard; the foregoing pumps rated not over 1.5 kW (described in statistical reporting number 8413.70.2004)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.70.2004	Centrifugal pumps, submersible, designed for use in artificial lift systems for extracting oil and gas (described in statistical reporting number 8413.70.2004)	1	Excluded	10-Feb-20	85 FR 7816 of 02/11/2020	9903.88.19	
8413.70.2004	Submersible dual port pump designed for use in swimming pools (described in statistical reporting number 8413.70.2004)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.70.2004	Submersible pump designed for use in aquariums, not over 325 mm tall (described in statistical reporting number 8413.70.2004)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.70.2004	Submersible pump incorporating a magnetic drive motor (described in statistical reporting number 8413.70.2004)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.70.2004	Submersible pumps, rated not over 1 horsepower, designed for use in pumping raw sewage (described in statistical reporting number 8413.70.2004)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.70.2004	Sump pumps, submersible, rated not over 1 horsepower, activated by float switch (described in statistical reporting number 8413.70.2004)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.70.2004	Submersible centrifugal pumps (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines other than stock pumps imported for use with machines for making cellulosic pulp, paper or paperboard), not fitted or designed to be fitted with a measuring device; each of the foregoing incorporating a magnetic drive motor (described in statistical reporting number 8413.70.2004)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.70.2004	Submersible centrifugal pumps (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines), not fitted or designed to be fitted with a measuring device, the foregoing for table-top decorative use incorporating a cascading water feature (described in statistical reporting number 8413.70.2004)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8413.70.2004	Submersible centrifugal pumps (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines; other than stock pumps imported for use with machines for making cellulosic pulp, paper or paperboard), not fitted or designed to be fitted with a measuring device, the foregoing capable of operating at 3,700 liters or more but not exceeding 41,000 liters per hour (described in statistical reporting number 8413.70.2004)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.70.2004	Submersible centrifugal pumps, not fitted or designed to be fitted with a measuring device; other than fuel, lubricating or cooling medium pumps for internal combustion piston engines; other than stock pumps imported for use with machines for making cellulosic pulp, paper or paperboard; the foregoing rated not over 1.5 kW (described in statistical reporting number 8413.70.2004)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.70.2004	Tabletop water fountains designed for indoor use, the essential character of which is imparted by submersible centrifugal pumps (described in statistical reporting number 8413.70.2004)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.70.2004	Submersible centrifugal pumps, each powered by 36 V motor (described in statistical reporting number 8413.70.2004)	1	Excluded	20-Mar-19	84 FR 25895 of 06/04/2019	9903.88.06	#19-000155
8413.70.2005	Centrifugal pumps, not for use with machines for making cellulosic pulp, paper or paperboard, not submersible, the foregoing singlestage, single-suction, close-coupled and with discharge outlet under 5.1 cm in diameter (described in statistical reporting number 8413.70.2005)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.70.2005	Non-submersible centrifugal pumps for liquids (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines), not fitted or designed to be fitted with a measuring device, the foregoing comprising single-stage, single-suction, close-coupled, with a discharge outlet under 5.08 cm in diameter, valued over \$4 but not over \$6.50 each (described in statistical reporting number 8413.70.2005)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.70.2015	Centrifugal water pumps incorporating thermal cut-offs, each with discharge outlet 5.08 cm or more in diameter, valued over \$66 but not over <del>\$96 <del>\$72 per</del> unit (described in statistical reporting number 8413.70.2015)</del>	1	Excluded	9-Jul-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.70.2015	Non-submersible centrifugal pumps for liquids (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines), not fitted or designed to be fitted with a measuring device, the foregoing comprising single-stage, single-suction, close-coupled centrifugal motor pumps with a discharge outlet 5.08 cm or over in diameter, rated at 37 W or more but not exceeding 80 W and with a flow rate of 17 liters per minute or more (described in statistical reporting number 8413.70.2015)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.70.2022	Non-submersible centrifugal pumps for liquids (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines), not fitted or designed to be fitted with a measuring device, the foregoing operating at a voltage of 120 V and a frequency of 60 Hz, valued over \$4 but not over \$9 each (described in statistical reporting number 8413.70.2022)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.70.2022	Modules containing three single-stage, single-suction, frame-mounted centrifugal pumps for liquids, with mechanical seals, with discharge outlets under 4 cm in diameter (described in statistical reporting number 8413.70.2022)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8413.70.2025	Non-submersible centrifugal pumps for liquids (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines), not fitted or designed to be fitted with a measuring device, the foregoing comprising single-stage, single-suction, close-coupled, with discharge outlet under 5.08 cm in diameter each valued over \$150,000 (described in statistical reporting number 8413.70.2025)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.70.2090	Centrifugal pumps designed for eliminating condensate, the foregoing not elsewhere specified or included (described in statistical reporting number 8413.70.2090)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.81.0040	Pet water drinking fountains, not incorporating centrifugal pumps (described in statistical reporting number 8413.81.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8413.81.0040	Pumps (other than fuel, lubricating or cooling medium pumps for internal combustion piston engines, other than centrifugal pumps), not fitted or designed to be fitted with a measuring device, the foregoing rated at 37 W or more but not exceeding 80 W, with a flow rate of 17 liters or more per minute (described in statistical reporting number 8413.81.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.81.0040	Breast pumps, whether or not with accessories or batteries (described in statistical reporting number 8413.81.0040)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8413.91.1000	Stainless steel bushings, having a twelve sided outer surface, designed to fit onto a fuel vapor impeller of a kind used for automotive fuel injectors (described in statistical reporting number 8413.91.1000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8413.91.1000	Load limiters for water pumps inserted into start/stop internal combustion engines (described in statistical reporting number 8413.91.1000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8413.91.9010	Housings for water pumps of subheading 8413.30.90 (as described in subheading 8413.91.9010)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.91.9010	Impellers for water pumps of subheading 8413.30.90 (described in statistical reporting number 8413.91.9010)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.91.9010	Motor vehicle oil pump housings (described in statistical reporting number 8413.91.9010)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9010	Tubes of copper alloy for use in solenoid fuel pumps, each valued not over \$1 (described in statistical reporting number 8413.91.9010)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.91.9060	Hydraulic pump positioning piston assemblies (described in statistical reporting number 8413.91.9060- 8413.91.9050 prior to January 1, 2019; described in statistical reporting number 8413.91.9060 effective January 1, 2019)	1	Excluded	4-Jun-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.91.9060	Plastic reservoirs for motor vehicle brake master cylinders (described in statistical reporting number 8413.91.9060 8413.91.9050 prior to January 1, 2019; described in statistical reporting number 8413.91.9060 effective January 1, 2019)	1	Excluded	4-Jun-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8413.91.9095	Impellers (described in statistical reporting number-8413.91.9095) 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Parts of oil and gas extraction beam pumps, other than hydraulic power pumps (described in statistical reporting number 8413.91.9095 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting numbers 8413.91.9065, 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pedestals of pump assemblies (described in statistical reporting number 8413.91.9095 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pump bases, of plastic, designed to protect the pump impellers from obstructions (described in statistical reporting number-8413.91.9095 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pump casings and bodies (described in statistical reporting number <del>8413.91.9095</del> 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8413.91.9095	Pump covers (described in statistical reporting number 8413.91.9095 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019 described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pump expellers (described in statistical reporting number 8413.91.9095 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pump grease cups and grease cup adapters (described in statistical reporting number 8413.91.9095- 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pump liners (described in statistical reporting number <del>8413.91.9095</del> 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pump manifolds (described in statistical reporting number <del>8413.91.9095</del> 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pump parts, of plastics, each valued not over \$3 (described in statistical reporting number 8413.91.9095- 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pump shaft castings, of steel (described in statistical reporting number 8413.91.9095 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pump throatbushes (described in statistical reporting number <del>8413.91.9095</del> 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020 )	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Pump volutes (described in statistical reporting number 8413.91.9095 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8413.91.9095	Structural pump bases, of stainless steel (described in statistical reporting number <del>8413.91.9095</del> 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8413.91.9095	Parts of pumps, other than fuel-injection pumps for compression-ignition engines or stock pumps imported for use with machines for making cellulosic pulp, paper or paperboard, the foregoing of plastics (described in statistical reporting number 8413.91.9095 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	18-Sep-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.91.9095	Rods and couplings designed for use with oil and gas field pumps, the foregoing of American Petroleum Institute grade (described in statistical reporting number 8413.91.9095 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting numbers 8413.91.9065, 8413.91.9085 or 8413.91.9096 effective January 1, 2020)	1	Excluded	18-Sep-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.91.9095	Volutes of a kind designed for use with centrifugal sump pumps (described in statistical reporting number 8413-91-9095 8413.91.9080 prior to January 1, 2019; described in statistical reporting number 8413.91.9095 effective January 1, 2019 through December 31, 2019; described in statistical reporting number 8413.91.9096 effective January 1, 2020)	1	Excluded	18-Sep-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8413.91.9095, effective 1/1/19; 8413.91.9080, prior to 1/1/19	Impeller housings of cast iron ( <del>described in statistical reporting number 8413.91.9095, effective January 1, 2019; described in statistical reporting number 8413.91.9080, effective prior to January 1, 2019) described in statistical reporting number 8413.91.9095, January 1, 2019, through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020</del>	1	Excluded	20-Mar-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.06	#19-000155
effective 1/1/19; 8413.91.9080,	Impellers of plastic designed for centrifugal pumps, each of the foregoing with outside diameter of 73 mm or more but not more than 74 mm ( <del>described in statistical reporting number 8413.91.9095, effective January 1, 2019; described in statistical reporting number 8413.91.9080, effective prior to January 1, 2019)described in statistical reporting number 8413.91.9095, January 1, 2019, through December 31, 2019; described in statistical reporting number 8413.91.9085 or 8413.91.9096 effective January 1, 2020</del>	1	Excluded	20-Mar-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.06	#19-000155
1/1/19;	Pistons and housings for hydraulic fluid power pumps of the type used in power lawn mowers (described in statistical reporting number 413.91.9050 prior to January 1, 2019; described in statistical reporting number 8413.91.9060 effective January 1, 2019)	1	Excluded	10-Feb-20	85 FR 7816 of 02/11/2020	9903.88.19	
8414.20.0000	Hand- or foot-operated air pumps, each weighing 400 g or more but not over 3 kg, with a maximum pressure of 1.52 MPa, imported with adapters for valves for tires and inner tubes (described in statistical reporting number 8414.20.0000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8414.20.0000	Hand-operated pumps, weighing 350 g each, designed to inflate or deflate sports balls (described in statistical reporting number 8414.20.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8414.30.4000	Air conditioner compressors of a kind used in motor vehicles (described in statistical reporting number 8414.30.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8414.30.4000	Compressors designed for use in household refrigerators, not exceeding 187 W (1/4 horsepower), each valued not over \$30 (described in statistical reporting number 8414.30.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8414.30.4000	Single phase, rotating piston type rotary compressors with split capacitor motors and refrigerant pumps, valued not over \$70 (described in statistical reporting number 8414.30.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8414.30.8030	Compressors, other than screw type, used in air conditioning equipment in motor vehicles, each valued over \$88 but not over \$92 per unit (described in statistical reporting number 8414.30.8030)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8414.30.8050	Compressors, other than screw type, of a kind used in household refrigerators, air conditioners and heat pumps, rated at more than 1/4 horsepower but not more than 1 horsepower, each valued not over \$150 (described in statistical reporting number 8414.30.8050)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8414.30.8060	Rotary compressors, each exceeding 746 W but not exceeding 2,238 W, with a cooling capacity ranging from 2.3kW to 5.5kW (described in statistical reporting number 8414.30.8060) Rotary compressors, each exceeding-746 W (1 horsepower) but not exceeding 2,984 W (4 horsepower), with a cooling capacity ranging from 2,300 W (7,960 BTU) to 5,500 W (18,766 BTU) (described in statistical reporting number 8414.30.8060)	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8414.30.8060	Rotary compressors, each exceeding 746 W but not exceeding 2,238 W, with a cooling capacity of 750 W or more but not exceeding 1.4 kW (described in statistical reporting numbe r8414.30.8060) Rotary compressors, each exceeding 746 W (1 horsepower) but not exceeding 2.984 W(4 horsepower), with a cooling capacity-ranging from 750 to 1400 W (described in statistical reporting number 8414.30.8060)	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8414.30.8070	Scroll compressors, each exceeding 2,238 W (3 horsepower) but not exceeding 7,460 W (10 horsepower), valued over \$200 but not over \$1500 \$250 but not over \$500 each (described in statistical reporting number 8414.30.8070)	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8414.30.8080	Scroll-type compressors, each exceeding 7,460 W (10 horsepower), valued over \$200 but not over \$1500 - <del>\$500 but not over \$1500 statistical reporting number 8414.30.8080)</del>	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8414.59.6540	Ventilation fans for motor vehicles, consisting of a 12 V DC reversible multispeed electric motor drawing 5 A, with axial fan blade, electrically operating baffle, electric keypad and circuit board and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8414.59.6540	Ventilation fans for motor vehicles, consisting of a 12 V DC single speed electric motor drawing 5 A, with axial fan blade, manual baffle, rotary switch and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8414.59.6595	12 V fans of a kind used to disperse fragrance oils, measuring over 10 but not over 11 cm in diameter (described in statistical reporting number 8414.59.6595)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8414.80.1685	Portable air compressors, each delivering under 0.57 cubic meters per minute (described in statistical reporting number 8414.80.1685)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8414.90.1080	Parts, of aluminum, iron or steel, for blowers other than fans of 8414.51 (described in statistical reporting number 8414.90.1080)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8414.90.4140	Steel rings with an external diameter not greater than 18 mm designed for use in air conditioning compressors (described in statistical reporting number 8414.90.4140)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8414.90.4165	Compressor housings designed for turbochargers (described in statistical reporting number 8414.90.4165)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8414.90.4165	Compressor housings designed for turbochargers (described in statistical reporting number 8414.90.4165)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8414.90.4190	Airend assemblies, inlet guide vanes, air-ends, compressor baseplates and backplates (described in statistical reporting number 8414.90.4190 8414.90.4175 prior to July 1, 2018; described in statistical reporting number 8414.90.4190 effective July 1, 2018)	1	Excluded	4-Jun-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8417.80.0000	Mineral slab production equipment including exhaust gas treatment apparatus therefor (described in statistical reporting number 8417.80.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8417.80.0000	Twin reactor pyrolysis waste processing equipment consisting of two twin primary and one secondary processing units (described in statistical reporting number 8417.80.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8417.90.0000	Parts of dry hearth melting furnaces (described in statistical reporting number 8417.90.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8417.90.0000	Quench casings for furnace burners (described in statistical reporting number 8417.90.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8417.90.0000	Furnace roll end-shafts of steel (described in statistical reporting number 8417.90.0000)	1	Excluded	10-Feb-20	85 FR 7816 of 02/11/2020	9903.88.19	
8418.50.0080	Fifteen-door refrigerated lockers designed to convey pre-ordered groceries to consumers, measuring not over 80 cm in depth by 230 cm in length by 35 cm in height (described in statistical reporting number 8418.50.0080)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8418.50.0080	Nine-door refrigerated lockers designed to convey pre-ordered groceries to consumers, measuring not over 80 cm in depth by 230 cm in length by 35 cm in height (described in statistical reporting number 8418.50.0080)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8418.50.0080	Electric display cases incorporating refrigerating equipment designed for commercial use, each with a glass front to display the food or drink being stored (described in statistical reporting number 8418.50.0080)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8418.69.0110	Stand-alone icemaking machines, each having a rated capacity not exceeding 160 kg per day, capable of producing ice in pieces not larger than 40 cubic cm in any dimension (described in statistical reporting number 8418.69.0110)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8418.69.0110	Portable domestic ice cube makers of stainless steel, valued not over \$70 each (described in statistical reporting number 8418.69.0110)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8418.69.0120	Drinking water coolers, refrigerated, self contained	1	Excluded	Extended to 12/28/2020	Update: Exclusion Extended 84 FR 70616 of 12/23/2019 Original: 83 FR 67463 of 12/28/2018	9903.88.05	#19-000052
8418.69.0160	Absorption liquid chilling units valued over \$130,000 each (described in statistical reporting number 8418.69.0160)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8418.69.0180	Assemblies of thermo-electric modules, whether or not presented with attached heat exchangers, fans, shrouds, temperature sensors or controllers (described in statistical reporting number 8418.69.0180)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8418.69.0180	Coolers, non-compressor, powered by 12 V DC, each with an interior volume not exceeding 17 liters (described in statistical reporting number 8418.69.0180)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8418.69.0180	Chest-type coolers, compression type, with an interior volume exceeding 440 liters but not exceeding 600 liters (described in statistical reporting number 8418.69.0180)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8418.69.0180	Upright freezers, compression type, with an interior volume exceeding 1,300 liters but not exceeding 2,100 liters (described in statistical reporting number 8418.69.0180)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8419.19.0040	Solar water heaters incorporating glass tube heat collectors and including glass tubes and stands with tanks (described in statistical reporting number 8419.19.0040)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8419.40.0080	Distillation and rectifying equipment designed for use in the production of methylene diphenyl diisocyanate (described in statistical reporting number 8419.40.0080)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8419.50.1000	Brazed aluminum plate-fin heat exchangers, each valued not over \$250 (described in statistical reporting number 8419.50.1000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8419.50.5000	Heat exchanger units, designed for use as part of a heat exchange system weighing more than 27 metric tons but not more than 32 metric tons and incorporating shell-and-tube type heat exchangers (described in statistical reporting number 8419.50.5000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8419.50.5000	Heat exchanger units, designed for use as part of a heat exchange system weighing more than 40 but not more than 44 metric tons and designed to incorporate an ethylene dichloride vent eductor liquid cooler (described in statistical reporting number 8419.50.5000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8419.50.5000	Heat exchanger units, designed for use as part of a heat exchange system weighing more than 63.5 metric tons and not designed to operate with chilled MCB Coolers using propylene refrigerant (described in statistical reporting number 8419.50.5000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8419.50.5000	Heat exchanger units, designed for use individually or as part of a system weighing more than 63.5 metric tons and not designed to operate with chilled MCB coolers using propylene refrigerant (described in statistical reporting number 8419.50.5000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8419.50.5000	Heat exchangers, each valued not over \$17,000 (described in statistical reporting number 8419.50.5000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8419.50.5000	Industrial tubular heat exchange units (described in statistical reporting number 8419.50.5000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8419.89.9540	Cold plates for preparing tissue samples (described in statistical reporting number 8419.89.9540)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8419.89.9540	Quenching devices designed to lower the temperature of steel plate using water, each consisting of top cooling headers, bottom cooling headers, a side sweep header, a common control manifold that feeds all the headers, a main supporting frame to support all bottom headers and bottom rolls, a top header supporting sub-frame to support the top headers and top rolls, five top and five bottom rolls, neck bearings, drives and on board piping (described in statistical reporting number 8419.89.9540)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8419.89.9585	Heat guns (described in statistical reporting number 8419.89.9585)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8419.89.9585	Heated tissue preparation microscope slide flattening tables (described in statistical reporting number 8419.89.9585)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8419.89.9585	Tissue sample paraffin floatation baths (described in statistical reporting number 8419.89.9585)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8419.89.9585	Cold plate machines, each incorporating a flat heat-absorbing metal plate capable of lowering the temperature of paraffin from a liquid to a solid phase, designed for use with microtomes (described in statistical reporting number 8419.89.9585)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8419.89.9585	Machinery incorporating heat exchangers, valves, pumps, pipes, wiring and instrumentation, designed to change the temperature of gas (described in statistical reporting number 8419.89.9585)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8419.90.2000	Formed sheet metal guards suitable for attachment to drying rollers in papermaking machinery (described in statistical reporting number 8419.90.2000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8419.90.2000	Stretchers of stainless steel, designed to move rollers to adjust tension of paper fabric to be dried, each with a pivoting arm with an actuator, linear rail movement with an actuator, and front and back units with mounting holes for tube roll bearing housings (described in statistical reporting number 8419.90.2000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8419.90.3000	Heat exchanger plates, cores, finned tubes, cones, shells, bonnets, flanges and baffles (described in statistical reporting number 8419.90.3000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8419.90.3000	Heat exchanger plates, cores, finned tubes, cones, shells, bonnets, flanges and baffles (described in statistical reporting number 8419.90.3000	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8420.10.9040	Calendering machines other than for metals or glass, such machines each weighing more than 12,000 kg (described in statistical reporting number 8420.10.9040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8420.10.9040	Thermal roll laminators, each valued not over \$450 (described in statistical reporting number 8420.10.9040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8420.10.9080	Roller machines with dies for embossing paper, manually powered (described in statistical reporting number 8420.10.9080)	1	Excluded	Exclusion extended until 12/28/2020	Updated: 84 FR 70616 of 12/23/2019 Original: 83 FR 67463 of 12/28/2018	9903.88.05	#19-000052
8420.10.9080	Roller machines designed for cutting, etching or embossing paper, foil or fabric, manually powered (described in statistical reporting number 8420.10.9080)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8420.99.9000	Cutting pads, platforms, base plates, pads, shims, trays, which function as guides for hand-operated table-top calendering machines of a width not exceeding 51 cm (described in statistical reporting number 8420.99.9000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8420.99.9000	Chemically etched dies of steel, steel-rule cutting dies, movable magnetic dies, embossing folders and plastic embossing diffusers, of a kind used in manually-powered roller machines for etching or stenciling a single sheet of cardstock, paper, leather, flexible magnet, plastics, metallic foil, vellum, felt or fabric, such sheets measuring not more than 50.8 cm in width or length (described in statistical reporting number 8420.99.9000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.19.0000	Salad spinners, of plastics, not electrically powered (described in statistical reporting number 8421.19.0000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8421.19.0000	Salad spinners of plastics, with capacity of at least 2.4 liters but not more than 3.8 liters (described in statistical reporting number 8421.19.0000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8421.21.0000	Glass water filtration pitchers and filters (described in statistical reporting number 8421.21.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.21.0000	Household alkaline water ionizer and filtration apparatus (described in statistical reporting number 8421.21.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.21.0000	Household water filter cartridges (described in statistical reporting number 8421.21.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.21.0000	Ionization filters valued over \$35 but not over \$45 each (described in statistical reporting number 8421.21.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.21.0000	Water filters for pet water fountains (described in statistical reporting number 8421.21.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.21.0000	Water filtering apparatus, each valued not over \$1.50 (described in statistical reporting number 8421.21.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.21.0000	Machinery for filtering water, submersible, powered by batteries, manually operated, such machinery designed for use in pools, basins, aquariums, spas or similar contained bodies of water (described in statistical reporting number 8421.21.0000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8421.21.0000	Machinery designed for removing waste from water in saltwater aquariums by injecting air bubbles then filtering such bubbles (described in statistical reporting number 8421.21.0000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8421.21.0000	Electronic water oxidizers designed for purifying water for household washing machines (described in statistical reporting number 8421.21.0000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8421.21.0000	Hand-held ultraviolet water purifiers, powered by batteries (described in statistical reporting number 8421.21.0000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8421.21.0000	Water oxidizers and chlorinators (described in statistical reporting number 8421.21.0000)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8421.21.0000	Apparatus, including pitchers, bottles, and units designed for incorporation into refrigerators, appliances or sink faucets, the foregoing fitted with filters for filtering or purifying water (described in statistical reporting number 8421.21.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8421.21.0000	(described in statistical reporting number 8421.21.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8421.21.0000	Filtering or purifying machinery or apparatus of a kind used for waste water treatment (described in statistical reporting number 8421.21.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8421.21.0000	Submersible machinery for filtering water, designed for use in pools, basins, aquariums, spas or similar contained bodies of water (described in statistical reporting number 8421.21.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8421.21.0000	Water distillation machinery and apparatus not covered by heading 8419 (described in statistical reporting number 8421.21.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8421.21.0000	Nonelectric water filtration apparatus consisting of three cylinder-shaped filter cartridges, each measuring 6.35 cm by 26.67 cm, having water storage tank and plastic tubing measuring 0.63 cm or more but not over 0.95 cm, presented with installation kit (described in statistical reporting number 8421.21.0000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8421.22.0000	Filters designed to remove sulfites from wine (described in statistical reporting number 8421.22.0000)	1	Excluded	20-Mar-19	84 FR 11152 of 03/25/2019	9903.88.06	#19-000155
8421.23.0000	Fuel filters for internal combustion engines, each consisting of a cylindrical case of plastics with an internal mesh filter measuring not more than 8 cm in length and not more than 5.5 cm in diameter (described in statistical reporting number 8421.23.0000)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8421.29.0065	Accumulators for heat pumps and air conditioners, valued over \$8 but not over \$12 each (described in statistical reporting number 8421.29.0065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.29.0065	Basket, Y-type or duplex strainers, each having a threaded or flanged-style end (described in statistical reporting number 8421.29.0065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.29.0065	Cage-type cartridges, designed to remove water directly from fuel tanks, valued not over \$2 each (described in statistical reporting number 8421.29.0065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.29.0065	Filtering or purifying machinery valued over \$2,500,000 (described in statistical reporting number 8421.29.0065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.29.0065	Hydraulic fluid filters, rated at less than 100 kPa, measuring no more than 10 cm in diameter and 12 cm in length, each valued not more than \$2 (described in statistical reporting number 8421.29.0065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.29.0065	Filtration or purifying machinery for liquid chemical polymers, of steel housing, with sintered metal cylindrical filters Polymer filtration systems of a kind used to separate solid contaminants from liquid polymers, each-valued over \$30,000 but not over \$40,000 (described in statistical reporting number 8421.29.0065)	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.29.0065	Receiver-driers for air conditioning units used in commercial vehicles (described in statistical reporting number 8421.29.0065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.29.0065	Stainless steel mesh filters with plastic cores, of a kind used for preventing clogs in paint sprayers, each valued not over \$1.50 (described in statistical reporting number 8421.29.0065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.29.0065	Liquid treatment process modules designed to separate ethylene di chloride (EDC) from an EDC/water/acid solution, containing an EDC decanter, heat exchangers and pumps, measuring not over 23 meters by 23 meters by 25 meters (described in statistical reporting number 8421.29.0065)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.39.8015	Air purification equipment, electrically powered, weighing less than 36 kg (described in statistical reporting number 8421.39.8015)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8421.39.8015	Dust collection equipment for cement, minerals and mining industries (described in statistical reporting number 8421.39.8015)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8421.39.8040	Gas treatment process modules, each containing scrubbers and decomposers designed to remove hazardous gases on the surface of packing in packed columns, measuring not over 21 meters by 17 meters by 36 meters (described in statistical reporting number 8421.39.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.39.8040	Chlorine absorption process modules designed to dissolve chlorine gas, produced through the interaction of salt water and hydrochloric acid, in a liquid, measuring not over 35 meters by 23 meters by 26 meters (described in statistical reporting number 8421.39.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8421.39.8040	Gas treatment process modules, each containing a methylenediphenyl diamine (MDA) vent scrubber and nitrogen gas stripping column, designed to use aniline to filter MDA from the nitrogen gas stripping column, measuring not over 26 meters by 21 meters by 17 meters (described in statistical reporting number 8421.39.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.39.8040	Gas treatment process modules, each containing a reactor vent scrubber designed to scrub evaporated phosgenation reaction liquid with chlorobenzene, measuring not over 26 meters by 22 meters by 22 meters (described in statistical reporting number 8421.39.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.39.8040	Methylene diphenyl diisocyanate (MDI) isomers separation process modules designed to purify MDI gas, measuring not over 24 meters by 21 meters by 22 meters (described in statistical reporting number 8421.39.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.39.8040	Modules, each consisting of a carbon dioxide (CO2) stripper and heat exchangers designed to remove CO2 from solutions to produce 1-Ethyl-3-(3- dimethylaminopropyl) carbodiimide (EDC), measuring not over 20 meters by 20 meters by 17 meters (described in statistical reporting number 8421.39.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.39.8040	Process modules containing activated carbon absorbers designed to absorb volatile organic compounds, measuring not over 21 meters by 20 meters by 15 meters (described in statistical reporting number 8421.39.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.39.8040	Thermal oxidizer modules (TOx) designed to destroy hazardous compounds in water vapors, gases and liquids produced during the ethylene dichloride (EDC) and methylene diphenyl isocyanate (MDI) production processes, containing a combustion chamber and scrubber for conversion of nitrogen oxide (NOX) to nitrogen (N2), measuring not over 35 meters by 20 meters by 14 meters (described in statistical reporting number 8421.39.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.39.8040	Thermal oxidizer modules (TOx) designed to destroy hazardous compounds in water vapors, gases and liquids produced during the ethylene dichloride (EDC) and methylene diphenyl isocyanate (MDI) production processes, containing a combustion chamber and scrubber for conversion of nitrogen oxide (NOX) to nitrogen (N2), measuring not over 31 meters by 24 meters by 20 meters (described in statistical reporting number 8421.39.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8421.39.8090	Disposable plastic filters of a kind suitable for filtering and dehumidifying a patient's breath in a medical device such as a gas analyzer (described in statistical reporting number 8421.39.8090)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.99.0040	Fiberglass-reinforced polyethylene pressure vessels (described in statistical reporting number 8421.99.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.99.0040	Parts of filters, each valued not over \$8 (described in statistical reporting number 8421.99.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.99.0040	Parts of swimming pool vacuum cleaners (described in statistical reporting number 8421.99.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.99.0040	Self-cleaning filters, of stainless steel, of a kind suitable for use in filtering municipal, agricultural or industrial water supplies, valued over \$700 but not over \$800 each (described in statistical reporting number 8421.99.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.99.0040	Swimming pool filter cartridges (described in statistical reporting number 8421.99.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.99.0040	Filter housings, covers, or couplings, the foregoing of steel and comprising parts of machinery or apparatus for filtering liquids (described in statistical reporting number 8421.99.0040)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8421.99.0080	Cast steel and steel structural forms designed for use in filtering machines, such machines used in mining or manufacturing facilities (described in statistical reporting number 8421.99.0080)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8421.99.0080	Parts of air filtering machines or apparatus, the foregoing of cast steel and steel (described in statistical reporting number 8421.99.0080)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8421.99.0080	Paint sprayer filters of paper, with steel mesh casings and plastic end caps, valued not over \$1 each (described in statistical reporting number 8421.99.0080)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8421.99.0080	Parts of vortex gas separators (described in statistical reporting number 8421.99.0080)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8422.30.9191	Vacuum sealing machines, each valued over \$30 but not over \$40 (described in statistical reporting number 8422.30.9191)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8422.90.0640	3-member slides with ball bearings, of stainless steel, for use in household dishwashers (described in statistical reporting number 8422.90.0640)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8422.90.0640	Stamped outer door panels of stainless steel for household dishwashing machines (described in statistical reporting number 8422.90.0640)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8423.20.1000	Electronic scales for continuous weighing of quartz, powder and resin on conveyors, capable of measuring 2 kg or more but not exceeding 100 kg of materials per minute (described in statistical reporting number 8423.20.1000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8423.81.0040	Digital electronic scales (other than counting scales or retail scales) having a maximum weighing capacity not exceeding 30 kg (described in statistical reporting number 8423.81.0040)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8424.30.9000 8424.89.9000	Pressure washers (described in statistical reporting number 8424.30.9000) Air amplifiers powered solely by an external source of compressed air, which is routed through the apparatus in such a manner as to draw in ambient air, increase its speed and direct the air through an output port, each such apparatus not exceeding 1 kg in weight (described in statistical reporting number 8424.89.9000)	2	Excluded	23-Oct-19 31-Jul-19	84 FR 57803 of 10/28/2019 84 FR 37381 of 07/31/2019	9903.88.33 9903.88.12	#40564257 #39169565
8424.89.9000	Apparatus capable of generating and projecting liquid particles of a size that simulates haze, fog or snow (depending on the composition of the liquid or powdered source), whether or not incorporating laser or other lighting apparatus (described in statistical reporting number 8424.89.9000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8424.89.9000	Apparatus capable of mechanically generating and projecting bubbles from a liquid source, each apparatus weighing more than 2.5 kg but not more than 6.5 kg (described in statistical reporting number 8424.89.9000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8424.89.9000	Aroma-spraying sets, each of which includes a battery-powered aerosol apparatus and a glass bottle containing not more than 25 ml of essential oil solution, each set weighing not more than 300 g (described in statistical reporting number 8424.89.9000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8424.89.9000	Collars of a size suitable for dogs or cats, fitted with a means to provide a stimulus to the animal, by means of a sprayer, whether or not combined with a static electric discharge device or sound emitter; and such collars capable of being controlled by an external transmission device, whether or not the controller is presented with the collar as a set (described in statistical reporting number 8424.89.9000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8424.89.9000	Dispensers of hand-cleaning or hand-sanitizing solutions, whether employing a manual pump or a proximity- detecting batteryoperated pump, each article weighing not more than 3 kg (described in statistical reporting number 8424.89.9000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8424.89.9000	Oral irrigators (dental water-jet machines) (described in statistical reporting number 8424.89.9000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8424.89.9000	Parts washers, each consisting of a steel basin having a capacity no greater than 100 liters, steel drain plug, support legs and a shelf, a recirculating centrifugal pump assembly, a power cord incorporating an electrical fusible link, a gooseneck spigot assembly, with a steel lid held by a "pianotype" hinge and by a lid support bracket incorporating a mechanical fusible link (described in statistical reporting number 8424.89.9000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8424.89.9000	Rotary surface washers, consisting of a tube, at one end of which is a fitting suitable for connection to an external power washer and a handle for controlling the position of the apparatus, and at the other end of which is an assembly of one or more rotating brushes that receive the output of the external power washer (described in statistical reporting number 8424.89.9000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8424.89.9000	Wet- and dry-diffusion apparatus fitted for incorporation into scentreleasing machines (described in statistical reporting number 8424.89.9000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8425.19.000	Ratcheting chain hoists, other than skip hoists or hoists of a kind used for raising motor vehicles, such chain hoists not powered by an electric motor (described in statistical reporting number 8425.19.0000)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8425.31.0100	Winches powered by an electric motor, each weighing 9 kg or more but not exceeding 14 kg, with a pulling capacity of 1,130 kg or more but not exceeding 2,730 kg (described in statistical reporting number 8425.31.0100)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
	Winches powered by an electric motor, each with a pulling capacity of 4,300 kg or more but not exceeding 7,940						
8425.31.0100	kg (described in statistical reporting number 8425.31.0100)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8425 21 0100	Pulley tackle and hoists other than skip hoists of a kind used for raising vehicles: winches; capstans: powered by	3	Evoludod	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8425.31.0100	electric motor Winches, each having a steel frame with a ratchet and pawl mechanism, operated manually (described in		Excluded				
8425.39.0100	statistical reporting number 8425.39.0100)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8425.39.0100	Ratchet winches designed for use with textile fabric strapping (described in statistical reporting number 8425.39.0100)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8425.39.0100	Winches, each having a winch frame with a corrosion resistant coating and stainless steel mandrel with nylon bushings, operated manually by a worm gear mechanism (described in statistical reporting number 8425.39.0100)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8425.49.0000	Jacks of steel with zinc coating for supporting the tongues of trailers, each measuring not less than 60 cm in retracted condition and not less than 85 cm in extended condition, with a maximum width of 17 cm and a maximum load capacity of 455 kg (described in statistical reporting number 8425.49.0000)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8427.10.4000	Trucks, Rider-type, Counterbalanced Fork-lift, Self-propelled Powered By An Electric Motor	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8427.10.8010, p	Electric operator-riding pallet trucks, each with a load capacity not exceeding 3,700 kg (described in statistical reporting number 8427.10.8010, prior to July 1, 2019 or described in 8427.10.8030, post July 1, 2019)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8427.10.8010, p	Electric operator-riding reach-type fork-lift trucks, each with a load capacity exceeding 1,300 kg but not exceeding 2,100 kg (described in statistical reporting number 8427.10.8010, prior to July 1, 2019 or described in statistical reporting number 8427.10.8030, post July 1, 2019)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8427.10.8020	Operator riding self-propelled aerial work platforms of a kind described in statistical note 1 to chapter 84, statistical note 1 to chapter 84 effective July 1, 2019, to December 31, 2019, or in statistical note 2 to chapter 84 effective January 1, 2020 powered by an electric motor, with a load capacity not exceeding 1,400 kg (described in statistical reporting number 8427.10.8020 8427.10.8010 prior to July 1, 2019; described in statistical reporting number 8427.10.8020 effective July 1, 2019 )	1	Excluded	27-Sep-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8427.10.8030, p	Electric operator-riding pallet trucks, each with a load capacity not exceeding 3,700 kg (described in statistical reporting number 8427.10.8010, prior to July 1, 2019 or described in 8427.10.8030, post July 1, 2019)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8427.10.8030, p	Electric operator-riding reach-type fork-lift trucks, each with a load capacity exceeding 1,300 kg but not exceeding 2,100 kg (described in statistical reporting number 8427.10.8010, prior to July 1, 2019 or described in statistical reporting number 8427.10.8030, post July 1, 2019)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8427.10.8090	Self-propelled fork-lift and platform trucks, each powered by an electric motor and controlled by walking operator (described in statistical reporting number <del>8427.10.8090</del> 8427.10.8090 prior to July 1, 2019; described in statistical reporting number 8427.10.8070 or 8427.10.8095 effective July 1, 2019 )	1	Excluded	4-Jun-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8427.20.4000	Rider-type, counterbalanced fork-lift trucks, each powered by an internal combustion engine, with pneumatic tires, having a load capacity of 900 kg or more but not exceeding 18,000 kg (described in statistical reporting number 8427.20.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8427.20.4000	Rider-type, counterbalanced fork-lift trucks, each powered by an internal combustion engine, with solid tires, having a load capacity of 1,300 kg or more but not exceeding 3,000 kg (described in statistical reporting number 8427.20.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

						HTS To Use	
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	for Duty or Granted Exclusion	CSMS #
8427.20.8090	Fork-lift trucks, propane gas powered, having a rated lift capacity over 9.5 metric tons but not exceeding 33 metric tons (described in statistical reporting number 8427.20.8090 8427.20.8000 prior to July 1, 2019; described in statistical reporting number 8427.20.8090 effective July 1, 2019 )	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8428.32.0000	Elevators, comprising L-shaped steel buckets bolted to a steel chain, with guide rollers and a drive system (described in statistical reporting number 8428.32.0000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8428.32.0000	Belt conveyors, each comprising a frame with leveling feet, electric motor and food grade plastic conveyor belt (described in statistical reporting number 8428.33.0000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8428.33.0000	Continuous action elevators and conveyors, designed to convey mineral materials (described in statistical reporting number 8428.33.0000)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8428.33.0000	Apron-type chain conveyor (described in statistical reporting number 8428.39.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8428.33.0000	Belt conveyors, each comprising a welded frame with leveling feet and casters, electric motor and food grade plastic modular conveyor belt (described in statistical reporting number 8428.33.0000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8428.39.0000	Continuous action elevators and conveyors of the kind designed for use in airports for handling baggage (described in statistical reporting number 8428.39.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8428.39.0000	Roller conveyors with pallet rotators or pallet corner rotators (described in statistical reporting number 8428.39.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8428.39.0000	Steel L-shaped bucket elevators, each comprising steel buckets bolted to a steel chain with guide wires and drive system (described in statistical reporting number 8428.32.0000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8428.39.0000	Roller conveyors (described in statistical reporting number 8428.39.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8428.39.0000	Vibrating conveyors (described in statistical reporting number 8428.39.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8428.90.0290	Garage door opener/closers (described in statistical reporting number 8428.90.0290)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8428.90.0290	Hinged steel transfer machinery, designed for diverting goods from and to conveyor lines (described in statistical reporting number 8428.90.0290)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8428.90.0290	Rotating bench, electrically powered, designed for turning a workpiece in a production line (described in statistical reporting number 8428.90.0290)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8428.90.0290	Rotating fork machines, designed for lifting and depositing coiled steel bars in a production line (described in statistical reporting number 8428.90.0290)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8428.90.0290	Rotary positioning machines for use with machine tools (described in statistical reporting number 8428.90.0290)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8429.20.0000	Motor grader weighing more than 14 metric tons but not over 21 metric tons (described in statistical reporting number 8429.20.0000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8429.40.0020	Vibratory, self-propelled tamping machines, each with drum roller (described in statistical reporting number 8429.40.0020)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8429.40.0040	Self-propelled pneumatic compactors, each weighing over 14 metric tons but not over 28 metric tons (described in statistical reporting number 8429.40.0040)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764

Ints P     Ints Description     Applicable Dist     Turth Paint     Effective Dist     Note Accessing Space (section)     Constraint Space       44/25.1101     New articulated showl loaders, whereadt, each with 4-wheel drive, rear mounted engine and a buckts capacity and and paint 30, meted and to own 20 bortegower (described in statistical reporting number 553.11053)     1     Excluded     9/u-19     84 FR 32507 01 20(32/019)     903.88.19     400       4425.51.001     Sint Win 200 Win covering weight of 13.11 (42,000 bis.] (described in statistical reporting number serving number 522.51.10061)     and an operating weight of 13.1 (42,000 bis.] (described in statistical reporting number 522.51.10061)     B4 FR 32507 of 12(02/0200)     903.88.11     asset asset reporting number 522.51.10061)     and an operating weight of 17m 30 metric tons (described in statistical reporting number 522.51.10061)     B4 FR 32502 of 07/02/0200     903.88.11     asset asset reporting number 522.51.10061)     B4 FR 32502 of 07/02/0200     903.88.11     asset reporting number 522.51.10061)     B4 FR 32502 of 07/02/0200     903.88.11     asset reporting number 522.51.10061)     B4 FR 32502 of 07/02/0200     903.88.11     asset reporting number 522.51.10061)     B4 FR 32502 of 07/02/0200     903.88.11     asset reporting number 522.51.0001)     B4 FR 32502 of 07/02/0200     903.88.11     asset reporting number 522.51.0001)     B4 FR 32502 of 07/02/0200 <td< th=""><th></th><th></th><th></th><th>1</th><th></th><th></th><th></th><th></th></td<>				1				
94/2 51.105     of under 1.5 m2, rated at not over 25 honepower (described in statistical reporting number 4235.1.005)     1     Excluded     9-101-19     84 H 32621 of 0//09/2019     9903.88.11     #388       9425 51.105     Totics showel loaders, each with 4 wheed drive, a bucket capacity of at loast 2.3 m <sup>3</sup> but under 3.8 m <sup>3</sup> but uses the 5.3     1     Excluded     27-5ep-19     84 H 32621 of 0//09/2019     9903.88.11     #388       9425 51.105     reporting number 429-51.1050     reporting number 429-51.1050     9-101-19     84 H 32821 of 07/09/2019     9903.88.11     #388       9425 51.105     reporting number 429-51.1050     reporting number 429-51.1050     9-101-19     84 H 32821 of 07/09/2019     9903.88.11     #388       9425 51.005     reporting number 429-51.1050     reporting number 429-51.1050     9-101-19     84 H 32821 of 07/09/2019     9903.88.11     #388       9425 51.005     reporting number 429-51.1050     reporting number 429-51.1050     1     Excluded     9-101-19     84 H 32821 of 07/09/2019     9903.88.11     #388       9425 51.005     reporting number 429-51.1050     reporting number 429-51.1050     1     Excluded     9-101-19     84 H 32821 of 07/09/2019     9903.88.1     #3	HTS #	HTS Description		Tariff Rate		· · ·	Granted	CSMS #
8429.5.1.005   1.6 kW to 1ab WV, operating weight of 19.1 (#2,000 lbs.) (described in statistical reporting number   1   Excluded   27.5ep-19   84 FR 32587 of 10/07/2019   9903.88.19   #483     8429.5.1.005   mitegrated tractor shorel badres, each with 4 wheel dire, a backet capacity of at lass 3.8 m 3bu less than 5.2   1   Excluded   9-104-19   84 FR 32587 of 10/07/2019   9903.88.11   #888     8429.5.1.105   Sine operating weight of 7.5 meits to sor ome but not over 20 metric tors (described in statistical reporting number 8429.5.1.1055)   1   Excluded   9-104-19   84 FR 32521 of 07/09/2019   9903.88.11   #888     8429.5.1.105   Nove loaders, such match and capacity eff of from 30 metric tors to 36 metric tors (described in statistical reporting number 8429.5.1.1055)   1   Excluded   9-104-19   84 FR 32521 of 07/09/2019   9903.88.11   #888     8429.5.1.005   Nove loaders, such match and capacity eff 1.4 m <sup>3</sup> tor 1.2 m <sup>3</sup> and an operating weight of 30.000 kg or more   1   Excluded   438 FR 32521 of 07/09/2019   9903.88.11   #888     8429.5.1.000   Nove loaders, such match and statistical reporting number 8431.0000   1   Excluded   4.1 m 19   84 FR 32581 of 07/09/2019   9903.88.11   #888     8429.2.0.00   Rev track-mounted hydrauic Lachese or hydrauic Lachovers, sach wi	8429.51.1015		1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8425-51.040     m <sup>2</sup> and an operating weight of 15. metric tons to row put not over 20 metric tons (described in statistical reporting number 8432.51.046)     1     Excluded     9-1u-19     84 FR 3282.1 of 07/09/2019     903.88.11     #388       8425.51.045     Showel loaders with an operating weight of from 30 metric tons to 35 metric tons (described in statistical profile runnber 8423.51.055)     1     Excluded     9-1u-19     84 FR 3282.1 of 07/09/2019     903.88.11     #388       8422.51.055     Showel loaders with an operating weight of from 30 metric tons to 35 metric tons (described in statistical profile runnber 8423.51.055)     1     Excluded     9-1u-19     84 FR 49564 of 09/20/2019     903.88.11     #388       8422.51.050     Roubber track showel loaders having a lift capacity not over 375 kg (described in statistical reporting number 42.35.1.055)     1     Excluded     4-1u-19     84 FR 32823 of 06/04/2019     903.88.10     #496       8423.52.010     New, track-mounted hydrauic backhose ohydrauic shovels, each with a 300-degree revolving superstructure     1     Excluded     4-1u-19     84 FR 32823 of 06/04/2019     903.88.11     #388       8423.50.000     New track-mounted hydrauic backhose ohydrauic shovels, each with a 300-degree revolving superstructure     1     Excluded     4-1u-19     84 FR 32821 of 07/09/2019 <td>8429.51.1035</td> <td>168 kW to 180 kW, operating weight of 19.1 t (42,000 lbs.) (described in statistical reporting number</td> <td>1</td> <td>Excluded</td> <td>27-Sep-19</td> <td>84 FR 52567 of 10/02/2019</td> <td>9903.88.19</td> <td>#40330403</td>	8429.51.1035	168 kW to 180 kW, operating weight of 19.1 t (42,000 lbs.) (described in statistical reporting number	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8429.5.1.005     propring number 8429.5.1.005     1     Excluded     9-Jul-19     84 H 232.1 of 07//9/2019     903.8.11     #388       8429.5.1.005     boole loaders which a operating weight of from 30 metric tons 136 metric tons (described in statistical reporting number 8429.5.1.1055)     1     Excluded     9-Jul-19     84 FR 3282.1 of 07/9/2019     903.8.8.1     #388       8429.5.1.005     but not exceeding 36.000 kg (described in statistical reporting number 8429.5.1.1055)     1     Excluded     9-Jul-19     84 FR 3282.1 of 07/9/2019     903.8.8.1     #388       8429.5.1.001     New, track -mumet Mydraulic bachons or hydraulic towels, each with a 360-degree revolving superstructure     1     Excluded     4-Jun-19     84 FR 23859 of 06/0/2019     903.8.8.1     #388       8423.5.1.0010     New, track -mumet Mydraulic bachons or hydraulic towels, each with a 360-degree revolving superstructure     1     Excluded     4-Jun-19     84 FR 23859 of 06/0/2019     903.8.8.1     #388       8423.5.1.0010     New track -mumet Mydraulic bachons or hydraulic towels associatical reporting number 843.1.0.0000)     1     Excluded     4-Jun-19     84 FR 23821 of 07/0/2019     903.8.8.1     #388       843.1.00000     Ne chreabad mydraulic bachons or hydraulic towels associatical	8429.51.1040	m3 and an operating weight of 17.5 metric tons or more but not over 20 metric tons (described in statistical reporting number 8429.51.1040)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8429-51.1003     reporting number 8429.51.1050     1     Excluded     19-Jul-19     84 FR 328.1 0f (1/y)/(2/01)     9903.88.11     #388       8429.51.1055     Showl baders, save with a bucket capacity of 11.4 m <sup>2</sup> to 12 m <sup>2</sup> , and an operating weight of 30.000 kg or more to not exceeding 36.000 kg (described in statistical reporting number 8429.51.1055)     1     Excluded     1.8Sep-19     84 FR 328.21 of (7/y)/(2/01)     9903.88.11     #388       8429.51.1010     New Track monted hydraulic backets availing a lift capacity not over 375 kg (described in statistical reporting number 8429.52.1010)     1     Excluded     4.Jun-19     84 FR 32895 of 06/0//2019     9903.88.10     #326       8420.1000     Rise discribed in statistical reporting number 8430.10.0000)     1     Excluded     4.Jun-19     84 FR 3289.21 of 07/90/2019     9903.88.10     #326       8431.10000     Growed wire rope drum availed over 530 (described in statistical reporting number 8431.10.0000)     1     Excluded     4.Jun-19     84 FR 3282.10 of 07/90/2019     9903.88.11     #388       8431.10000     Growed wire rope drum availed over 530 (described in statistical reporting number 8431.10.0000)     1     Excluded     1.8Excluded     1.8Excluded     1.8Excluded     1.8Excluded     1.8Excluded     1.8Exc	8429.51.1045		1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
64/2-33.1035     but not exceeding 35,000 (g(escribed in statistical reporting number 8429.51.055)     1     Excluded     1.8-5ep-19     64 R 43960 (05/20/2015     9903.88.11     #388       8429.51.5010     Rubber track shows in district apporting number 8429.51.005)     1     Excluded     9.1ul-19     84 R 32821 (07/09/2015     9903.88.11     #388       8429.51.5010     New, track-mounted hydraulic backhoes or hydraulic shows, each with a 360-degree revolving superstructure     1     Excluded     4.1un-19     84 R 728595 (06/04/2015     9903.88.10     #19-2       8430.10.0000     Nile drivers, disead powered (described in statistical reporting number 8421.0.0000)     1     Excluded     4.1un-19     84 R 728595 (06/04/2015     9903.88.10     #19-2       8431.10.0001     Growed wire rope drum valued over \$350 (described in statistical reporting number 8431.0.0000)     1     Excluded     18-2ep-19     84 R 478250 (08/20/2015     9903.88.11     #388       8431.20.0000     Farts statistical reporting number 8431.0.0000     1     Excluded     18-2ep-19     84 FR 49564 (08/20/2015     9903.88.14     #400       8431.20.0000     Counterweight castings of ir no rstel, designed for use on iski loaders (described in statistical reporting number 8431.20.0000) <td< td=""><td>8429.51.1050</td><td></td><td>1</td><td>Excluded</td><td>9-Jul-19</td><td>84 FR 32821 of 07/09/2019</td><td>9903.88.11</td><td>#38840764</td></td<>	8429.51.1050		1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8429.51.2010   843.52.0101   1   Excluded   9/01/3   844 R32810 f0/07/97/019   9903.88.11   #388     8429.52.010   New, track-mounted hydraulic backhoes or hydraulic shovels, each with a 360-degree revolving superstructure   1   Excluded   4-lun-19   844 R32810 f0/07/97/019   9903.88.10   #13-0     8433.10000   Ride drives, disead powerd (described in statistical reporting number 843.0.00000)   1   Excluded   4-lun-19   844 R32810 f0/07/0219   9903.88.10   #13-0     8433.10000   Grooved wire roge drum valued over 5350 (described in statistical reporting number 843.1.0.0001)   1   Excluded   3-Ju-19   844 R32810 f0/07/0219   9903.88.11   #380     8431.00000   Grooved wire roge drum valued over 5350 (described in statistical reporting number 843.1.0.0001)   1   Excluded   3-Ju-19   84 FR 49564 of 09/20/219   9903.88.11   #400     8431.20.0000   Counterweight castings of iron or steel, designed for use on skil loaders (described in statistical reporting number 843.2.0.0000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/219   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel, designed for use on fork lift and other works truck (described in statistical reporting number 8431.20.0000)   1   Excluded	8429.51.1055		1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
11   Excluded   14/10:13   94 FR 25895 of 06/04/2019   990.38.10   713-7     1430.10.0000   Pile drivers, diesel powered (described in statistical reporting number 8430.10.0000)   1   Excluded   4-Jun-19   84 FR 25895 of 06/04/2019   990.38.10   713-7     1430.31.0040   Grooved wire rope drum valued over 5350 (described in statistical reporting number 8431.10.0000)   1   Excluded   2.0.Mar-19   84 FR 25895 of 06/04/2019   990.38.8.10   #13-7     8431.10.0050   Grooved wire rope drum valued over 5350 (described in statistical reporting number 8431.10.0000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   990.38.8.14   #400     8431.20.0000   Counterweight castings of iron or steel, designed for use on skid loaders (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   990.38.8.14   #400     8431.20.0000   Counterweight castings of iron or steel, designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Apr-19   84 FR 49564 of 09/20/2019   990.38.8.14   #400     8431.20.0000   Counterweight castings of iron or steel designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   1	8429.51.5010	Rubber track shovel loaders having a lift capacity not over 375 kg (described in statistical reporting number	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
1430.31.0040   Rock breaking machines, self-propelled   1   Excluded   20-Mar-19   84 FR 1154 of 03/25/2019   9903.88.01   #136     8431.10.0010   Grooved wire rope drum valued over 3350 (described in statistical reporting number 8431.10.000)   1   Excluded   9-Jul-19   84 FR 32821 of 07/09/2019   9903.88.11   #388     8431.10.0000   Winch handles (described in statistical reporting number 8431.10.000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel, designed for use on skil loaders (described in statistical reporting number 8431.20.000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel, designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Apr-19   84 FR 49564 of 09/20/2019   9903.88.11   #400     8431.20.0000   Counterweight castings of iron or steel designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Apr-19   84 FR 16310 of 04/18/2019   9903.88.17   #19-C     8431.20.0000   Excluded   18-Apr-19   84 FR 16310 o	8429.52.1010		1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
1430.31.0040   Rock treaking machines, self-propelled   1   Excluded   20-Mar-19   84 FR 11154 of 03/25/2019   9903.88.06   #13-0     8431.10.0010   Grooved wire rope drum valued over \$350 (described in statistical reporting number 8431.10.000)   1   Excluded   9-Jul-19   84 FR 43564 of 03/20/2019   9903.88.11   #340     8431.10.0000   Fited with fitting or handling equipment of subheading 8427.10 (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel, designed for use on skid loaders (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel designed for use on skid loaders (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Apr-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Apr-19   84 FR 49564 of 09/20/2019   9903.88.14   #300     8431.20.0000   Tireks (described in statistica	8430.10.0000		1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
4831.10.0010   Grooved wire rope drum valued over \$350 (described in statistical reporting number 8431.10.001)   1   Excluded   9-Jul-19   84 FR 3282.1 of 07/09/2019   9903.88.11   #388     8431.10.0030   Winch handles (described in statistical reporting number 8431.10.000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   fitted with lifting or handling equipment of subheading 8427.10 (described in statistical reporting number 8431.20.000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel, designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel, designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Apr-19   84 FR 49564 of 09/20/2019   9903.88.17   #30     8431.20.0000   Counterweight castings of iron or steel designed for use on fork lift and other works   1   Excluded   18-Apr-19   84 FR 16310 of 04/18/2019   9903.88.07   #19-C     8431.31.0000   Escalator drive assembl	8430.31.0040		1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8431.10.0090   Winch handles (described in statistical reporting number 8431.10.009)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Intel with lifting or handling quipment of subheading 8427.10 (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Sep-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel, designed for use on skil loaders (described in statistical reporting number 8431.20.0000)   Counterweight castings of iron or steel designed for use on skil loaders (described in statistical reporting number 8431.20.0000)   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel designed for use on skil loaders (described in statistical reporting number 8431.20.0000)   84 FR 16310 of 04/18/2019   9903.88.07   #10-C     8431.30.0000   Tirnes, carriages, and other goods handling apparatus and parts designed for use on fork lift and other works trucks (described in statistical reporting number 8431.31.0040)   1   Excluded   18-Apr-19   84 FR 16310 of 04/18/2019   9903.88.11   #388     8431.31.0040   Esclator drive assemblies (coscribed in statistical reporting number 8431.31.0040)   1   Excluded   9-Jul-19   84 FR 32821 of 07/09/2019   9903.88.11   #388     8431.	8431.10.0010		1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
Parts suitable for use solely or principally with self-propelled works trucks powered by an electric motor and fitted with lifting or handling equipment of subheading 8427.10 (described in statistical reporting number     1     Excluded     18-Sep-19     84 FR 49564 of 09/20/2019     9903.88.14     #400       8431.20.0000     Counterweight castings of iron or steel, designed for use on skid loaders (described in statistical reporting number 8431.20.0000)     1     Excluded     18-Sep-19     84 FR 49564 of 09/20/2019     9903.88.14     #400       8431.20.0000     Counterweight castings of iron or steel, designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)     1     Excluded     18-Apr-19     84 FR 16310 of 04/18/2019     9903.88.07     #19-0       8431.20.0000     Times, carriages, and other goods handling apparatus and parts designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)     1     Excluded     18-Apr-19     84 FR 16310 of 04/18/2019     9903.88.07     #19-0       8431.31.0040     Escalator reps (described in statistical reporting number 8431.20.0000)     1     Excluded     9-Jul-19     84 FR 32821 of 07/09/2019     9903.88.11     #388       8431.31.0040     Escalator steps (described in statistical reporting number 8431.31.0040)     1     Excluded								#40002982
8431.20.0000   number 8431.20.0000   1   Excluded   18-sep-19   84 FR 49564 of 09/20/2019   9903.88.14   #400     8431.20.0000   Counterweight castings of iron or steel designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Apr-19   84 FR 16310 of 04/18/2019   9903.88.07   #19-02     8431.20.0000   Tines, carriages, and other goods handling apparatus and parts designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   1   Excluded   18-Apr-19   84 FR 16310 of 04/18/2019   9903.88.07   #19-02     8431.31.0040   Escalator drive assemblies consisting of a motor, planetary gear and gearbox (described in statistical reporting number 8431.31.0040)   1   Excluded   9-Jul-19   84 FR 32821 of 07/09/2019   9903.88.11   #388     8431.31.0040   Escalator steps (described in statistical reporting number 8431.31.0040)   1   Excluded   9-Jul-19   84 FR 32821 of 07/09/2019   9903.88.11   #388     8431.31.0040   Escalator steps (described in statistical reporting number 8431.31.0040)   1   Excluded   9-Jul-19   84 FR 32821 of 07/09/2019   9903.88.11   #388     8431.31.0060   governor apparatus, scissor lift assemblies, telescoping boom lift assemb	8431.20.0000	Parts suitable for use solely or principally with self-propelled works trucks powered by an electric motor and fitted with lifting or handling equipment of subheading 8427.10 (described in statistical reporting number	1	Excluded		84 FR 49564 of 09/20/2019		#40002982
3431.20.0000   statistical reporting number 8431.20.0000   1   Excluded   18 Apr-19   84 R 16310 of 04/18/2019   9903.88.07   #19-0.     8431.20.0000   Tines, carriages, and other goods handling apparatus and parts designed for use on fork lift and other works trucks (described in statistical reporting number 8431.20.0000)   1   Excluded   18 Apr-19   84 FR 16310 of 04/18/2019   9903.88.07   #19-0.     8431.31.0040   Escalator drive assemblies consisting of a motor, planetary gear and gearbox (described in statistical reporting number 8431.31.0040)   1   Excluded   9-Jul-19   84 FR 32821 of 07/09/2019   9903.88.11   #388     8431.31.0040   Escalator steps (described in statistical reporting number 8431.31.0040)   1   Excluded   9-Jul-19   84 FR 32821 of 07/09/2019   9903.88.11   #388     8431.31.0040   Escalator steps (described in statistical reporting number 8431.31.0040)   1   Excluded   9-Jul-19   84 FR 32821 of 07/09/2019   9903.88.11   #388     8431.31.0040   Escalator steps (described in statistical reporting number 8431.39.0010)   1   Excluded   9-Jul-19   84 FR 25895 of 06/04/2019   9903.88.11   #388     8431.39.0010   Conveyor roler support brackets (described in statistical reporting number 8431.39.0010)   1   Excluded<	8431.20.0000		1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
431.20.0000   trucks (described in statistical reporting number 8431.20.0000)   1   Excluded   184.Apr-19   84 R 16310 of 04/18/2019   9903.88.07   #19-C     8431.31.0040   Escalator drive assemblies consisting of a motor, planetary gear and gearbox (described in statistical reporting number 8431.31.0040)   1   Excluded   9-Jul-19   84 R 32821 of 07/09/2019   9903.88.11   #388     8431.31.0040   Escalator steps (described in statistical reporting number 8431.31.0040)   1   Excluded   9-Jul-19   84 R 32821 of 07/09/2019   9903.88.11   #388     8431.31.0040   Escalator steps (described in statistical reporting number 8431.31.0040)   1   Excluded   9-Jul-19   84 R 32821 of 07/09/2019   9903.88.11   #388     8431.31.0060   governor apparatus, scissor lift assemblies, telescoping boom lift assemblies or articulating boom lift assemblies   1   Excluded   9-Jul-19   84 R 32821 of 07/09/2019   9903.88.11   #388     8431.39.0010   Beit conveyor consomember assemblies (described in statistical reporting number 8431.39.0010)   1   Excluded   4-Jun-19   84 R 25895 of 06/04/2019   9903.88.10   #19-C     8431.39.0010   Conveyor roller support brackets (described in statistical reporting number 8431.39.0010)   1   Excluded   4-Jun-1	8431.20.0000		1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
A33.31.0040number 8431.31.0040A FR 32821 of 07/09/20199903.88.11#3888431.31.0040Escalator steps (described in statistical reporting number 8431.31.0040)1Excluded9-Jul-1984 FR 32821 of 07/09/20199903.88.11#3888431.31.0060governor apparatus, scissor lift assemblies, telescoping boom lift assemblies or articulating boom lift assemblies1Excluded9-Jul-1984 FR 32821 of 07/09/20199903.88.11#3888431.31.0060governor apparatus, scissor lift assemblies, telescoping boom lift assemblies or articulating boom lift assemblies1Excluded9-Jul-1984 FR 32821 of 07/09/20199903.88.10#19-08431.39.0010Belt conveyor crossmember assemblies (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Carriers designed for holding motor vehicles in overhead conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Carterary idler stringers (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (described1Excl	8431.20.0000		1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
Parts of passenger or freight elevators consisting of any of the following: Elevator emergency brake and speed governor apparatus, scissor lift assemblies, telescoping boom lift assemblies or articulating boom lift assemblies1Excluded9-Jul-1984 FR 32821 of 07/09/20199903.88.11#3888431.39.0010Belt conveyor crossmember assemblies (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Conveyor roller support brackets (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Carriers designed for holding motor vehicles in overhead conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Carriers designed for holding motor vehicles in overhead conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Catenary idler stringers (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded <td< td=""><td>8431.31.0040</td><td></td><td>1</td><td>Excluded</td><td>9-Jul-19</td><td>84 FR 32821 of 07/09/2019</td><td>9903.88.11</td><td>#38840764</td></td<>	8431.31.0040		1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8431.31.0060 (described in statistical reporting number 8431.31.0060)9903.88.11#3888431.39.0010Belt conveyor crossmember assemblies (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Conveyor roller support brackets (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Carriers designed for holding motor vehicles in overhead conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Carriers designed for holding motor vehicles in overhead conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Catenary idler stringers (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (describ	8431.31.0040	Escalator steps (described in statistical reporting number 8431.31.0040)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8431.39.0010Conveyor roller support brackets (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Carriers designed for holding motor vehicles in overhead conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Catenary idler stringers (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-08431.39.0010Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-0	8431.31.0060	governor apparatus, scissor lift assemblies, telescoping boom lift assemblies or articulating boom lift assemblies	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8431.39.0010Conveyor roller support brackets (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-C8431.39.0010Carriers designed for holding motor vehicles in overhead conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-C8431.39.0010Catenary idler stringers (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-C8431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-C8431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-C8431.39.0010Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-C	8431.39.0010	Belt conveyor crossmember assemblies (described in statistical reporting number 8431.39.0010)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
B431.39.0010Carriers designed for holding motor vehicles in overhead conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Catenary idler stringers (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-02	8431.39.0010		1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8431.39.0010Catenary idle's stringers (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-C8431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-C8431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-C8431.39.0010Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-C	8431.39.0010		1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8431.39.0010Conveyor belt assemblies incorporating bearings (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010Conveyor line pans, the foregoing parts suitable for use solely or principally with coal mine conveyors (described in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-028431.39.0010in statistical reporting number 8431.39.0010)1Excluded4-Jun-1984 FR 25895 of 06/04/20199903.88.10#19-02	8431.39.0010		1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8431.39.0010     1     Excluded     4-Jun-19     84 FR 25895 of 06/04/2019     9903.88.10     #19-0	8431.39.0010		1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
	8431.39.0010		1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
	8431.39.0010	Conveyor spill plates (described in statistical reporting number 8431.39.0010)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8431.39.0010	Welded frames designed to support conveyor rollers (described in statistical reporting number 8431.39.0010)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8431.39.0010	Baggage carriers, of polyethylene, suitable for use solely or principally with conveyers of subheading 8428.39 (described in statistical reporting number 8431.39.0010)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8431.39.0010	Drive frames weighing over 3.6 metric tons and parts thereof (described in statistical reporting number 8431.39.0010)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8431.39.0070	Counterweights for log handling equipment (described in statistical reporting number 8431.39.0070)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8431.41.0040	Grappler attachments, other than buckets, each valued over \$250 but not over \$350 (described in statistical reporting number 8431.41.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8431.41.0040	Grappler buckets, each valued over \$800 but not over \$900 (described in statistical reporting number 8431.41.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8431.43.8060	Bridge plug assemblies for oil and gas boring or sinking machinery, other than for offshore oil and natural gas drilling and production platforms (described in statistical reporting number 8431.43.8060)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8431.43.8060	Cement retainer assemblies with diameter of 4.5 cm or more but not exceeding 51 cm and length of 30.5 cm or more but not exceeding 72 cm, composed of cylindrical cast iron components, nitrile rubber seal and brass back- up rings, suitable for use solely or principally with the machinery of subheadings 8430.41 or 8430.49 (described in statistical reporting number 8431.43.8060)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8431.49.9010	Feed pushers, bale forks, scrapers and frames therefor (described in statistical reporting number 8431.49.9010)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8431.49.9020	Metal frames or assemblies of a kind suitable for use as attachments to agricultural tractors (described in statistical reporting number 8431.49.9020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8431.49.9044	Backhoe counterweights each weighing more than 400 kg but not more than 600 kg (described in statistical reporting number 8431.49.9044)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8431.49.9044	Excavator crawler shoes (described in statistical reporting number 8431.49.9044)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8431.49.9095	Counterweight castings of iron or steel designed for use on excavators and wheel loaders (described in statistical reporting number 8431.49.9095)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8431.49.9095	Dredge cutter teeth, comprising parts suitable for use solely or principally with the machinery of heading 8429 or 8430 (described in statistical reporting number 8431.49.9095)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8431.49.9095	Snow plow blades and frames therefor (described in statistical reporting number 8431.49.9095)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8431.49.9095	Vulcanized rubber tracks, each incorporating cords and cleats of steel, designed for use on construction equipment (described in statistical reporting number 8431.49.9095)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8432.29.0060	Walk behind rotary tillers, electric powered, individually weighing less than 14 kg (described in statistical reporting number 8432.29.0060)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8432.29.0060	Walk behind rotary tillers, electrically powered, each weighing less than 16 kg (described in statistical reporting number 8432.29.0060)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8432.29.0090	Scarifiers (described in statistical reporting number 8432.29.0090)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8432.42.0000	Fertilizer distributors with a capacity not exceeding 40 kg (described in statistical reporting number 8432.42.0000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8432.90.0020	Wheel and tire assemblies, each having a wheel of plastics no more than 20 cm in diameter and 16 cm in width and having a tire of rubber no more than 40 cm in diameter and 16 cm in width (described in statistical subheading 8432.90.0020)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8432.90.0050	Parts of harrows or cultivators incorporating bearings (described in statistical reporting number 8432.90.0050)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8432.90.0060	Seeder or spreader baffle and baffle assemblies (described in statistical reporting number 8432.90.0060)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8432.90.0060	Seeder or spreader frames (described in statistical reporting number 8432.90.0060)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8432.90.0060	Seeder or spreader handles (described in statistical reporting number 8432.90.0060)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8432.90.0060	Seeder or spreader hopper assemblies (described in statistical reporting number 8432.90.0060)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8432.90.0060	Seeder or spreader hopper grates (described in statistical reporting number 8432.90.0060)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8432.90.0060	Seeder or spreader impellers (described in statistical reporting number 8432.90.0060)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8432.90.0060	Ductile iron casting, weighing more than 0.75 kg but not more than 18.25 kg, with a maximum dimension exceeding 190 mm but not exceeding 695 mm (described in statistical reporting number 8432.90.0060)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8432.90.0060	Assemblies of parts of seeders for transmitting mechanical hand motions to the gate mechanism for starting, adjusting and stopping the flow of seeds (described in statistical reporting number 8432.90.0060)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8432.90.0060	Parts of fertilizer distributors (described in statistical reporting number 8432.90.0060)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8432.90.0060	Wheels, of plastics, each wheel being not more than 16 cm in diameter and not more than 8 cm in width (described in statistical reporting number 8432.90.0060)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8436.10.0000	Electrically powered granulator machine (described in statistical reporting number 8436.10.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8436.80.0090	Chipper/shredder machines, electrically powered (described in statistical reporting number 8436.80.0090)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8436.80.0090	Chipper/shredder machines, gasoline powered, valued less than \$250 per unit (described in statistical reporting number 8436.80.0090)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8436.80.0090	Malt production equipment (described in statistical reporting number 8436.80.0090)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8436.80.0090	Animal feeding machinery (described in statistical reporting number 8436.80.0090)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8436.99.0090	Parts of animal feeding machinery (described in statistical reporting number 8436.99.0090)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8438.80.0000	Machinery for mixing beverages in single servings for direct human consumption, designed for use in commercial food service establishments (described in statistical reporting number 8438.80.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8438.80.0000	Machinery for reconstituting single serving beverages for direct human consumption from frozen pre-packaged portions, designed for use in commercial food service establishments (described in statistical reporting number 8438.80.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8439.10.0010	Complete pulp making mills, including pulping machinery, screening machinery, cleaning machinery, settling tanks, pumps and filters, each mill valued in its entirety at more than \$2 million and less than \$4 million (described in statistical reporting number 8439.10.0010)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8439.91.9000	Rotors designed to agitate paper and water into pulp, of stainless steel, the foregoing comprising parts of machinery for making pulp of fibrous cellulosic materials (described in statistical reporting number 8439.91.9000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8439.99.1000	Complete sections of paper or paperboard making machines, whether or not assembled, for forming (transforming a slurry into a solid sheet) paper or paperboard (described in statistical reporting number 8439.99.1000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8439.99.1000	Subassemblies of the pressing and forming sections of paper or paperboard making machines, whether or not assembled, for assisting in replacement of rollers and fabric (described in statistical reporting number 8439.99.1000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8439.99.1000	Guards of stainless steel, designed to shield operators of papermaking machines from moving or rotating equipment, each with dimensions ranging from 30 cm by 30 cm by 50 cm to 50 cm by 50 cm by 4 m, weighing 30 kg or more but not over 100 kg (described in statistical reporting number 8439.99.1000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2018	Reverts to 9903.88.01 @25%	#19-000052
8439.99.1000	Scrapers ("doctors") of stainless steel, designed to scrape impurities from the rotating roll surface of the forming and press sections of papermaking machines, each comprising a beam with a blade of non-symmetrical cross section, long aspect ratio, and mounting journals and turning devices on either end, with dimensions ranging from 50 cm by 50 cm by 8 m to 60 cm by 6 m by 11 m, weighing 1 metric ton or more but not over 3 metric tons (described in statistical reporting number 8439.99.1000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2018	Reverts to 9903.88.01 @25%	#19-000052
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
--------------	---	--------------------	-------------	-----------------------------	--	---	------------
8439.99.1000	Frameworks of the forming and press section of papermaking machines, of stainless steel or cladded mild steel with stainless or acid proof steel, each with dimensions ranging from 1 m by 1 m by 1 m to 2.3 m by 2.3 m by 12 m, weighing 500 kg or more but not over 40 metric tons (described in statistical reporting number 8439.99.1000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2018	Reverts to 9903.88.01 @25%	#19-000052
8439.99.1000	Guides of stainless steel, designed for locating conveyer belts on papermaking machines, each with a moving arm with an actuator and front and back units with mounting holes for tube roll bearing houses, each with dimensions ranging from 40 cm by 50 cm by 30 cm to 1 m by 1 m by 50 cm, weighing 300 kg or more but not over 500 kg (described in statistical reporting number 8439.99.1000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2018	Reverts to 9903.88.01 @25%	#19-000052
8439.99.1000	Rollers of steel and cast iron ("nip rollers") with bearing journals on either end, designed for use in paper manufacturing to mechanically compress paper web to remove water or impart desired mechanical properties in paper web, each with a polymer cover, the foregoing with length of 7 m or more but not over 12 m, with diameter of 1 m or more but not over 1.5 m, weighing 15 metric tons or more but not over 30 metric tons (described in statistical reporting number 8439.99.1000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2018	Reverts to 9903.88.01 @25%	#19-000052
8439.99.1000	Open containers ("savealls") of stainless steel, designed to catch water run off generated in the papermaking process, constructed of large square shaped plates and flat constructions with mounting holes on ends, each with dimensions ranging from 50 cm by 50 cm by 50 cm to 1.5 m by 1 m by 10 m, weighing 50 kg or more but not over 2 metric tons (described in statistical reporting number 8439.99.1000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2018	Reverts to 9903.88.01 @25%	#19-000052
8439.99.1000	Stretchers of stainless steel, designed to move rollers of papermaking machines to adjust tension of fabric, each with a pivoting arm with an actuator, linear rail movement with an actuator and front and back units with mounting holes for tube roll bearing housings (described in statistical reporting number 8439.99.1000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2018	Reverts to 9903.88.01 @25%	#19-000052
8439.99.1000	Suction boxes of stainless steel, which remove water from paper web or papermaking fabrics during papermaking, each with dimensions ranging from 50 cm by 50 cm by 8 m to 1 m by 1 m by 10 m, weighing 1.5 metric tons or more but not over 2 metric tons (described in statistical reporting number 8439.99.1000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2018	Reverts to 9903.88.01 @25%	#19-000052
8439.99.1000	Rollers of stainless steel or cast iron, designed for use in paper manufacturing to support and convey papermaking cloth (i.e. fabric) or the paper web, each weighing 7 metric tons or more but not over 20 metric tons, measuring 7 m or more but not over 12 m in length, with diameter of 40 cm or more but not over 1.5 m, presented with bearing journals on either end and a polymer cover (described in statistical reporting number 8439.99.1000)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2018	Reverts to 9903.88.01 @25%	#19-000052
8439.99.5000	Sizer nip rolls of steel and cast iron with polymer cover for finishing paper or paperboard (described in statistical reporting number 8439.99.5000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8441.40.0000	Machines, of a kind used to produce cylindrical paper drinking straws (described in statistical reporting number 8441.40.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8443.99.2010	Ink cartridges, each weighing more than 1 kg (described in statistical reporting number 8443.99.2010 )	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8443.99.2050	Paper handling assemblies as described in Additional U.S. note 2(g) to chapter 84 (described in statistical reporting number 8443.99.2050)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8443.99.2050	Printer maintenance kits consisting of two or more replacement parts for printer units of subheading 8443.32.10 specified in additional U.S. note 2 to chapter 84 (described in statistical reporting number 8443.99.2050)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8443.99.2050	Stapler-stackers of printer units of subheading 8443.32.10, and parts thereof (described in statistical reporting number 8443.99.2050)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8452.29.9000	Sewing machines, not of the household type, not specially designed to join footwear soles to uppers; each such machine weighing 45 kg or more but not over 140 kg, suitable for sewing leather (described in statistical reporting number 8452.29.9000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8454.30.0010	Cold-chamber die casting machines having a maximum casting volume of 52.78 m <sup>3</sup> , a die height of 0.4 m or- more but not exceeding 1 m, and a maximum die locking force of 8,400 kN Die casting machines with casting volume not to exceed 5,278 cm3, die height of not less than 360 mm but not more than 1,000 mm, and die locking force of not less than 6,600 kN but not more than 8,400 kN (described in statistical reporting number 8454.30.0010)	1	Excluded	18-Sep-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8455.22.0000	Complete sheet pile rolling mills (described in statistical reporting number 8455.22.0000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8455.22.0000	Rolling mills designed to form 4 to 5 ribbed metal panels not exceeding 95 cm wide (described in statistical reporting number 8455.22.0000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8455.22.0000	Machines for cold forming light-gauge coiled steel (such steel 0.35 cm or more but not exceeding 0.61 cm in thickness) into corrugated or other multi-ribbed panels (such panels 91.4 cm in width) by progressively passing the steel through at least 15 but no more than 20 shaped rolls and cutting to length with a hydraulic shear (described in statistical reporting number 8455.22.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8455.90.8000	Cylindrical side guides, the foregoing comprising parts of metal-rolling mills (described in statistical reporting number 8455.90.8000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8458.19.0020	Horizontal lathes, electrically powered not over 1.5 horsepower (described in statistical reporting number 8458.19.0020)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8458.19.0020	Horizontal lathes for removing metal, electrically powered, not numerically controlled, each with mill head attachment mounted above the lathe headstock (described in statistical reporting number 8458.19.0020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8458.99.1050	Vertical turret lathes, each weighing more than 10,000 kg (described in statistical reporting number 8458.99.1050)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8459.10.0000	Way-type unit head machine tools, each valued over \$1,800 but not over \$2,200 (described in statistical reporting number 8459.10.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8459.61.0080	New numerically-controlled milling machines capable of end beveling pipe of an outside diameter of 60 cm or more but not exceeding 305 cm (described in statistical reporting number 8459.61.0080)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8459.69.0020	Benchtop milling machines, not numerically controlled, valued over \$400 but not over \$700 each (described in statistical reporting number 8459.69.0020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8462.29.0030	Press brakes, not numerically controlled, having a drive capacity rating of 3kW (described in statistical reporting number 8462.29.0030)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8462.31.0080	Machines for slitting metal, numerically controlled, new, each weighing over 2,200 kg but not over 2,300 kg (described in statistical reporting number 8462.31.0080)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8462.39.0050	New hydraulic shearing machines, not numerically controlled, with a power of 7.5 kW, valued at \$3,025 or more each (described in statistical reporting number 8462.39.0050)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8462.91.8090	Hydraulic presses, not numerically controlled, each valued over \$85,000 but not over \$110,000 (described in statistical reporting number 8462.91.8090)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8462.91.8090	Machines for end-forming metal pipes, such pipes ranging in outside diameter from 60 cm or more but not exceeding 305 cm (described in statistical reporting number 8462.91.8090)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8464.10.0100	Tile saws (described in statistical reporting number 8464.10.0100)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360

				_			
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8464.90.0110	Glass-working machines, numerically controlled, each valued over \$50,000 (described in statistical reporting number 8464.90.0110)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8465.92.0034	Woodworking planers with two-knife cutter heads, other than for working in the hand, valued not over \$200 each (described in statistical reporting number 8465.92.0034)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8465.92.0051	Woodworking routers, each with a 1,306 W (1-3/4 horsepower) motor and valued not over \$60 (described in statistical reporting number 8465.92.0051)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8465.93.0030	Edge belt sanders, each valued under \$150, other than for working in the hand, designed for a belt width not over 16 cm (described in statistical reporting number 8465.93.0030)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8465.95.0055	Benchtop drill presses, each with a power rating of less than 750 watts and valued under \$1,000 each (described in statistical reporting number 8465.95.0055)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8465.95.0065	Mortising machines, each incorporating a work holder that moves on x-y axes, with a power rating not over 375 $W(1/2$ horsepower) (described in statistical reporting number 8465.95.0065)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8465.99.0220	Woodworking lathes, each with a motor of 224 watts (0.3 horsepower) or more but not exceeding 896 W (1.2 horsepower), the foregoing which operate at speeds of 600 to 3,500 rpm, valued not over \$130 each (described in statistical reporting number 8465.99.0220)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8466.10.0175	Tool holders of a kind used to hold various types of metal working tools for use on milling machine spindles (described in statistical reporting number 8466.10.0175)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8466.30.8000	Machine tool stands having leveling, stabilizing, attachment or other special features (described in statistical reporting number 8466.30.8000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8466.30.8000	Modified 8466.30.8000 by deleting "Machine tool stands having leveling, stabilizing, attachment or other special features (described in statistical reporting number 8466.30.8000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8466.30.8000	Band saw guards (described in statistical reporting number 8466.30.8000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8466.30.8000	Grinder stands, pedestal rollers and other tool and workpiece stands, supports and platforms (described in statistical reporting number 8466.30.8000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8466.30.8000	Power tool mounts (described in statistical reporting number 8466.30.8000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8466.30.8000	Machine tool stands having leveling, stabilizing, attachment or other special features (described in statistical reporting number 8466.30.8000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8466.92.5010	Work stands designed for use with miter saws, whether or not wheeled (described in statistical reporting number 8466.92.5010)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8466.92.5010	Workstands designed to use with miter saws, each with metal tube frame, 4 metal legs and 2 metal extension arms (described in statistical reporting number 8466.92.5010)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8466.92.5010	Workstands designed for use with miter saws, each with wheels to make workstand mobile and with sides that fold up to extend the work area (described in statistical reporting number 8466.92.5010)	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8466.93.9885	Parts of drill sharpening machines (described in statistical reporting number 8466.93.9885)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8467.11.1040	Rotary grinders for working in the hand, suitable for metal working, each valued under \$10 (described in statistical reporting number 8467.11.1040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8467.11.1040	Rotary sanders for working in the hand, suitable for metal working, each valued under \$20 (described in statistical reporting number 8467.11.1040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8467.11.1080	Pneumatic rotary cutters, suitable for metal working, each with a maximum blade diameter of 11 cm and a maximum speed of 20,000 rpm, valued under \$10 each (described in statistical reporting number 8467.11.1080)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8467.99.0190	Portable drill presses for use with hand drills of subheading 8467.21 (described in statistical reporting number 8467.99.0190)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8470.10.0040	Electronic calculators for desktop use, solar-powered with battery backup (other than with engineering, trigonometric, scientific or construction functions), each measuring 11 cm or more but not over 25 cm in length, 7 cm or more but not over 19.5 cm in width, and 1 cm or more but not over 5 cm in height and weighing 0.058 kg or more but not over 0.34 kg (described in statistical reporting number 8470.10.0040)	3	Evolution	12 Dec 10	84 ED 60012 of 12/17/2010	9903.88.36	#41052773
8470.10.0040	Electronic calculators, handheld, solar-powered or battery powered (other than with engineering, trigonometric	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.30	
8470.10.0040	or scientific functions), each measuring 10 cm or more but not over 16 cm in length, 5 cm or more but not over 9 cm in width, and 0.5 cm or more but not over 2 cm in height and weighing 0.02 kg or more but not over 1 kg ((described in statistical reporting number 8470.10.0040)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
	Electronic calculators, handheld, solar-powered or battery powered, with scientific, trigonometric or other advanced mathematical functions, each measuring 11 cm or more but not over 18 cm in length, 6.5 cm or more but not over 9 cm in width and 1 cm or more but not over 3 cm in height and weighing 0.04 kg or more but not over 0.25 kg (described in statistical reporting number 8470.10.0040)	3					#41052773
8470.10.0040	Electronic calculating machines, each incorporating a 2 color ink roller printing device, that operates with an	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	
	external source of power, with a vacuum fluorescent display (VFD), measuring 24 cm or more but not over 27 cm in height and 5 cm or more but not over 21 cm in width and 5 cm or more but not over 7 cm in height and weighing 0.5 kg or more but not over 1.5 kg each (described in statistical reporting number 8470.21.0000)						#41052773
8470.21.0000		3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	
8470.21.0000	Electronic calculating machines, each incorporating a parallel ribbon ink printing device, that operates with an external source of power, with a vacuum fluorescent display (VFD), measuring 31.75 cm or more but not over 34.3 cm in length, 21.5 cm or more but not over 25.4 cm in width and 7.5 cm or more but not over 9 cm in height and weighing 1.6 kg or more but not over 2 kg each (described in statistical reporting number	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
	8470.21.0000) Electronic calculating machines, each incorporating a ribbon ink printing device, that operates with an external source of power, with a vacuum fluorescent display (VFD), measuring 32 cm or more but not over 35 cm in length, 22 cm or more but not over 26 cm in width and 8 cm or more but not over 9 cm in height and weighing 1.75 kg or more but not over 2 kg each (described in statistical reporting number 8470.21.0000)		Excluded				#41052773
8470.21.0000	Electronic calculating machines, each incorporating an ink roller printing device, capable of operating with an external source of power or battery power, with liquid crystal display (LCD), measuring 19 cm or more but not over 26.5 cm in length, 8 cm or more but not over 20 cm in width and 4 cm or more but not over 7 cm in height and weighing 0.3 kg or more but not over 0.7 kg each (described in statistical reporting number 8470.21.0000)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019		#41052773
8470.21.0000	Lottery ticket vending terminals, each terminal including a touchscreen monitor, barcode scanner, Wi- fi/Ethernet/Bluetooth connectivities, six USB ports, two LAN ports and two serial ports (described in statistical	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	
8470.90.0190	reporting number 8470.90.0190)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8471.60.9050	Mouse input devices for automatic data processing (ADP) machines, each valued over \$70 (described in statistical reporting number 8471.60.9050)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8471.60.9050	Trackpad input units for automatic data processing (ADP) machines, each valued over \$100 (described in statistical reporting number 8471.60.9050	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8471.70.6000	Automated data processing storage units (other than magnetic disk drive units), not assembled in cabinets for placing on a table or similar place, not presented with any other unit of a system (described in statistical reporting number 8471.70.6000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8471.70.9000	External optical disk drive storage units enclosed in cases, each valued under \$60 (described in statistical reporting number 8471.70.9000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8473.29.0000	Cash drawers for cash registers of subheading 8470.50 (described in statistical reporting number 8473.29.0000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8473.30.1180	Printed circuit assemblies to enhance the graphics performance of automatic data processing (ADP) machines ("accelerator modules") (described in statistical reporting number 8473.30.1180)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8473.30.1180	Printed circuit assemblies for rendering images onto computer screens ("graphics processing modules") (described in statistical reporting number 8473.30.1180)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8473.30.1180	Printed circuit assemblies, constituting unfinished logic boards (described in statistical reporting number 8473.30.1180)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8473.30.5100	Parts and accessories of machines of heading 8471 not incorporating goods of headings 8541 or 8542 (described in statistical reporting number 8473.30.5100)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8473.40.1000	Printed Circuit Assemblies For Automatic Teller Machines Of Subheading 8472.90.10	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8473.40.8600	Parts of automatic teller machines (described in statistical reporting number 8473.40.8600)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8474.10.0090	Stationary sand screening equipment having more than 90 but less than 182 metric ton per hour capacity (described in statistical reporting number 8474.10.0090)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8474.31.0000	Portable concrete or mortar mixers, electrically powered, with a capacity not exceeding 0.15 m <sup>3</sup> (described in statistical reporting number 8474.31.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8474.80.0015	Mineral pressing machine equipped with vibration motors (described in statistical reporting number 8474.80.0015)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8474.90.0010	Feeder and vibratory flow equipment and parts thereof designed for use in screening or sorting machines; housings and noise reduction enclosures; the foregoing described in statistical reporting number 8474.90.0010)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8475.29.0000	Machines for manufacturing laminated or insulated glass, each machine valued over \$100,000 (described in statistical reporting number 8475.29.0000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8476.81.0000	Refrigerated and heated vending machines for dispensing live bait and fishing tackle, each machine weighing more than 350 kg (described in statistical reporting number 8476.81.0000)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8477.20.0005	Machines for extruding rubber or plastics utilizing two successive single-screw apparatus (described in statistical reporting number 8477.20.0005)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8477.20.0015	Extrusion machines for processing rubber, twin-screw type, designed to produce inner liners for tires (described in statistical reporting number 8477.20.0015)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8477.80.0000	Electrically powered cutting machines for working supple plastics, valued not over \$300 per unit (described in statistical reporting number 8477.80.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8477.80.0000	Machines for cutting plastics, electrically powered, valued not over \$300 per unit (described in statistical reporting number 8477.80.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8477.90.8501	Injection mold inserts (described in statistical reporting number 8477.90.8501)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8477.90.8501	Mold base parts, each with a length of more than 19 cm but not more than 91 cm, a width of more than 3 cm but not more than 61 cm and a thickness of more than 2 cm but not more than 16 cm; the foregoing preconfigured with standard mill features such as drilled holes, slots and bushings to accommodate the various pins and tube dowels necessary for the functioning of the plastic injection mold (described in statistical reporting number 8477.90.8501)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8477.90.8540	Sidewall plates, top bead rings, bottom bead rings and upper bag clamp rings, of steel, all the foregoing being parts of tire molds (described in statistical reporting number 8477.90.8540)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8479.10.0060	Bituminous pavers, self-propelled, each with a weight exceeding 14.9 metric tons but not exceeding 18.2 metric tons, with working width of 2.4 m or more but not over 8.6 m (described in statistical reporting number 8479.10.0060)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8479.30.0000	Press machines for bamboo or other materials of a woody nature (described in statistical reporting number 8479.30.0000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8479.81.0000	Electric wire coil-winder machines (described in statistical reporting number 8479.81.0000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8479.82.0040	Insulated mixing chambers of stainless steel, each having a capacity of 5 m3 to 25 cubic meters (described in statistical reporting number 8479.82.0040)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8479.82.0040	Machines of a kind suitable for mixing granules of rock or similar hard materials with plastic resin to form a	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
0475.02.0040	homogenous mixture (described in statistical reporting number 8479.82.0040)	-	Excluded	10 300 13	0411(455040105/20/2015	5505.00.14	1140002502
8479.82.0040	Modularized plants for the manufacture of lithium hydroxide by functions involving mixing, kneading or stirring	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
	(described in statistical reporting number 8479.82.0040) Machines for crushing/grinding pills, each valued over \$20 but not over \$35 (described in statistical reporting						
8479.82.0080	number 8479.82.0080)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8479.82.0080	Crushing or grinding machines, not used in the manufacture of beverages or crushing of mineral substances, each valued at more than \$10,000 (described in statistical reporting number 8479.82.0080)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
	Modified 8479.89.9444 by deleting "Vertical or single shaft shredding machines of a kind suitable for use in the						
8479.89.9444	recycling industry, weighing over 10,000 kg but not over 15,000 kg each (described in statistical reporting number 8479.89.9499)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8479.89.9450	Wireline bridge plug assemblies for use in oil and gas fields, compliant with Specification 11D1 of the American Petroleum Institute (API), each composed of cylindrically shaped, sand cast, cast iron components with a nitrile rubber sealing element and brass element backup rings, measuring 3.7 cm or more but not over 52 cm in	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
	diameter and 30 cm or more but not over 72 cm in length (described in statistical reporting number 8479.89.9450)					5500100105	
8479.89.9485	Ultrasonic cleaners, with tanks of stainless steel and of a liquid capacity not over 32 liters (described in statistical reporting number 8479.89.9485	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8479.89.9499	Granulating machines not specifically designated for use with specific particulate materials, each valued more than \$25,000 (described in statistical reporting number 8479.89.9499)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8479.89.9499	Vertical or single shaft shredding machines of a kind suitable for use in the recycling industry, weighing over 10,000 kg but not over 15,000 kg each (described in statistical reporting number 8479.89.9499)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8479.89.9499	Modified 8479.89.9499 by deleting "Granulating machines not specifically designated for use with specific particulate materials, each valued more than \$25,000 (described in statistical reporting number 8479.89.9499)"	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
	Ratchet tie down straps, each consisting of straps of textiles measuring not less than 25 mm and not more than 105 mm in width and not more than 12.5 m in length, steel hooks at opposite ends of the straps and a gear and						
8479.89.9499	pawl mechanism for adjusting the length of the whole (described in statistical reporting number 8479.89.9499)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8479.90.9496	Parts of drain and sewer cleaning machines (described in statistical reporting number 8479.90.9496)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8479.90.9496	Parts of suspension arms of a kind used in dental lighting or delivery systems (described in statistical reporting number 8479.90.9496)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8479.90.9496	Outer shells of hydraulic accumulators, of iron or non-alloy steel, cylindrical with hemispherical heads on each end (described in statistical reporting number 8479.90.9496)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8479.90.9496	Parts of mechanical awnings and shades (described in statistical reporting number 8479.90.9496)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
	Reject doors, pin protectors, liners, front walls, grates, hammers, rotor and end disc caps, and anvil and breaker	-		20,00, 20			
8479.90.9496	bars, of iron or steel, the foregoing parts of metal shredders (described in statistical reporting number 8479.90.9496)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8479.90.9496	Steering wheels designed for watercraft, of stainless steel, having a wheel diameter exceeding 27 cm but not exceeding 78 cm (described in statistical reporting number 8479.90.9496)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8480.20.0000	Mold bases, of steel, measuring 27.9 cm by 38.1 cm by 45.7 cm, each weighing 409.1 kg (described in statistical reporting number 8480.20.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8480.30.0000	Plastic injection molding patterns each valued over \$50,000 (described in statistical reporting number 8480.30.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

InterpretationLatDateClearClearClearDetermination840.7.8.05higherin type molds for valuer or plosing, others $11$ Leckaded $10^{-1}$ bernerover 17/2/2019 $10^{-1}$ clear more 17/2/2019 $90^{-2}$ clear more 90.3.8.01 <th>HTS #</th> <th>HTS Description</th> <th>Applicable</th> <th>Tariff Rate</th> <th>Effective</th> <th>Notes / Federal Register</th> <th>HTS To Use for Duty or</th> <th>CSMS #</th>	HTS #	HTS Description	Applicable	Tariff Rate	Effective	Notes / Federal Register	HTS To Use for Duty or	CSMS #
ABBD 71.8005   Injection type molds for rubber or plastics, others   1   Faculard   To be removed 12/28/2019   1000000   6975.801			List		Date	Cites		
ABBD 71.8005   Injection type molds for rubber or plastics, others   1   Faculard   To be removed 12/28/2019   1000000   6975.801						Updated: Reverts to 25% at	Reverts to	
Amount of the second	8480 71 8045	Injection type molds for rubber or plastics, others	1	Excluded		12:01am on 12/28/2019,	9903.88.01	#19-000052
Pressure regulators of basis or notions, whether high or low line type, having a rated flow rate of \$5,000- fitting (described in statistical regoring number 848.1.0.0090)     Image: Control of the statistical regoring number 848.1.0.0090     Packuded     Image: Control of the statistical regoring number 848.1.0.0090     Packuded     Image: Control of the statistical regoring number 848.1.0.0090     Packuded     Image: Control of the statistical regoring number 848.1.0.0090     Packuded     Image: Control of the statistical regoring number 848.1.0.0090     Packuded     Image: Control of the statistical regoring number 848.1.0.0090     Packuded     Image: Control of the statistical regoring number 848.1.0.0090     Packuded     Image: Control of the statistical regoring number 848.1.0.0090     Packuded     Image: Control of the statistical regoring number 848.1.0.0000     Packuded     Image: Control of the statistical regoring number 848.1.0.0000     Packuded     Image: Control of the statistical regoring number 848.1.0.0000     Packuded     Image: Control of the statistical regoring number 848.1.0.0000     Packuded     Image: Control of the statistical regoring number 848.1.0.0000     Packuded     Image: Control of the statistical regoring number 848.1.0.0000     Packuded     Image: Control of the statistical regoring number 848.1.0.0000     Packuded     Image: Control of the statistical regoring number 848.1.0.0000     Packuded     Image: Control of the statistical regoring number 848.1.0.0000     Packuded     Image: Control of the statistica			-	Excluded	12/28/2019		@25%	
848.1.0.000     Lipox00 B150,000 B170, maximum inter pressure of 0.37 MFz holes to 1.72 MFz, inlet connection with POL or thread type of     1     Excluded     18. Apr-19     84.87 0.1300 G1/4/2010     9903.88.07     419-000212       848.1.0.0020     Pressure-retaining values, Other     1     Excluded     18. Sep-19     84.87 0.1380 of 05/1/4/D10     9903.88.08     419-000212       848.1.0.0020     Pressure-retaining values excluded not over 520 (described in statistical reporting number 84.1.0.0000)     1     Excluded     18. Sep-19     84.87 0.9200 (70/9)/2013     9903.88.08     419-000212       848.1.0.0020     Check values, of statistical reporting number 84.1.0.0000)     1     Excluded     20. Mar-19     84.87 0.9500 (70/9)/2013     9903.88.06     419-000155       848.1.0.0000     Check values, of platicitic (described in statistical reporting number 84.1.0.0000)     1     Excluded     20. Mar-19     84.87 0157/2013     9903.88.06     419-000155       848.1.0.0000     Fremperature, each valued not over 55 (described in statistical reporting number 84.1.0.0000)     1     Excluded     20. Mar-19     84.87 010/02/1201     9903.88.06     419-000155       848.1.0.0000     Fremperature, each valued not over 55 (described in statistical reporting number 84.1.0.0000)	8480.71.8060	Compression type tire molds (described in statistical reporting number 8480.71.8060)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
Inting (described in statistical reporting number 841.10.0000)     Image: Excluded     Excluded     Percent 2000       841.10.0007     Excluded     1.8     Excluded     9.4Mp-19     9.4K 72.339     67.4K 72.359     67.4K 72.359 <t< td=""><td></td><td>Pressure regulators of brass or bronze, whether high or low inlet type, having a rated flow rate of 55,000 -</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>		Pressure regulators of brass or bronze, whether high or low inlet type, having a rated flow rate of 55,000 -						
4841.10.000     Pressure-reducing Values, Others     1     Excluded     9.May.19     84F R 21389 of 05/14/2019     9903.88.08     P19-000244       481.20.0020     Mining Value sand integration and increter not tess than 4.8 cm or exceeding 62.5 cm (described in tatistical reporting number 4841.30.000)     1     Excluded     9.Jul 19     84 FR 49564 of 02/20/2019     9903.88.14     M0002982       4881.30.000     Check Values, of altactical reporting number 4841.30.000)     1     Excluded     9.Jul 19     84 FR 49564 of 02/20/2019     9903.88.14     M0002982       4881.30.000     Check Values, of altactical reporting number 4841.30.000)     1     Excluded     20.Mar.19     84 FR 49564 of 03/20/2019     9903.88.14     M0002982       4881.30.000     Check Values, of plastics (described in statistical reporting number 4841.30.0000)     1     Excluded     20.Mar.19     84 FR 1154 of 03/25/2019     9903.88.06     #19-000155       4881.40.000     Themperature, each valued not over 55 (described in statistical reporting number 4841.30.0000)     1     Excluded     20.Mar.19     84 FR 32567 of 10/02/2019     9903.88.38     44033043       4881.40.000     Bath and shower faucets of copper, each consisting of avalue to control flow of water, with one inlet port and the mortal s	8481.10.0090		1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
Hydraulic solenoid timing value each valued not over 520 (described in statistical reporting number     1     Excluded     18.5 cp. 19     84 FR 49564 of 09/20/2019     9903.88.14     #40002982.       481.10.002     Check values of steel having an internal diameter not less than 4.8 cm or exceeding 62.5 cm (described in     1     Excluded     9-Jul-19     84 FR 49564 of 09/20/2019     9903.88.14     #40002982.       481.10.002     Additional point internal diameter not less than 4.8 cm or exceeding 62.5 cm (described in statistical     1     Excluded     9-Jul-19     84 FR 49564 of 09/20/2019     9903.88.14     #40002982.       481.10.000     Check values, of points (baccribed in statistical reporting number 481.30.9000)     1     Excluded     20-Mar-19     84 FR 1134 of 03/25/2019     9903.88.10     #40030403       4841.00.000     Excluded     20-Mar-19     84 FR 1134 of 03/25/2019     9903.88.19     #4030403       4841.00.000     Excluded     20-Mar-19     84 FR 1134 of 03/25/2019     9903.88.19     #4030403       4841.00.000     Excluded     20-Mar-19     84 FR 1134 of 03/25/2019     9903.88.19     #4030403       8481.00.000     St FR 6674 of 02/05/2002     9903.88.38     Excluded     31-Jan-2								
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	8481.10.0090		1	Excluded	9-May-19	84 FR 21389 Of 05/14/2019	9903.88.08	#19-000244
9431.0.000statistical reporting number 8431.30.20001Excluded9-10-1984 F 4.328.1 00/19/20139903.88.1#8430/768431.30.000Check valves, of Jacking or rubber (described in statistical reporting number 8481.30.900)1Excluded18-5ep-1984 F 4.8954 of 097/2007/200199903.88.0#19-001558431.30.000Check valves, of Jacking or hose (check valves) or hose (check valves) or how (check val	8481.20.0020		1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8481.30.000   Check values, of plastics or tubber (described in statistical reporting number 8481.30.9000)   1   Excluded   1.0   84 FR 49584 of 092/0/2019   9903.88.18   #40002982     8481.30.000   Check values, of plastics or tubber (described in statistical reporting number 8481.30.9000)   1   Excluded   20-Mar-19   84 FR 11154 of 03/25/2019   9903.88.06   #19-000155     8481.40.000   Safety values, och values of others, centraling a furbler element to automatically done the value at a set   1   Excluded   27-Sp-19   84 FR 1154 of 03/25/2019   9903.88.18   #40030403     8481.40.000   Safety value, each value dot over 55 (described in statistical reporting number 8481.40.0000)   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38   #40030403     4841.80.1020   Gescribed in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     4841.80.1020   one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     4841.80.1020   one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20 <t< td=""><td>8481.30.2090</td><td></td><td>1</td><td>Excluded</td><td>9-Jul-19</td><td>84 FR 32821 of 07/09/2019</td><td>9903.88.11</td><td>#38840764</td></t<>	8481.30.2090		1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
AB3.00.000   Peck valves, of acrytontrile butadine styrene (ABS), each weighing 120 g or less (described in statistical reporting number 848.130.900)   1   Excluded   20-Mar-19   84 FR 11154 of 03/25/2013   9903.88.06   #19-000155     8481.00.000   Safety valves, of brass or burner, containing a fusble element to automatically close the valve at a set the parture, each value not over 5(a) (ga close) in the statistical reporting number 8481.00.000)   1   Excluded   27-Sep-19   84 FR 11154 of 03/25/2013   9903.88.06   #19-000155     8481.00.000   Safety valves, of brass or burner, containing a fusble element to automatically close the valve at a set tract is controlled by an adjustable thermosts at set to the user's desire, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/202   9903.88.38     8481.80.1020   ne outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/202   9903.88.38     8481.80.1020   ne outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/202   9903.88.38     8481.80.1020   hand shower faucets of copper, each consisting of a valve to outrol flow of water, with one inlet port and thand-operated shower	8481.30.9000		1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
V43.13.09.000     reporting number 343.13.0900)     1     Excluded     20-Mar-19     84 FR 11154 of 03/25/2019     9903.88.0     #19-000155       848.13.09.000     Safety valves, of plastics (described in statistical reporting number 848.30.9000)     1     Excluded     20-Mar-19     84 FR 11154 of 03/25/2019     9903.88.0     #19-000155       848.140.0000     Safety valves, of plastics (described in statistical reporting number 848.30.9000)     1     Excluded     27-Sep-19     84 FR 11154 of 03/25/2019     9903.88.0     #4030403       848.180.002     Gescribed in statistical reporting number 848.180.020     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/202     9903.88.3     #4030403       8481.80.1020     one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 848.80.1020)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.38       8481.80.1020     one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 848.80.1020)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.38       8481.80.1020     the outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)     3     Excluded								
Safety values, of brass or bronze, containing a fusible element to automatically close the value at set to the user's dast.   1   Excluded   27-Sep-19   84 FR 52567 of 10/02/2019   9903.88.19   #40330403     Bath and shower faucets of copper, each consisting of a value in which the temperature of the water exiting the faucet is controlled by an adjustable thermostat zet to the user's desire, having a pressure rating under 850 kPa   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Bath and shower faucets of copper, each consisting of a value to notrol flow of water, with one inlet port and sets to one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020   3   Excluded   31-Jan-20   85 FR 6674 of	8481.30.9000		1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
4431.40.000   temperture, each valued not over \$5 (described in statistical reporting number \$481.40.000)   1   Excluded   27-Sep-19   84 Hs 52567 of 10/02/2019   9903.88.19   #4033003     Bath and shower faucets of copper, each consisting of a value in which the temperature of the water exiting the faucet is controlled by an adjustable thermostal set to the user's desire, having a pressure rating under 850 kPa   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     4818.00.020   one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     4841.80.1020   one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     4841.80.1020   two outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     4841.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     4841.80.1020   reporting number 8481.80.1020   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020	8481.30.9000	Check valves, of plastics (described in statistical reporting number 8481.30.9000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
Itemperature, each valued not over \$5 (described in statistical reporting number 8481.40.000)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   two outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   two outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.8	8481 40 0000	Safety valves, of brass or bronze, containing a fusible element to automatically close the valve at a set	1	Excluded	27-Sen-19	84 FR 52567 of 10/02/2019	9903 88 19	#40330403
faucet is controlled by an adjustable thermostat set to the user's desire, having a pressure rating under 850 kPa   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   Bath and shower faucets of copper, each consisting of a valve to control flow of water, with one inlet port and one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   two outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded	0401.40.0000		1	Excluded	27 300 13	8411(32387 81 10/82/2013	5505.88.15	#40330403
8481.80.1020   (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   two outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   <								
Bath and shower faucets of copper, each consisting of a valve to control flow of water, with one inlet port and   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Bath and shower faucets of copper, each consisting of a valve to direct flow of water, with one inlet port and   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Bath and shower faucets of copper, each consisting of a valve to direct flow of water, with one inlet port and   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     B481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Water pressure balance valves of trass, each with 1.91 cm inlet and 1.27 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Water pressure balance valves of copper, each with 1.91 cm inlets and 1.27 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Water pressure balance valves of copper, each with 1.91 cm inlets and 1.91 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     B418.00.1020   repor								
8481.80.1020   one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   two outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   Teporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.8	8481.80.1020	(described in statistical reporting number 8481.80.1020)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8481.80.1020   one outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   two outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   Teporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.8		Bath and shower faucets of conner, each consisting of a value to control flow of water, with one inlet nort and						
Bath and shower faucets of copper, each consisting of a valve to direct flow of water, with one inlet port and two outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Water pressure balance valves of copper, each with 1.27 cm inlets and 1.27 cm outlets (described in statistical   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38	8481 80 1020		3	Excluded	31-lan-20	85 FB 6674 of 02/05/2020	9903 88 38	
8481.80.1020   two outlet port, having a pressure rating under 850 kPa (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1030)   3   Excluded   31-Jan-20	0401.00.1020			Excluded	51 341 20	051110074010270572020	5565.66.56	
Hand-operated shower faucets of copper, having a pressure rating under 850 kPa (described in statistical   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of copper having a pressure rating under 850 kPa, for sink and lavatories, each to be deck-mounted   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of copper having a pressure rating under 850 kPa, for sinks and lavatories, each to be deck-mounted   3   5   FR 6674 of 02/05/2020   9903.88.38     6481.80.1030   through one hole (described in statistical reporting number 8481.80.1030)		Bath and shower faucets of copper, each consisting of a valve to direct flow of water, with one inlet port and						
8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Water pressure balance valves of brass, each with 1.91 cm inlet and 1.27 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Water pressure balance valves of copper, each with 1.27 cm inlets and 1.27 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Water pressure balance valves of copper, each with 1.91 cm inlets and 1.91 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Water pressure balance valves of copper, each with 1.91 cm inlets and 1.91 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of copper having a pressure rating under 850 kPa, for sink and lavatories, each to be deck-mounted through three holes of which the distance between the centers of the outermost holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-	8481.80.1020		3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
Water pressure balance valves of brass, each with 1.91 cm inlet and 1.27 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of copper having a pressure rating under 850 kPa, for sink and lavatories, each to be deck-mounted through three holes of which the distance between the centers of the outermost holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR		Hand-operated shower faucets of copper, having a pressure rating under 850 kPa (described in statistical						
8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   water pressure balance valves of copper, each with 1.91 cm inlets and 1.91 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   Faucets of copper having a pressure rating under 850 kPa, for sink and lavatories, each to be deck-mounted through one hole (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85	8481.80.1020	reporting number 8481.80.1020)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
Water pressure balance valves of copper, each with 1.27 cm inlets and 1.27 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   Faucets of copper having a pressure rating under 850 kPa, for sink and lavatories, each to be deck-mounted through three holes of which the distance between the centers of the outermost holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3		Water pressure balance valves of brass, each with 1.91 cm inlet and 1.27 cm outlets (described in statistical						
8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   Faucets of copper having a pressure rating under 850 kPa, for sink and lavatories, each to be deck-mounted through one hole (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   Faucets of copper having a pressure rating under 850 kPa, for sinks and lavatories, each to be deck-mounted through three holes of which the distance between the centers of the outermost holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reportin	8481.80.1020		3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
Water pressure balance valves of copper, each with 1.91 cm inlets and 1.91 cm outlets (described in statistical reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1020   Faucets of copper having a pressure rating under 850 kPa, for sink and lavatories, each to be deck-mounted through one hole (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of copper having a pressure rating under 850 kPa, for sink and lavatories, each to be deck-mounted through three holes of which the distance between the centers of the outermost holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38								
8481.80.1020   reporting number 8481.80.1020)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   through one hole (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of copper having a pressure rating under 850 kPa, for sinks and lavatories, each to be deck-mounted through three holes of which the distance between the centers of the outermost holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05	8481.80.1020		3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
Faucets of copper having a pressure rating under 850 kPa, for sink and lavatories, each to be deck-mounted   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   Faucets of copper having a pressure rating under 850 kPa, for sinks and lavatories, each to be deck-mounted   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of brass having a pressure rating under 850 kPa, for sinks and lavatories, each to be wall-mounted   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of brass having a pressure rating under 850 kPa, for sinks and lavatories, each to be wall-mounted   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38			_					
8481.80.1030   through one hole (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of copper having a pressure rating under 850 kPa, for sinks and lavatories, each to be deck-mounted through three holes of which the distance between the centers of the outermost holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of brass having a pressure rating under 850 kPa, for sinks and lavatories, each to be wall-mounted through two holes of which the distance between the centers of the holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8upply stops of brass, each with 1.91 cm inlet and 1.91 cm outlet (described in statistical reporting number   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020	8481.80.1020		3	Excluded	31-Jan-20	85 FR 66/4 of 02/05/2020	9903.88.38	
Faucets of copper having a pressure rating under 850 kPa, for sinks and lavatories, each to be deck-mounted through three holes of which the distance between the centers of the outermost holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of brass having a pressure rating under 850 kPa, for sinks and lavatories, each to be wall-mounted through two holes of which the distance between the centers of the holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Supply stops of brass, each with 1.91 cm inlet and 1.91 cm outlet (described in statistical reporting number	0401 00 1000		n	Evoludod	21 100 20	95 ED 6674 of 02/05/2020	0002 00 20	
through three holes of which the distance between the centers of the outermost holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of brass having a pressure rating under 850 kPa, for sinks and lavatories, each to be wall-mounted through two holes of which the distance between the centers of the holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Supply stops of brass, each with 1.91 cm inlet and 1.91 cm outlet (described in statistical reporting number   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38	8481.80.1030		3	Excluded	31-J9U-20	65 FK 06/4 0T 02/05/2020	9903.88.38	
8481.80.1030   statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Faucets of brass having a pressure rating under 850 kPa, for sinks and lavatories, each to be wall-mounted through two holes of which the distance between the centers of the holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   Statistical reporting number 8481.80.1030)   85 FR 6674 of 02/05/2020   9903.88.38     8481.80.1030   reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Supply stops of brass, each with 1.91 cm inlet and 1.91 cm outlet (described in statistical reporting number)   5   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38								
Faucets of brass having a pressure rating under 850 kPa, for sinks and lavatories, each to be wall-mounted through two holes of which the distance between the centers of the holes is 20.3 cm (described in statistical reporting number 8481.80.1030)   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38     Supply stops of brass, each with 1.91 cm inlet and 1.91 cm outlet (described in statistical reporting number   3   Excluded   31-Jan-20   85 FR 6674 of 02/05/2020   9903.88.38	8481 80 1030	•	3	Excluded	31-lan-20	85 FR 6674 of 02/05/2020	9903 88 38	
through two holes of which the distance between the centers of the holes is 20.3 cm (described in statistical reporting number 8481.80.1030) 3 Excluded 31-Jan-20 85 FR 6674 of 02/05/2020 9903.88.38   Supply stops of brass, each with 1.91 cm inlet and 1.91 cm outlet (described in statistical reporting number 6 6 6 6 6	0-01.00.1030		ى ب	LACIUUEU	31-3011-20	051100740102/05/2020	5505.00.56	
8481.80.1030     reporting number 8481.80.1030)     3     Excluded     31-Jan-20     85 FR 6674 of 02/05/2020     9903.88.38       Supply stops of brass, each with 1.91 cm inlet and 1.91 cm outlet (described in statistical reporting number </td <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td> </td> <td></td>	1							
Supply stops of brass, each with 1.91 cm inlet and 1.91 cm outlet (described in statistical reporting number	8481.80.1030	•	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903,88,38	
	8481.80.1040		3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8481.80.1085	Ball valves, of bronze, designed for use in marine engines, generators and air conditioners, in sizes from 6 mm NPT/BSPP to 102 mm NPT/BSPP (described in statistical reporting number 8481.80.1085)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8481.80.3010	Hand-operated flat-back gate valves of cast iron, designed for use with irrigation canals, diversion ditches and the like (described in statistical reporting number 8481.80.3010)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8481.80.3010	Hand-operated spigot-back gate valves of cast iron, for irrigation canals, diversion ditches and the like (described in statistical reporting number 8481.80.3010)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8481.80.3030	Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 34 cm by 13 cm by 34 cm (described in statistical reporting number 8481.80.3030)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8481.80.3030	Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 34 cm by 13 cm by 40 cm (described in statistical reporting number 8481.80.3030)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8481.80.3030	Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 46 cm by 18 cm by 50 cm (described in statistical reporting number 8481.80.3030)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8481.80.3030	Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 55 cm by 58 cm by 18 cm (described in statistical reporting number 8481.80.3030)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8481.80.3030	Hand operated butterfly valves, of iron, lever operated, designed for use in irrigation systems, such valves each measuring not over 65 cm by 61 cm by 19 cm (described in statistical reporting number 8481.80.3030)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8481.80.5060	Faucets of brass, designed for use on centerset and widespread lavatory sinks (described in statistical reporting number 8481.80.5060)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8481.80.5090	Hand-operated valves of plastics, each comprising a bottle lid, drinking spout and flavor dispensing valve (described in statistical reporting number 8481.80.5090)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8481.80.5090	Hand-operated valves of acrylonitrile butadiene styrene (ABS) plastic, each a hand operated, quarter-turn ball valve, threaded at one end to receive male end of U.S. garden hose (described in statistical reporting number 8481.80.5090)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8481.80.9015	Pressure regulating valves of brass, adjustable, each threaded to fit U.S. garden hose, having a maximum input pressure setting of 1.1 MPa, weighing no more than 750 g (described in statistical reporting number 8481.80.9015)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8481.90.9020	Ball type angle cock valve bodies, of cast iron, for oleohydraulic or pneumatic transmissions (described in statistical reporting number 8481.90.9020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8481.90.9020	Valve bodies, of aluminum, of valves for oleohydraulic or pneumatic transmissions (described in statistical reporting number 8481.90.9020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8481.90.9040	Hydraulic valve parts, other than valve bodies, of valves for oleohydraulic or pneumatic transmissions, each valued not over \$5 (described in statistical reporting number 8481.90.9040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8481.90.9040	Angle cock handle assemblies, of iron and steel, each measuring 11.43 cm by 21.59 cm by 5.08 cm and weighing 0.748 kg (described in statistical reporting number 8481.90.9040)	1	Excluded	Exclusion Extended until 12/28/2020	Updated: 84 FR 70616 of 12/23/2019 Original: 83 FR 67463 of 12/28/2018	9903.88.05	#19-000052
8481.90.9040	Pipe brackets of aluminum, each with 4 ports, the foregoing measuring 27.9 cm x 20.3 cm x 17.8 cm and weighing 11.34 kg, designed for installation into air brake control valves (described in statistical reporting number 8481.90.9040)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8481.90.9040	Push pins and C-poles of steel, designed for use in variable force solenoid valves (described in statistical reporting number 8481.90.9040)	1	Excluded	18-Apr-19	84 FR 21389 of 05/14/2019	9903.88.07	#19-000212
8481.90.9040	Armatures designed for use in hydraulic solenoid valves (described in statistical reporting number 8481.90.9040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244

			-	_			
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8481.90.9040	C-poles, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8481.90.9040	Housings designed for hydraulic ball valves, of cast iron or steel, each measuring 5.7 cm by 3.2 cm and weighing 0.528 kg (described in statistical reporting number 8481.90.9040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8481.90.9040	Metering spools, of aluminum, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8481.90.9040	Metering spools, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8481.90.9040	Poles, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8481.90.9040	Push pins, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8481.90.9040	Retainers, of steel, designed for use in hydraulic solenoid control valves (described in statistical reporting number 8481.90.9040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8481.90.9060	Bodies of pressure-reducing valves other than hand-operated or check valves and valves classified in 8481.20, such bodies of brass (described in statistical reporting number 8481.90.9060)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8481.90.9060	Bodies of valves other than handoperated or check valves and valves classified in 8481.20, such bodies measuring over 18 cm but not exceeding 19 cm in length, valued over \$55 but not over \$65 per unit (described in statistical reporting number 8481.90.9060)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8481.90.9060	Foot valve housings, of a kind incorporated in paint spraying apparatus, with no external measurement greater than 5 cm (described in statistical reporting number 8481.90.9060)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8481.90.9085	Valve pressure relief components, including body covers, and diaphragms (described in statistical reporting number 8481.90.9085)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.10.5004	Unground ball bearings each valued not over \$4 (described in statistical reporting number 8482.10.5004)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.10.5008	Thrust bearings each valued not over \$2 (described in statistical reporting number 8482.10.5008)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.10.5016	Flanged wheel hub bearing units with ball bearings, each having an inner diameter exceeding 2.2 cm but not exceeding 2.8 cm (described in statistical reporting number 8482.10.5016)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8482.10.5016	Wheel hub bearing units, of steel, of a kind used on motor vehicles, trailers and lawn equipment, each having one flange for the wheel and brake attachment and a second flange for attaching to the vehicle suspension, and having a sealed and lubricated double row of bearings (described in statistical reporting number 8482.10.5016)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.10.5024	Wheel hub angular contact bearing units, not flanged, valued over \$2 but not over \$10 per unit (described in statistical reporting number 8482.10.5024)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8482.10.5028	Angular contact ball bearings, not for use with wheel hub bearing units, having an inner diameter of 25 mm or greater but not exceeding 55 mm, an outer diameter of 50 mm or greater but not exceeding 95 mm, a width of 20 mm or greater but not exceeding 35 mm, with single or double row of steel balls and a cage of steel or plastics (described in statistical reporting number 8482.10.5028)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.10.5028	Angular contact ball bearings, not over 40 mm in width, other than wheel hub bearing units (described in statistical reporting number 8482.10.5028)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.10.5028	Single row angular contact ball bearings, other than wheel hub bearing units, valued over \$5.50 but not over \$6.25 each (described in statistical reporting number 8482.10.5028)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.10.5032	Ball bearings of a width not exceeding 30 mm (described in statistical reporting number 8482.10.5032)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8482.10.5036	Single row radial bearings, with an outside diameter less than 9 mm, each valued not over \$1 (described in statistical reporting number 8482.10.5036)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8482.10.5044	Radial bearings, single row, having an outside diameter of 9mm and over but not over 30mm	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8482.10.5048	Radial bearings, single row, having an outside diameter of over 30 mm but not over 52 mm	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8482.10.5052	Radial bearings, single row, having an outside diameter of over 52 mm but not over 100 mm	1	Excluded	To be removed 12/28/2019	Updated: Reverts to 25% at 12:01am on 12/28/2019, HTUS 9903.88.01 84 FR 70616 of 12/23/2019	Reverts to 9903.88.01 @25%	#19-000052
8482.10.5056	Single row radial bearings, with an outside diameter over 100 mm, each valued not over \$9 (described in statistical reporting number 8482.10.5056)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.10.5060	Double row ball bearings having an inner diameter exceeding 15 mm but not exceeding 32 mm, an outer diameter exceeding 38 mm but not exceeding 64 mm and a width exceeding 15 mm but not exceeding 29 mm (described in statistical reporting number 8482.10.5060)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8482.10.5060	Radial double row ball bearings, having an inner diameter of 10 mm or greater but not exceeding 90 mm, an outside diameter of 30 mm or greater but not exceeding 170 mm, and a width of 14.3 mm or greater but not exceeding 68.3 mm, with a cage of steel or plastics (described in statistical reporting number 8482.10.5060	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.20.0061	Tapered roller bearings, with cups having an outside diameter exceeding 102 mm but not exceeding 203 mm, each valued not over \$9 (described in statistical reporting number 8482.20.0061)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.20.0070	Single row tapered roller bearing cone assemblies for cups having an outside diameter not exceeding 102 mm (described in statistical reporting number 8482.20.0070)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.20.0081	Steel tapered roller bearing cone assemblies, entered without cups, with an inner race that extends beyond the width of the roller cage, for cups having an outside diameter exceeding 102 mm but not exceeding 203 mm (described in statistical reporting number 8482.20.0081)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.20.0081	Tapered roller bearing cone assemblies, each valued not over \$9, for cups having an outside diameter exceeding 102 mm but not exceeding 203 mm (described in statistical reporting number 8482.20.0081)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.20.0090	Single row tapered roller bearing cone assemblies for cups having an outside diameter exceeding 203 mm (described in statistical reporting number 8482.20.0090)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.30.0080	Spherical roller bearings, other than single row, with an inside diameter of 20 mm or greater but not exceeding 300 mm, an outside diameter of 50 or greater but not exceeding 300 mm, and a width of 15 mm or greater but not exceeding 100 mm (described in statistical reporting number 8482.30.0080)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.40.0000	Needle roller bearings of a width not exceeding 30 mm (described in statistical reporting number 8482.40.0000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8482.40.0000	Needle roller bearings having an inside diameter of 2.54 cm, an outside diameter of 3.33 cm and a width of 3.81 cm and having cylindrical rollers of a uniform diameter not exceeding 5 mm and having a length which is at least three times the diameter (described in statistical reporting number 8482.40.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403

						HTS To Use	
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	for Duty or Granted Exclusion	CSMS #
8482.50.0000	Cylindrical roller thrust bearings, each having an inside diameter of 77.2 mm, an outer diameter of 95.6 mm, and a width of 3.445 mm, comprising 64 cylindrical rollers measuring 2.24 mm in diameter and 5 mm in length, a steel cage and a steel axial washer (described in statistical reporting number 8482.50.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
	Outer bearing rings (described in statistical reporting number 8482.99.0500)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8482.99.0500	Inner bearing rings (described in statistical reporting number 8482.99.0500)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8482.99.6510	Adapter sleeve assemblies for spherical roller bearings consisting of a tapered sleeve adapter, a locknut and lock washer (described in statistical reporting number )	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8482.99.6595	Bearing shields (described in statistical reporting number 8482.99.6595)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8483.30.8020	Bearing housings each valued over \$2000 (described in statistical reporting number 8483.30.8020)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8483.30.8070	Radial spherical plain shaft bearings, without housings, of steel (described in statistical reporting number 8483.30.8070)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8483.30.8090	Plain shaft bearings and bushings, without housings, each valued not over \$3 (described in statistical reporting number 8483.30.8090)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8483.40.9000	Non-toothed gears for office printers, each valued not over \$7 (described in statistical reporting number 8483.40.9000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8483.50.6000	Flywheels of a kind used in manual automotive transmission (described in statistical reporting number 8483.50.6000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8483.50.9040	Grooved Pulleys, Others	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8483.50.9080	Non-grooved pulleys, each incorporating a deep groove roller bearing (described in statistical reporting number 8483.50.9080)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8483.50.9080	Non-grooved pulleys, zinc plated, each valued not over \$3 (described in statistical reporting number 8483.50.9080)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8483.50.9080	Hubs for conveyor pulleys with an outside diameter of more than 5 cm but not more than 56 cm (described in statistical reporting number 8483.90.8080)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8483.50.9080	Handles for machinery (described in statistical reporting number 8487.90.0080)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8483.60.4080	Universal joints, each weighing not more than 5 kg (described in statistical reporting number 8483.60.4080)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8483.90.1010	Chain sprockets with forged hubs, the foregoing with outer diameter of 59.4 mm or greater but not exceeding 999.4 mm and width of 22.4 mm or greater but not exceedingl 14.3 mm (described in statistical reporting number 8483.90.1010)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8483.90.1050	Chain sprockets, each not more than 55 mm in diameter (described in statistical reporting number 8483.90.1050)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8483.90.8010	Coupling covers, including center members, flanged hubs, sleeves and shoes (described in statistical reporting number 8483.90.8010)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8484.10.0000	Gaskets of metal sheeting combined with other material or of two or more layers of metal, each of the foregoing valued not over \$3 (described in statistical reporting number 8484.10.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8486.90.0000	Parts and accessories, not elsewhere specified or included, each valued not over \$2800 (described in statistical reporting number 8486.90.0000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
	Machinery parts, not containing electrical connectors, insulators, coils, contacts or other electrical features, and not specified or included elsewhere in chapter 84, each valued not over \$20 (described in statistical reporting number 8487.90.0080)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.10.2000	Stepper motors, with an output of under 18.65 W, valued not over \$1.20 ea. (described in statistical reporting number 8501.10.2000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
	AC motors, C-frame single-phase induction-type, without external housing, of an output not exceeding 18.65 W, not synchrous, each valued not over \$20 (described in statistical reporting number 8501.10.4020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.10.4020	Electric motors, AC, permanent split capacitor type, not exceeding 16 W (described in statistical reporting number 8501.10.4020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8501.10.4020	Electric motors, AC, permanent split capacitor type, with a height of 97.5 mm or more but not exceeding 127.0 mm and a length of 82.8 mm or more but not exceeding 226.0 mm, with an output of <del>8.9 kW or more but not exceeding 12 kW, 12W or more but not exceeding 16W</del> 60 hertz (described in statistical reporting number 8501.10.4020)	1	Excluded	18-Sep-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.10.4020	Electric motors, AC, permanent split capacitor type, each in a housing with outside diameter of 84 mm or less, with output of 6 W or more but not exceeding 16 W (described in statistical reporting number 8501.10.4020)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8501.10.4020	Shaded-pole AC motors, of an output not exceeding 18.65 W, each valued not over \$5 (described in statistical reporting number 8501.10.4020 )	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.10.4040	Brushless motors, of an output not exceeding 18.65 W, not synchrous, each valued not over \$0.50 (described in statistical reporting number 8501.10.4040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.10.4060	Electric motors of a width exceeding 7.5 cm but not exceeding 7.8 cm (described in statistical reporting number 8501.10.4060)	1	Excluded	9-Jul-19	84 FR 21389 of 05/14/2019	9903.88.11	#38840764
8501.10.4060	DC servo motors or actuators, of an output of under 18.65 W, valued over \$2 but not over \$2.50 each (described in statistical reporting number 8501.10.4060)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.10.4060	DC electric motors, of an output of less than 18.65 W, other than brushless, measuring less than 38 mm in diameter (described in statistical reporting number 8501.10.4060)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8501.10.4060	DC electric motors, of an output of less than 18.65 W, valued over \$4, other than brushless (described in statistical reporting number 8501.10.4060)	1	Excluded	9-May-19	84 FR 32821 of 07/09/2019	9903.88.08	#19-000244
8501.10.6020	AC motors, of 18.65 W or more but not exceeding 37.5 W, each with attached actuators, crankshafts or gears (described in statistical reporting number 8501.10.6020)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8501.10.6020	C-frame 2-pole AC electric motors, of 18.65 W or more but not exceeding 37.5 W, each valued not over \$4 (described in statistical reporting number 8501.10.6020)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8501.10.6020	AC electric motors, of an output of 18.65 W or more but not exceeding 37.5 W, each with attached actuators (described in statistical reporting number 8501.10.6020)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.10.6040	Brushless DC motors, rated at 24V, designed for use in saltwater aquariums (described in statistical reporting number 8501.10.6040)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8501.10.6060	Cylindrical DC electric motors, of an output of 18.65 W or more but not exceeding 37.5 W (described in statistical reporting number 8501.10.6060)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.10.6060	Swing-gate openers comprising a DC motor with an output of 18.65 W or more but less than 35 W, each including an AC power transformer, a wireless remote-control, an electric linear actuator and an emergency key for disconnecting the actuator (described in statistical reporting number 8501.10.6060)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.10.6080	Electric motors, of 18.65 W or more but not exceeding 37.5 W, each valued over \$28 but not over \$35 (described in statistical reporting number 8501.10.6080)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8501.10.6080	Electric motors, with an output of 18.65 W or more but not exceeding 37.5 W, with attached cables, designed for use in adjusting motor vehicle seats (described in statistical reporting number 8501.10.6080)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.20.2000	Universal AC/DC motors, each rated at more than 37.5 W but not more than 65 W and valued at less than \$20 (described in statistical reporting number 8501.20.2000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.20.4000	Universal AC/DC electric motors, with an output exceeding 74.6 W but not exceeding 735 W each with base metal arms, designed for use in extending or retracting awnings or gates (described in statistical reporting number 8501.20.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.20.4000	Universal AC/DC electric motors, with an output exceeding 74.6 W but not exceeding 735 W, each with attached gear and gear rack track (described in statistical reporting number 8501.20.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.20.4000	Universal AC/DC electric motors, with an output exceeding 74.6 W but not exceeding 735 W, each with gear attached and chain drive (described in statistical reporting number 8501.20.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.20.6000	Quarter-turn actuator motors, of an output exceeding 746 W, each valued not over \$140 (described in statistical reporting number 8501.20.6000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted	CSMS #
						Exclusion	
8501.31.2000	DC motors, each valued over \$125, with attached stranded copper cord (described in statistical reporting number 8501.31.2000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8501.31.2000	DC motors, brushless, of an output rated at 48 W or greater but not exceeding 60 W, each valued not over \$14 (described in statistical reporting number 8501.31.2000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.31.2000	DC motors, brushless, rated at 32 V, designed to operate in saltwater environment, each valued over \$35 (described in statistical reporting number 8501.31.2000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.31.2000	DC motors, of an output exceeding 37.5 W but not exceeding 74.6 W, each incorporating a thermal switch, the foregoing valued not over \$22 (described in statistical reporting number 8501.31.2000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.31.2000	DC motors, of an output exceeding 37.5 W but not exceeding 74.6 W, valued over \$2 but not over \$30 each (described in statistical reporting number 8501.31.2000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.31.2000	DC gear motor of an output exceeding 37.5 W but not exceeding 74.6 W, with a spring coupling mechanism, an output shaft and a locking connector (described in statistical reporting number 8501.31.2000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8501.31.2000	DC motor of an output exceeding 37.5 W but not exceeding 74.6 W, an actuator with an adjustable rod end with bushing, a bushing for rear mounting, a power cable and a connector (described in statistical reporting number 8501.31.2000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8501.31.2000	Wound field two-speed DC motors and permanent magnet brushed DC motors, of an output exceeding 67 W but not exceeding 69 W, valued \$8 or more but not exceeding \$17 each (described in statistical reporting number 8501.31.2000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8501.31.4000	DC electric motors, 13.5 V, with an output not exceeding 110 W, measuring not over 75 mm outside diameter, housing not over 120 mm long, a shaft not over 55 mm long and with a mounting flange not over 150 mm (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC electric motors, 12 V, with an output exceeding 74.6 W but not exceeding 735 W, with lead wires and electrical connector, measuring not over 75 mm outside diameter, with a housing not over 100 mm in length and a shaft not over 60 mm in length (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC electric motors, 12 V, with an output not exceeding 515 W, measuring not over 95 mm in outside diameter, not over 155 mm in length and with a shaft not over 30 mm in length (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC electric motors, 120 V, with an output not exceeding 140 W, measuring not over 45 mm in diameter and not over 100 mm in length (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC electric motors, 120 V, with an output not exceeding 90 W, measuring not over 90 mm long by 35 mm wide by 35 mm high (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC electric motors, 230 V, with an output not exceeding 140 W, measuring not more than 45 mm in diameter and not over 100 mm in length (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC electric motors, 230 V, with output not exceeding 85 W, measuring not more than 90 mm in length by 35 mm in width by 35 mm in height (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC electric motors, 24 V, with an output exceeding 74.6 W but not exceeding 735 W, with mounting plate, lead wires and electrical connector, measuring not over 80 mm outside diameter, housing not over 150 mm in length and shaft not over 95 mm in length (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC electric motors, 24 V, with an output not exceeding 105 W, measuring not over 260 mm in length by 205 mm in width by 825 mm in height (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC electric motors, 24 V, with an output not exceeding 515 W, measuring not over 95 mm in outside diameter, not over 155 mm in length and with a shaft not over 30 mm in length (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC electric motors, with an output exceeding 74.6 W but not exceeding 735 W, containing lead wires and an electrical connector (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881

						HTS To Use	
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	for Duty or Granted Exclusion	CSMS #
8501.31.4000	DC electric motors, with an output exceeding 74.6 W but not exceeding 80 W, each with a pinion gear, valued	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
	not over \$5 (described in statistical reporting number 8501.31.4000) DC motors with a power output exceeding 74.6 W but not exceeding 230 W, measuring less than 105 mm in						
8501.31.4000	diameter and 50 mm or more but not over 100 mm in length (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	DC motors, of an output exceeding 74.6 W but not exceeding 735 W, each valued not over \$18 (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	Direct Current (DC) permanent magnet motors rated at 90 W or more but not over 110 W and 24 V with torque of 65 Newton meters (Nm) and 2,035 Nm, incorporating a wheel that can manually actuate a valve (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.4000	Resin-encapsulated DC permanent magnet brushless motors, with an output of 150 W or more but not exceeding 250 W, designed for use in air conditioning and heat pump systems, measuring 112 mm in diameter and 110 mm or more but not exceeding 122 mm in length (excluding shafts) (described in statistical reporting number 8501.31.4000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.5000	DC motors rated at 739.6 W, each with a housing with external diameter of 85 mm or more but not exceeding 90 mm and weight of 257 g or less (described in statistical reporting number 8501.31.5000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8501.31.6000	Brushless, variable speed, DC motors, of an output of 750 W (described in statistical reporting number 8501.31.6000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.31.6000	DC motor and gear box assemblies, of an output of 746 W or more but not exceeding 750W, of a kind used to open and close a swing door, the foregoing valued not over \$300 each (described in statistical reporting number 8501.31.6000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.31.6000	DC motors, electronically commutated, three-phase, eight-pole of a kind used in HVAC systems, of an output of 750 W, valued not over \$100 each (described in statistical reporting number 8501.31.6000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8501.31.8010	Amorphous silicon solar chargers with a power output of 100 W or less (described in statistical reporting number 8501.31.8010)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8501.31.8010	Amorphous silicon solar panel kits, each with an output of 100 W or less (described in statistical reporting number 8501.31.8010)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.31.8010	Photovoltaic generators of a kind described in statistical note 9 to chapter 85, of an output not exceeding 150 W (described in statistical reporting number 8501.31.8010)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8501.32.2000	DC motors, each of an output exceeding exceeding 750 W but not over 1.8 kW 25 W but not exceeding 2.0 kW- (described in statistical reporting number 8501.32.2000)	2	Excluded	18-Sep-19	Updated: 84 FR 69011 of 12/17/2019 Original: 84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8501.32.2000	DC motors, each of an output not exceeding 25 W (described in statistical reporting number 8501.32.2000)	2	Excluded	18-Sep-19	Updated: 84 FR 69011 of 12/17/2019 Original: 84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8501.32.2000	DC motors, of an output exceeding 750 W but not exceeding 14.92 kW, each with attached actuators, crankshafts or gears (described in statistical reporting number 8501.32.2000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8501.40.4040	AC fan motors, single phase, of an output not exceeding 500 W, with motor and shaft measuring not more than 40 cm in length, specially designed for the heat pump of a recreational vehicle (described in statistical reporting number 8501.40.4040)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	AC motors, single phase, each of an output exceeding 74.6 W but not exceeding 335 W, measuring not more than 13 cm in diameter and not more than 13 cm in height and with a shaft measuring not more than 39 cm in						
8501.40.4040	length (described in statistical reporting number 8501.40.4040)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	

				-			
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8501.51.2040	AC motors, multi-phase, of an output exceeding 37.5 W but not exceeding 74.6 W, other than gear motors, each weighing less than 600 grams and valued less than \$15 (described in statistical reporting number 8501.51.2040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.51.4040	AC motors, multiphase, of a kind used with paint sprayers to regulate the flow of paint, of an output exceeding 74.6 W but not exceeding 735 W, valued not over \$200 each (described in statistical reporting number 8501.51.4040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.51.4040	AC motors, multi-phase, of an output exceeding 37.5 W but not exceeding 74.6, each fitted with a timing belt (described in statistical reporting number 8501.51.4040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.51.4040	AC motors, multi-phase, of rolled steel frame construction (described in statistical reporting number 8501.51.4040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.51.4040	Multi-phase AC motors, of an output not exceeding 110 W, other than gear motors (described in statistical reporting number 8501.51.4040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8501.52.4000	Multi-phase AC motors of an output of at least 5.8 kW but not exceeding 14.92 kW, each assembled with planetary gears and a gearbox (described in statistical reporting number 8501.52.4000)	1	Excluded	10-Feb-20	85 FR 7816 of 02/11/2020	9903.88.19	
8501.52.4000	Electric motors, each with an output rating not exceeding 800 W (described in statistical reporting number 8501.52.4000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8501.52.8040	AC motors, multiphase, of an output exceeding 74 kW but not exceeding 75 kW, other than for use in civil aircraft (described in statistical reporting number 8501.52.8040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.52.8040	AC motors, multi-phase, of an output exceeding 14.92 kW or more but not exceeding 75 kW , not of a kind used in civil aircraft (described in statistical reporting number 8501.52.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8501.52.8040	AC electric motors, multi-phase, of an output exceeding 14.92 kW but not exceeding 75 kW, other than for use in civil aircraft (described in statistical reporting number 8501.52.8040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8501.53.4080	AC motors, multi-phase, each of an output exceeding 75 kW but less than 149.2 kW (described in statistical reporting number 8501.53.4080)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8501.53.4080	AC motors, multi-phase, of an output exceeding 93 kW but not exceeding 112 kW (described in statistical reporting number 8501.53.4080)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.53.8040	AC multi-phase motors, each of an output exceeding 300 kW but not exceeding 310 kW, fitted with pulleys and brakes to raise and lower passenger elevators (described in statistical reporting number 8501.53.8040)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8501.53.8040	AC motors, multi-phase, of an output of 186.5 kW or more but not exceeding 373 kW, having a cast iron frame construction (described in statistical reporting number 8501.53.8040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.53.8060	AC multi-phase motors, each with an output exceeding 450 kW, fitted with pulleys and brakes (described in statistical reporting number 8501.53.8060)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8501.62.0000	AC generators, each weighing over 250 kg but not more than 1 metric ton and valued not over \$2,400 (described in statistical reporting number 8501.62.0000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8501.62.0000	AC generators (alternators) with output exceeding 75 kVA but not exceeding 375 kVA, designed for electric generating sets of heading 8502 (described in statistical reporting number 8501.62.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8501.63.0000	AC generators, each having copper windings and weighing more than 900 kg but not more than 1700 kg (described in statistical reporting number 8501.63.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8501.64.0025	AC generators, of an output exceeding 750 kVA but not exceeding 10,000 kVA, each having copper windings and weighing more than 1650 kg but not more than 4100 kg, other than for wind-powered generating sets classified within 8502.31.00 (described in statistical reporting number 8501.64.0025)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8502.11.0000	Generator sets each weighing more than 650 kg but not over 830 kg (described in statistical reporting number 8502.11.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8503.00.6500	Armatures, other than for motors of under 18.65 W, other than for generators for civil aircraft, each valued not over \$5 (described in statistical reporting number 8503.00.6500)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8503.00.6500	Motor field cores, other than for motors of under 18.65 W, other than for generators for civil aircraft, of steel stamping, each valued not over \$5 (described in statistical reporting number 8503.00.6500)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8503.00.6500	Stators and rotors designed for use with household laundry washing machines or tabletop household appliances, each valued not over \$10 (described in statistical reporting number 8503.00.6500)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8503.00.6500	Stators and rotors for electric motors and generators (excluding generating sets), 2 or 4 pole type valued at \$85 or more but not over \$1,700 Stators and rotors, 2 or 4 pole type, valued over \$4,700 but not over \$4,900 each-(described in statistical reporting number 8503.00.6500)	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8503.00.9520	Armature shafts for electric motors of heading 8501 (described in statistical reporting number 8503.00.9520)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8503.00.9520	Windshield wiper motor covers and shafts (described in statistical reporting number 8503.00.9520)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8503.00.9550	Parts of generators (other than parts of general use as defined in note 2 to section XV), each valued not over \$10 (described in statistical reporting number 8503.00.9550)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8503.00.9550	End brackets suitable for use solely or principally with generators of heading 8501 (other than generators of statistical reporting number 8501.64.0021) (described in statistical reporting number 8503.00.9550)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8504.32.0000	Electrical transformers, each weighing not over 500 grams (described in statistical reporting number 8504.32.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8504.32.0000	Electrical transformers, each with a power handling capacity rating of 1.8 kVA, with external dimensions measuring approximately 13.3 cm by 12.7 cm by 11.4 cm (described in statistical reporting number 8504.32.0000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8504.33.0020	Transformers designed to control horizontal motion of electron beams in cathode-ray tubes (described in statistical reporting number 8504.33.0020)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8504.40.4000	Regenerative speed drive controllers for controlling speed of electric motors for elevators (described in statistical reporting number 8504.40.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8504.40.4000	Speed drive controllers for electric motors, designed for use in vehicles using electric motors for propulsion, including but not limited to material handling equipment, golf carts, sweeper scrubbers and aerial lifts, with a value of \$50.00 or more but not exceeding \$700.00 (described in statistical reporting number 8504.40.4000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8504.40.6018	Power supplies suitable for physical incorporation into automatic data processing (ADP) machines or units thereof of heading 8471, each with a power output exceeding 500 W, measuring 148mm in length, 43 mm in width and 335 mm in height (described in statistical reporting number 8504.40.6018)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8504.40.8500	Static converters designed for wireless (inductive) charging of telecommunication apparatus (described in statistical reporting number 8504.40.8500)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8504.40.8500	Static converters of a kind used to charge telecommunication apparatus in cars or homes, valued not over \$2 each (described in statistical reporting number 8504.40.8500)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8504.40.8500	Wireless battery chargers for mobile phones, each in the form of a picture frame incorporating a wireless charger or a stand incorporating a wireless charger that permits the mobile phone to be charged while standing on end (described in statistical reporting number 8504.40.8500)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8504.40.8500	48 V rectifiers for telecommunications wireline and wireless apparatus, each with output of not less than 2,400 W but not more than 3,000 W, measuring not more than 45 mm by 105 mm by 330 mm, weighing not more than 2 kg (described in statistical reporting number 8504.40.8500)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
	48 V rectifiers for telecommunications wireline and wireless apparatus, each with output of not less than 4,000 W but not more than 4,600 W, measuring not more than 165 mm by 95 mm by 305 mm, weighing not more			20.0020			
8504.40.8500	than 4 kg (described in statistical reporting number 8504.40.8500) 48 V rectifiers for telecommunications wireline and wireless apparatus, each with output of not more than 1,200 W output, measuring not more than 50 mm by 90 mm by 260 mm, weighing not more than 1 kg	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8504.40.8500	(described in statistical reporting number 8504.40.8500)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
	Power supplies for cable networks, that convert 120 V/60 Hz AC input to either 63 V AC or 87 V AC output, each measuring not more than 200 mm by 425 mm by 270 mm and weighing not more than 27.5 kg, containing printed circuit board assemblies, a transformer, and an oil filled capacitor (described in statistical reporting						
8504.40.8500	number 8504.40.8500)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8504.40.8500	Power supplies for cable networks, that converts 120 V/60 Hz AC or 230 V/50 Hz AC input to 63 V AC or 87 V AC output, each measuring not more than 220 mm by 244 mm by 200 mm and weighing not more than 12 kg (described in statistical reporting number 8504.40.8500) Power supplies for fiber optic communications equipment, that convert 120- 240 V AC to 12 V DC, each	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8504.40.8500	measuring no more than 170 mm by 200 mm by 115 mm and having four LED indicators (described in statistical reporting number 8504.40.8500)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8504.40.8500	Quad output power modules with cut-outs on one side for air flow, each containing a printed circuit board and 4 LED indicators, with external dimensions measuring not more than 361 mm by 125 mm by 75 mm, each weighing not more than 1 kg (described in statistical reporting number 8504.40.8500)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8504.40.9530	Power supplies with a power output exceeding 150 W but not exceeding 180 W, 120 V, each measuring no more than 90 mm by 395 mm by 625 mm (described in statistical reporting number 8504.40.9530)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8504.40.9540	Power supplies, each with 120 V AC input and output, measuring not more than 485 mm by 385 mm by 260 mm, weighing not more than 15 kg, to provide not more than 660 W of power in an uninterruptible manner in the event that a normal source of power fails (described in statistical reporting number 8504.40.9540)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8504.40.9540	Power supplies, each with 120 V AC input and output, measuring not more than 530 mm by 355 mm by 205 mm, weighing not more than 20 kg, to provide not more than 2,000 W of power in an uninterruptible manner in the event that a normal source of power fails (described in statistical reporting number 8504.40.9540)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8504.40.9550	Other static converters, rectifiers and rectifying apparatus, with ABS plastic damage resistant box, input and output voltage cables, weighing not more than 0.35 kg, measuring not more than 17 cm in length and 12 cm in width (described in statistical reporting number 8504.40.9550)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
8504.40.9550	Solar-powered battery chargers, each consisting of an ABS plastic housing, a solar panel charger and a 6 V or 12 V sealed lead acid battery (described in statistical reporting number 8504.40.9550) Electrical inverters (other than rectifiers, power supplies for automatic data processing equipment or for	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8504.40.9570	telecommunications apparatus), each measuring not more than 190 mm by 160 mm by 255 mm, weighing not more than 2.5 kg (described in statistical reporting number 8504.40.9570)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8504.90.6500	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, each measuring 4 cm to 6 cm in width and 10 cm to 12 cm in length, that converts 36 V DC to 90 V AC (described in statistical reporting number 8504.90.6500)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8504.90.6500	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, each measuring 7 cm to 9 cm in width and 18 cm to 20 cm in length, having 2 switches, for power protection to prevent electrical back feeding (described in statistical reporting number 8504.90.6500)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8504.90.6500	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, the foregoing serving as controllers for power supplies, each measuring 5 cm to 7 cm in width and 11 cm to 14 cm in length, having 50 pin on side header (described in statistical reporting number 8504.90.6500)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8504.90.6500	Printed circuit assemblies of the goods of subheading 8504.40 or 8504.50 for telecommunication apparatus, the foregoing serving as noise filters, each measuring 18 cm to 20 cm in width and 25 cm to 27 cm in length, populated with semiconductor devices and 4 heat sinks (described in statistical reporting number 8504.90.6500)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332

						HTS To Use	
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	for Duty or Granted Exclusion	CSMS #
8504.90.6500	Printed circuit boards, each measuring no more than 2.3 cm by 13.1 cm, presented with two black plastic pin connectors on opposite ends and/or sides, designed for use in transformers used to provide power to telecommunications networks (described in statistical reporting number 8504.90.6500)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8504.90.7500	Dual layer printed circuit board assemblies, each valued over \$30 but not over \$35 (described in statistical reporting number 8504.90.7500)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8504.90.9646	Coils for cast epoxy resin transformers, each of the foregoing valued over \$6,500 but not over \$7,000 (described in statistical reporting number 8504.90.9646)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8504.90.9650	Static converter covers, bases and housings (described in statistical reporting number 8504.90.9650)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8504.90.9690	Conductors of aluminum for electric transformers, static converters and inductors (described in statistical reporting number 8504.90.9690)	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8504.90.9690	Heat sinks of aluminum for <del>electric transformers, static converters and</del> inductors (described in statistical reporting number 8504.90.9690)	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8504.90.9690	Inductor parts, of plastics (described in statistical reporting number 8504.90.9690)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8504.90.9690	Toroids of silicon steel (described in statistical reporting number 8504.90.9690)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8504.90.9690	Inductor baseplates of aluminum, each with a length measuring 149.20 mm or more but not over 275 mm, with a width measuring 119.40 mm or more but not over 232 mm and with a depth of 10.50 mm or more but not over 19 mm, with a weight of 0.48 kg or more but not over 3.2 kg (described in statistical reporting number 8504.90.9690)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8505.90.7501	Coils, coil assemblies and other parts of electromagnets (the foregoing described in statistical reporting number 8505.90.7501)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8506.50.0000	Lithium primary batteries valued over \$0.50 but not over \$0.75 each (described in statistical reporting number 8506.50.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8506.90.0000	Plastic cases designed to contain 9V alkaline cells, measuring 6.35 cm by 13.34 cm by 3.18 cm, with button connectors (described in statistical reporting number 8506.90.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8507.20.4000	Other lead-acid storage batteries; Of a kind used as the primary source of electrical power for electrically powered vehicles of subheadings 8703.40, 8703.50, 8703.60, 8703.70 or 8703.80	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
8508.11.0000	Vacuum cleaners, bagless, upright, capable of operating in wet mode or dry mode, each with self-contained electric motor of a power not exceeding 1,500 W and having a tank capacity not over 4 liters (described in statistical reporting number 8508.11.0000)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8508.11.0000	Vacuum cleaners, bagless, upright, each with self-contained electric motor of a power not exceeding 1,500 W and having a dust receptacle capacity not exceeding 1 liter (described in statistical reporting number 8508.11.0000)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8511.40.0000	Started motors for internal combustion gasoline engines designed for use in the law, automotive, watercraft, motorcycle, industrial and garden industries (described in statistical reporting number 8511.40.0000)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8511.50.0000	Alternators for motor vehicle charging systems (described in statistical reporting number 8511.50.0000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8512.20.2040	Light-emitting diode (LED) headlights, light bars and cube lights, of a kind designed to be mounted on off-road, all-terrain vehicles (described in statistical reporting number 8512.20.2040)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
	Alarms to be installed in motor vehicles, each of which provides either a warning sound or a warning sound and a flashing light when a motor vehicle is being operated in reverse (described in statistical reporting number						
8512.30.0040	8512.30.0040)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8512.90.2000	Projectors ("trumpets") of plastics for air horns (described in statistical reporting number 8512.90.2000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
	Printed circuit board assemblies of a kind used in motor vehicle lighting systems (described in statistical						
8512.90.6000	reporting number 8512.90.6000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8514.10.0000	Resistance-heated annealing ovens (described in statistical reporting number 8514.10.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8514.10.0000	Resistance-heated glass furnaces, each with continuous conveyance articulating roller and positive press (described in statistical reporting number 8514.10.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8514.40.0000	Resistance-heated strip casting furnaces (described in statistical reporting number 8514.40.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8514.90.8000	Furnace casings (described in statistical reporting number 8514.90.8000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8514.90.8000	Structural components for industrial furnaces (described in statistical reporting number 8514.90.8000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8515.11.0000	Manually operated soldering irons and guns, with or without their power supplies but without work stands or other accessory devices (described in statistical reporting number 8515.11.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8515.11.0000	Battery powered soldering irons or soldering guns, not over 18 cm in length (described in statistical reporting number 8515.11.0000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8515.19.0000	Manually operated rework stations, including soldering/desoldering stations (described in statistical reporting number 8515.19.0000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8515.19.0000	Soldering stations, consisting of a benchtop power source, a hand piece, a power cord and work stand, operating by the power source providing electric radio frequency current to heat the hand piece (described in statistical reporting number 8515.19.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8515.39.0020	Machines and apparatus for arc (including plasma arc) welding, each valued not over \$500 (described in statistical reporting number 8515.39.0020)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8515.90.2000	Tungsten electrodes for tungsten inert gas arc welding torches (described in statistical reporting number 8515.90.2000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8515.90.4000	Parts of soldering irons and soldering machines (described in statistical reporting number 8515.90.4000)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
	Fan-forced, portable electric space heaters, each having a power consumption more than 900 W but not more than 1.6 kW and weighing more than 1.5 kg but not more than 17 kg, whether or not incorporating a humidifier						#40564257
8516.29.0030	or air filter (described in statistical reporting number 8516.29.0030)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	
8516.29.0030	Fan-forced, portable electric space heaters, each having a power consumption of not more than 1.5 kW and weighing more than 1.5 kg but not more than 17 kg, whether or not incorporating a humidifier or air filter (described in statistical reporting number 8516.29.0030)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8516.29.0090	Electric fireplace inserts and free-standing electric fireplace heaters, rated at 5,000 British thermal units (BTUs) (described in statistical reporting number 8516.29.0090)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8516.29.0090	Electric fireplaces, weighing not more than <mark>55 kg</mark> (21 kg deleted) (described in statistical reporting number 8516.29.0090)	3	Excluded	23-Oct-19	Updated: 84 FR 69012 of 12/17/2019 Original: 84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8517.62.0020	Mobile wi-fi hotspots (described in statistical reporting number 8517.62.0020)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8519.81.3020	Game calling devices, imported with or without remote control devices, used in hunting to simulate the sound of animals to attract game (described in statistical reporting number 8519.81.3020)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8525.60.1010	Radio transceivers, citizens band (cb) type	1	Excluded	Exclusion extended until 12/28/2020	Updated: 84 FR 70616 of 12/23/2019 Original: 83 FR 67463 of 12/28/2018	9903.88.05	#19-000052
8525.60.1030	Hand-held transceivers (except Citizen's Band and except lowpower radiotelephonic operating on frequencies from 49.82 MHz to 49.90 MHz), valued not over \$70 each (described in statistical reporting number 8525.60.1030)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8525.60.1050	Radio transceivers operating on frequencies from 46 MHz to 468 MHz, each designed for installation in motor vehicles (described in statistical reporting number 8525.60.1050)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8525.60.1050	Transceivers, 10-meter, not hand-held, for operation in infrequencies of 28.000 to 29.700 MHz (described in statistical reporting number 8525.60.1050)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8525.80.3010	Color video cameras for use with microscopes, each camera with C-mount lens mount, weighing not more than 87 g, measuring not more than 109 mm in length and 31 mm in diameter, presented with a cable measuring not more than 1.5 m in length (described in statistical reporting number 8525.80.3010)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8525.80.3010	Digital color video cameras for use with microscopes, each camera with 10 megapixel resolution, weighing not more than 175 g, measuring 63 mm by 37 mm in length, presented with USB cable, reduction lens, eyepiece adapters, software CD and calibration slide (described in statistical reporting number 8525.80.3010)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8525.80.3010	Digital color video cameras for use with microscopes, each camera with autofocus, C- mount lens mount, 1080p resolution, weighing not more than 450 g, measuring not more than 67 mm by 67 mm by 81 mm, presented with AC power adapter and power cable (described in statistical reporting number 8525.80.3010)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8526.91.0040	GPS apparatus measuring not over 118 mm in height, 120 mm in width and 20 mm in thickness, presented with or without attached antenna or other accessories (described in statistical reporting number 8526.91.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8526.91.0040	GPS apparatus suitable for use with dog or other animal collars (described in statistical reporting number 8526.91.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8526.91.0040	Kits each consisting of GPS apparatus suitable for use with dog or animal collars, a hand-held GPS transmitter and accessories therefor (described in statistical reporting number 8526.91.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8526.92.5000	Radio remote control apparatus of a kind suitable for controlling gas burning fireplaces (described in statistical reporting number 8526.92.5000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8526.92.5000	Radio remote control apparatus of a kind suitable for opening or closing gates (described in statistical reporting number 8526.92.5000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8526.92.5000	Radio remote control apparatus for garage doors (described in statistical reporting number 8526.92.5000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8526.92.5000	Radio remote control apparatus for pet collars and pet food dispensers (described in statistical reporting number 8526.92.5000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8526.92.5000	Remote control devices, hand held and battery powered, designed for use with toy model vehicles and aircraft (described in statistical reporting number 8526.92.5000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8529.10.4040	Antennas, of base metal and fiberglass (described in statistical reporting number 8529.10.4040)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8529.10.4040	27 MHz radio remote control antennas each of a kind designed to transmit a signal to a dog collar receiver (described in statistical reporting number 8529.10.4040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8529.10.9100	CB radio antennas (described in statistical reporting number 8529.10.9100)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8529.10.9100	Modified 8529.10.9100 by deleting "CB radio antennas (described in statistical reporting number 8529.10.9100)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8529.10.9100	CB radio antennas (described in statistical reporting number 8529.10.9100)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8529.90.1660	Printed circuit board assemblies, measuring 27.94 cm in length, 17.78 cm in width and 5.08 cm in height, of a kind used in radio remote controller apparatus for radio remote control of machinery, comprising a copper base to which are attached two capacitors, sixteen relays, sixteen varistors, two rows of terminal block connectors, two fuses in black housings with flat-head screw slots on top and an LED number display (described in statistical reporting number 8529.90.1660)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8529.90.8100	Bezels, covers and housings, the foregoing designed for motor vehicle cameras (described in statistical reporting number 8529.90.8100)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8529.90.9900	Projector parts (described in statistical reporting number 8529.90.9900)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8531.90.9001	Magnetic security tags and labels (described in statistical reporting number 8531.90.9001)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8531.90.9001	Tags for acousto-magnetic security systems (described in statistical reporting number 8531.90.9001)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8532.10.0000	Fixed capacitors valued not over \$4 per unit (described in statistical reporting number 8532.10.0000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764

						HTS To Use	
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	for Duty or Granted Exclusion	CSMS #
8532.10.0000	Fixed oil-filled capacitors rated at 1 kV to 25 kV (described in statistical reporting number 8532.10.0000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8532.21.0050	Tantalum capacitors having a conductive polymer cathode, valued not over \$4 per unit (described in statistical reporting number 8532.21.0050)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8532.21.0050	Tantalum capacitors, each measuring 7.3 mm by 4.3 mm by 1.9 mm and valued not over \$4 (described in statistical reporting number 8532.21.0050)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8532.22.0055	Aluminum electrolytic capacitors each valued at not over \$4 not over \$1.50 (described in statistical reporting number 8532.22.0055)	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8532.22.0085	Aluminum electrolytic capacitors, each valued not over \$3.20 \$2.50 (described in statistical reporting number 8532.22.0085)	1	Excluded	9-Jul-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8532.22.0085	Aluminum feed horn assemblies measuring 8.4 cm in length and 5.1 cm in diameter, with operating frequencies of 17.8 to 20.2 GHz (receive) and 28 to 30 GHz (transmit), valued at \$2.75 or more but not exceeding \$2.85 each (described in statistical reporting number 8529.90.9900)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8532.22.0085	Aluminum electrolytic fixed capacitors, exceeding 51 mm in diameter, each valued over \$6.50 but not over \$8 (described in statistical reporting number 8532.22.0085)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8532.24.0020	Fixed ceramic dielectric multilayer chip capacitors, each valued not over \$0.12 per unit (described in statistical reporting number 8532.24.0020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8532.24.0020	Multi-layer ceramic, temperature-stable capacitors (temperature coefficient 5XR), with 47 microfarad capacitance, measuring 2 mm by 1.25 mm by 1.25 mm, valued at \$0.08 or more but not exceeding \$0.12 per piece (described in statistical reporting number 8532.24.0020)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8532.25.0010	Dielectric capacitors of paper or plastics, for AC service, operating at less than 300 V each valued not over \$4.50 (described in statistical reporting number 8532.25.0010)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8532.25.0020	Dielectric capacitors of paper or plastics, for AC service, operating at 300 V or more but not exceeding 600 V, each valued not over \$3 (described in statistical reporting number 8532.25.0020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8532.25.0080	Double-sided capacitor modules, each containing capacitors operating at 165 farad, 48 V, and 53 watt-hours (described in statistical reporting number 8532.25.0080)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8532.29.0040	Fixed capacitors (the foregoing other than tantalum, aluminum electrolytic, ceramic dielectric, dielectrics of paper or plastics or mica dielectric), each valued over \$200 but not over \$300 (described in statistical reporting number 8532.29.0040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8532.30.0090	Variable capacitors (other than mica, ceramic or glass dielectric), each valued over \$500 but not over \$600 (described in statistical reporting number 8532.30.0090)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8533.10.0065	Fixed electrical carbon film resistors, not designed for surface mounting by contact, having two leads, with a power handling capacity not over 1 W (described in statistical reporting number 8533.10.0065)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8533.21.0080	Wirewound fixed electrical resistors with a power handling capacity not over 20 W, and with a core of glass, ceramic or metal oxide file (described in statistical reporting number 8533.21.0080)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8533.21.0090	Thermistors of ceramic metal oxide, each with two leads (described in statistical reporting number 8533.21.0090)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8533.40.4000	Metal oxide varistors of ceramic metal oxide materials (described in statistical reporting number 8533.40.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8533.40.8040	Contact sensors, of a kind used to detect the pressing and releasing of an automotive accelerator pedal, comprising a ceramic board and a rotor housed in a molded plastics body, which together create a potentiometer (rheostat) controlling the actuation of the engine throttle, valued at \$6.70 or more but not exceeding \$7.55 per piece (described in statistical reporting number 8533.40.8040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8533.40.8070	Potentiometers (other than cermet or metal glaze), each valued not over \$70 (described in statistical reporting number 8533.40.8070)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8533.40.8070	Thermistors (other than cermet or metal glaze), each valued not over \$1 (described in statistical reporting number 8533.40.8070)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8534.00.0020	Printed circuit boards, each with a base wholly of plastics impregnated glass, not flexible, with 4 layers of copper (described in statistical reporting number 8534.00.0020)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8534.00.0040	Printed circuit boards, plastics impregnated, not flexible, having a base wholly of impregnated glass, with fewer than 3 layers of conducting materials, valued over \$2 but not over \$4.25 each (described in statistical reporting number 8534.00.0040)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8534.00.0040	Printed circuit boards, each with a base wholly of plastics impregnated glass, not flexible, with 2 layers of copper (described in statistical reporting number 8534.00.0040)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8536.30.4000	Motor overload protectors for a voltage exceeding 60 V but not exceeding 1,000 V, each valued over \$5 but not over \$7 (described in statistical reporting number 8536.30.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.30.4000	Motor overload protectors, in 1 pole, 2 pole or 3 pole configurations, with electric current load ratings up to 60 A, measuring 19 mm or more but not exceeding 57 mm in height, 102 mm in length, and 76 mm in width, and valued at \$6.00 or more but not exceeding \$8.40 per piece (described in statistical reporting number 8536.30.4000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8536.30.8000	Leakage current detection and interruption (LCDI) cords (described in statistical reporting number 8536.30.8000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8536.30.8000	Ground Fault Circuit Interrupters (GFCIs), Appliance Leakage Current Interrupters (ALCIs), Leakage Current Detection Interrupters (LCDIs), and Arc Fault Circuit Interrupters (AFCIs) (described in statistical reporting number 8536.30.8000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8536.30.8000	Surge protectors of a kind designed to protect a buried-wire pet containment system and its control apparatus, having an energy absorption rating at 120 V of less than 500 joules and 15 A (described in statistical reporting number 8536.30.8000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8536.41.0045	Contactors, for a voltage not exceeding 60 V and with contacts rated at or more than 10 A, each valued not over \$ <del>18</del> 39 (described in statistical reporting number 8536.41.0045)	1	Excluded	9-Jul-19	Updated: 85 FR 7816 of 02/11/2020 84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8536.41.0045	Three-pole contactors, operating at 12 to 60 V, with a plastics housing enclosing three movable, silver cadmium oxide contacts (normally open only) rated at 50 A or more but not exceeding 60 A, an electromagnetic coil, a coil spring, coil terminals, polyester actuator, stationary terminals supported by a polyester component, a coil dust cover and an optional insert for an auxiliary switch, valued at \$9.00 or more but not exceeding \$10.00 per piece (described in statistical reporting number 8536.41.0045)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8536.41.0050	Electromechanical relays, for a voltage not exceeding 24 V, other than automotive flashers, with contacts rated at 10 A or more, measuring not over 80 mm in any dimension (described in statistical reporting number 8536.41.0050)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.49.0065	Contactors for a voltage not exceeding 1,000 V, each valued not over \$18 (described in statistical reporting number 8536.49.0065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.49.0075	Electromechanical relays, for a voltage exceeding 60 V but not over 250 V, with contacts rated at 10 A or more (described in statistical reporting number 8536.49.0075)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8536.50.4000	Motor starters for a voltage exceeding 60 V but not exceeding 1,000 V, valued over \$9 but not over \$10 each (described in statistical reporting number 8536.50.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.50.7000	Electronic AC lighting control switches, for dimming and turning lights on and off, packaged for retail sale (described in statistical reporting number 8536.50.7000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8536.50.7000	Electronic AC passive infrared (PIR) motion sensing switches (described in statistical reporting number 8536.50.7000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8536.50.7000	Fixed set-point pressure switches (described in statistical reporting number 8536.50.7000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881

HTS #	HTS Description	Applicable	Tariff Rate	Effective	Notes / Federal Register	HTS To Use for Duty or	CSMS #
		List		Date	Cites	Granted Exclusion	
8536.50.7000	Humidity triggered switches (described in statistical reporting number 8536.50.7000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8536.50.7000	Occupancy and vacancy sensor switches (described in statistical reporting number 8536.50.7000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
	Retro-reflective infrared beam switches consisting of an infrared LED emitter and detector in a single housing						
	and a reflective disk for mounting at a distance; such emitter-detector units operating at no more than 40 V						
8536.50.7000	AC/DC and containing a relay or other switching component to open or close a separate (secondary) circuit	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
	(described in statistical reporting number 8536.50.7000)						
8536.50.7000	Wall-mountable dimmer switches (described in statistical reporting number 8536.50.7000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
0506 50 0000	Rotary switch assemblies, for a voltage not exceeding 1,000 V, rated at not over 5 A, each valued over \$2 but	4		10.0 10		0000 00 44	
8536.50.9020	not over \$3 (described in statistical reporting number 8536.50.9020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
	Rotary switches for a voltage not exceeding 1,000 V, rated at not over 5 A, containing an aluminum shaft in a						
8536.50.9020	push-button actuator connected to a nylon housing containing a printed circuit board (described in statistical	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
	reporting number 8536.50.9020)						
	Rotary switches, rated at over 5 A, measuring not more than 5.5 cm by 5.0 cm by 3.4 cm, each with 2 to 8 spade						
8536.50.9025	terminals and an actuator shaft with D-shaped cross section (described in statistical reporting number	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
	8536.50.9025)						
	Rotary switches, single pole, single throw (SPST), rated at over 5 A, each measuring not more than 14.6 cm by						
8536.50.9025	8.9 cm by 14.1 cm (described in statistical reporting number 8536.50.9025)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
0506 50 0004	Momentary contact switches rated at or under 5 A, each designed for use as a motor vehicle overdrive switch	4		0 1 1 10	04 50 22024 ( 07/00/2040	0000 00 11	#200 A076 A
8536.50.9031	(described in statistical reporting number 8536.50.9031)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
0506 50 0004	Momentary contact switches rated at or under 5 A, valued not over \$4 per unit (described in statistical reporting	4		0 1 1 10	04 50 22024 ( 07/00/2040	0000 00 11	#200 A076 A
8536.50.9031	number 8536.50.9031)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8536.50.9031	Momentary contact push-button switches rated at 9 V or more but not exceeding 16 V and not over 50mA, with	1	Excluded	27 6 10	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8530.50.9031	no dimension exceeding 70 mm (described in statistical reporting number 8536.50.9031)	1	Excluded	27-Sep-19	84 FR 52567 01 10/02/2019	9903.88.19	#40330403
8536.50.9033	Push-button and proximity switches rated at not over 5 A, designed for automotive gearshift applications, with	1	Excluded	27 Can 10	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8330.30.9033	or without connectors (described in statistical reporting number 8536.50.9033)	1	Excluded	27-Sep-19	84 FR 32307 01 10/02/2019	9903.88.19	#40550405
8536.50.9035	Push-button switches, rated at over 5 A, measuring no more than 14.4 cm by 11.6 cm by 6.4 cm (described in	1	Excluded	4-Jun-19	84 FR 21389 of 05/14/2019	9903.88.10	#19-000332
8550.50.9055	statistical reporting number 8536.50.9035)	1	Excluded	4-5011-13	84 11 21389 01 03/14/2019	9903.88.10	#19-000332
8536.50.9035	Push-button switches, rated at over 5 A, measuring no more than 14.6 cm by 8 cm by 14.1 cm (described in	1	Excluded	4-Jun-19	84 FR 21389 of 05/14/2019	9903.88.10	#19-000332
8550.50.5055	statistical reporting number 8536.50.9035)	-	Excluded	4 3011 13	8411 21385 81 83/14/2015	5505.00.10	#15 000552
8536.50.9035	Push-button switches, rated at over 5 A, measuring no more than 19.1 cm by 8.3 cm by 14.1 cm (described in	1	Excluded	4-Jun-19	84 FR 21389 of 05/14/2019	9903.88.10	#19-000332
0550.50.5055	statistical reporting number 8536.50.9035)	-	Excluded	4 3011 13	84 11 21365 61 65/14/2015	5505.00.10	115 000552
8536.50.9035	Push-button switches, rated at over 5 A, measuring no more than 19.7 cm by 11.8 cm by 8.3 cm (described in	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
0550.50.5055	statistical reporting number 8536.50.9035)	-	Excluded	4 3011 13	8411 23833 81 867 847 2013	5505.00.10	115 000552
8536.50.9035	Push-button switches, rated at over 5 A, measuring no more than 19.7 cm by 9.8 cm by 16.5 cm (described in	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
	statistical reporting number 8536.50.9035)	_					
8536.50.9035	Push-button switches, rated at over 5 A, measuring no more than 21 cm by 13.3 cm by 9 cm (described	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
	instatistical reporting number 8536.50.9035)						
8536.50.9035	Push-button switches, rated at over 5 A, measuring no more than 23.5 cm by 8 cm by 13.1 cm (described in	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
	statistical reporting number 8536.50.9035)						
8536.50.9035	Push-button switches, rated at over 5 A, measuring no more than 6 cm by 14.1 cm by 11 cm (described in	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
	statistical reporting number 8536.50.9035)						
0506 50 0005	Push-button switches rated at over 5 A but not exceeding 20 A, each article having external connections					0000 00 10	
8536.50.9035	permitting the switch to be wired in either normally open or normally closed configuration (described in	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
	statistical reporting number 8536.50.9035)						
0526 50 0025	Push-button switches, rated at over 5 A, measuring no more than 2.9 cm by 2.9 cm by 2.9 cm, with 4 spade or	-	First 1.1	0.14 10	04 50 24200 6 05 /44/2010	0000 00 00	#10 000011
8536.50.9035	brass terminals, with an actuator shaft with D-shaped cross section (described in statistical reporting number	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
	8536.50.9035)						
8536.50.9035	Push-button switches, rated at over 5 A, measuring no more than 4.8 cm by 2.8 cm by 2.8 cm, with 2 spade or	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
-	brass terminals (described in statistical reporting number 8536.50.9035)						

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8536.50.9035	Push-button switches, rated at over 5 A, measuring no more than 5 cm by 1.7 cm by 1.9 cm, with 2 spade or brass terminals, with an actuator shaft with Dshaped cross section (described in statistical reporting number 8536.50.9035)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8536.50.9040	Snap-action switches, for a voltage not exceeding 250 V, rated not over 8 A (described in statistical reporting number 8536.50.9040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.50.9040	Snap-action switches, each designed for installation in a wall-mounted enclosure or electrical box (described in statistical reporting number 8536.50.9040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
8536.50.9055	Limit switches, for a voltage not exceeding 1,000 V, each valued over \$19 but not over \$32 (described in statistical reporting number 8536.50.9055)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.50.9065	Push-pull switches, for a voltage not exceeding 1,000 V, designed for use in motor vehicles (described in statistical reporting number 8536.50.9065)	1	Excluded	4-Jun-19	84 FR 16310 of 04/18/2019	9903.88.10	#19-000332
8536.50.9065	Rocker switches, for a voltage not exceeding 1,000 V, designed for use in motor vehicles (described in statistical reporting number 8536.50.9065)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8536.50.9065	Broken belt switches, for a voltage not exceeding 1,000 V, designed for use in clothes dryers (described in statistical reporting number 8536.50.9065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.50.9065	Modular light switches, for a voltage not exceeding 1,000 V, presented in polyethylene terephthalate (PET) housings, designed for use with a backplate (described in statistical reporting number 8536.50.9065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.50.9065	Single-pole, double-throw switches, each with a movable contact arm permitting the opening and closing of contact points, of a rating not over 1,000 V (described in statistical reporting number 8536.50.9065) Single pole, double-throw switches, for a voltage not exceeding 100 V, each with a movable contact arm permitting the	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.50.9065	opening and closing of contact points (described in statistical reporting number 8536.50.9065) Switches designed for use in motor vehicles, driver or passenger activated (described in statistical reporting number 8536.50.9065)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.50.9065	Rocker switches, for a current of 16 A or more but not exceeding 20 A (described in statistical reporting number 8536.50.9065)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8536.50.9065	Switches for domestic clothes dryers, valued over 35 cents but not over 40 cents each (described in statistical reporting number 8536.50.9065)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8536.50.9065	Switches incorporated into latches for domestic appliances, valued over \$ 0.90 but not over \$1.25 each (described in statistical reporting number 8536.50.9065)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8536.50.9065	Motor vehicle gear shift switch assemblies, comprised of a plunger, connector and gear shift lever (described in statistical reporting number 8536.50.9065)	1	Excluded	18-Apr-19	84 FR 16310 of 04/18/2019	9903.88.07	#19-000212
8536.50.9065	Pressure switches designed for use in heat pumps and air-conditioning condensers having a rating of 1.90 megapascals or more but not over 4.55 megapascals (described in statistical reporting number 8536.50.9065)	1	Excluded	18-Apr-19	84 FR 32821 of 07/09/2019	9903.88.07	#19-000212
8536.69.4010	Coaxial connectors, for a voltage not exceeding 1,000 V, valued over \$0.20but not over \$0.30 each (described in statistical reporting number 8536.69.4010)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.69.4010	BNC straight radio frequency (RF) male-pin cylindrical connector/terminator plugs, for a voltage not exceeding 1,000 V, with impedance of 51 ohms, rated up to 1 W, measuring not over 29 mm long by 15 mm in diameter (described in statistical reporting number 8536.69.4010)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8536.69.4020	Cylindrical multicontact connectors, for a voltage not exceeding 1,000 V, each valued not over \$120 (described in statistical reporting number 8536.69.4020)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.69.4040	Printed circuit connectors each valued not over \$1 (described in statistical reporting number 8536.69.4040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.69.4040	Printed circuit connectors, for a voltage not exceeding 1,000 V, measuring 142 mm long, 20.53 mm high and 6.5 mm wide (described in statistical reporting number 8536.69.4040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.69.4040	Printed circuit connectors, for a voltage not exceeding 1,000 V, stacked, each valued not over \$10 (described in statistical reporting number 8536.69.4040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8536.69.4040	Printed circuit connectors, for a voltage not exceeding 1,000 V, measuring 59.08 mm long, 25.91 mm high and 25.91 mm wide, each valued not over \$20 (described in statistical reporting number 8536.69.4040 )	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.69.4040	Printed circuit connectors, for a voltage not exceeding 1,000 V, each valued over \$1 but not over \$5 (described in statistical reporting number 8536.69.4040)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.69.8000	Floor-mounted receptacles conforming to types 1-15R, 5-15R or 5-20R of the National Electrical Manufacturers Association (NEMA) (described in statistical reporting number 8536.69.8000) Locking adapter plugs, each with National Electrical Manufacturers Association (NEMA) type 5-15P plug and NEMA type SS2-50R receptacle, NEMA type 5-15P plug and NEMA type L5-30R receptacle, NEMA type TT- 30P	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8536.69.8000	plug and NEMA type SS2-50R receptacle or NEMA type TT-30P plug and NEMA type L5-30R receptacle, for connecting to standard 15 A and 30 A residential outlets and power pedestals (described in statistical reporting number 8536.69.8000) Male electrical plugs of polycarbonate plastics with brass terminals, each conforming to types TT-30P or 14-50P	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8536.69.8000	of the National Electrical Manufacturers Association (NEMA), with a handle in the shape of a loop (described in statistical reporting number 8536.69.8000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8536.69.8000	Cable lugs of copper, for a voltage not exceeding 1,000 V, each measuring at least 12 mm but not more than 155 mm in length (described in statistical reporting number 8536.69.8000)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8536.90.4000	Bullet connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Butt connectors, other than closed end, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536-90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Closed-end butt connectors, for a voltage not exceeding 1,000 V(described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Crimp connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Insulated tab electrical connectors and tab receptacle electrical connectors, for a voltage not exceeding 1,000 V, crimp-type, with either a tab measuring not over 6.4 mm in width or a receptacle for tabs measuring not over 6.4 mm in width (described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Junction blocks, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Lug connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Ring connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Spade connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Spring clip ("alligator clip") terminals, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Terminal blocks, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Wire tap connectors, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8536.90.4000	Butt splice connectors, for a voltage not exceeding 1,000 V, each valued not over \$3 (described in statistical reporting number 8536.90.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.90.4000	Kits each containing 40 assorted terminals comprising 12 butt splices, 10 ring terminals, 8 spade terminals and 10 female disconnects, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

			· ·	,			
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8536.90.4000	Kits each containing 80 assorted terminals, valued not over \$2, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.90.4000	Ring terminals, for a voltage not exceeding 1,000 V (described in statistical reporting number 8536.90.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.90.4000	Twist-on wire connectors, for a voltage not exceeding 1,000 V, each valued not over \$0.03 (described in statistical reporting number 8536.90.4000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8536.90.4000	Electrical connectors, for a voltage not exceeding 1,000 V, of a kind used to make electrical connections in ballast lighting (described in statistical reporting number 8536.90.4000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8536.90.8530	Junction boxes, each valued over \$1.40 but not over \$1.70 (described in statistical reporting number 8536.90.8530)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8537.10.3000	Control boards for stoves, ranges and ovens of heading 8516 (described in statistical reporting number 8537.10.3000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8537.10.8000	Boards, panels, consoles, desks, cabinets and other bases, equipped with two or more apparatus of heading 8535 or 8536, for electric control or the distribution of electricity, including those incorporating instruments or apparatus of chapter 90, and numerical control apparatus, other than switching apparatus of heading 8517For a voltage not exceeding 1,000 VOther: Touch-sensitive data input devices (so-called "touch screens") without display capabilities, for incorporation into apparatus having a display, which function by detecting the presence and location of a touch within the display area (such sensing may be obtained by means of resistance, electrostatic capacity, acoustic pulse recognition, infra-red lights or other touch-sensitive technology	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8537.10.9150	Printed circuit board assemblies, for a voltage not exceeding 1,000 V, each measuring 3 mm by 169 mm by 137.5 mm, presented with four relays mounted down the center of the assembly and fitted with connectors (described in statistical reporting number 8537.10.9150)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8537.10.9160	Programmable gas ignition safety controls, each measuring at least 4 cm but not more than 5 cm in height, at least 6 cm but not more than 9 cm in width, and not more than 14 cm in depth, weighing at least 190 g but not more than 250 g, and valued not over \$15 each, of a kind used in water heaters for recreational vehicles (described in statistical reporting number 8537.10.9160)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8537.10.9170	Gas ignition control relighters, each measuring 5 cm by 4 cm by 10 cm, and weighing not more than 100 kg, of a kind used in gas burner systems or propane vaporizers (described in statistical reporting number 8537.10.9170)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8537.10.9170	Gas ignition safety controls, each measuring at least 3 cm but not more than 6 cm in height, at least 9 cm but not more than 12 cm in width, and at least 13 cm but not more than 14 cm in height, weighing at least 200 g but not more than 400 g, and valued not over \$26 each, of a kind used in patio heaters, agricultural heaters, or clothes dryers (described in statistical reporting number 8537.10.9170)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8537.10.9170	Gas ignition safety controls, measuring 3.8 to 5.3 cm in height, 6.4 to 10.1 cm in width and 13.2 to 13.9 cm in depth; weighing 160 g to 380 g each; and valued not over \$26 each; of a kind used in patio heaters, agricultural heaters or clothes dryers (described in statistical reporting number 8537.10.9170)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8538.10.0000	Enclosures of alloy steel, containing all the electrical components for underground mining machinery, such enclosures weighing more than 15 t (described in statistical reporting number 8538.10.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8538.90.6000	Molded buttons (described in statistical reporting number 8538.90.6000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8538.90.6000	Molded housings and covers (described in statistical reporting number 8538.90.6000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8538.90.6000	Polycarbonate cap-shaped covers capable of fitting over a raised control button such as that located on an electronic pet-collar apparatus, each cover 0.39 mm in diameter and 0.134 mm in height (described in statistical reporting number 8538.90.6000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8538.90.6000	Knobs of injection molded plastics (described in statistical reporting number 8538.90.6000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
				20			

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8538.90.8120	Tanks for dead tank circuit breakers, of aluminum (described in statistical reporting number 8538.90.8120)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8538.90.8120	Bodies of gas circuit breakers for electrical utilities, with installed interrupters, each weighing more than 800 kg (described in statistical reporting number 8538.90.8120)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8539.39.9000	Cold cathode electric neon discharge lamps, measuring 6.5 mm (1/4 inch) or less in diameter and 16 mm (5/8 inch ) or less in length (described in statistical reporting number 8539.39.9000)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8539.49.0040	Ultraviolet lamps used for skin tanning purposes, packaged for retail sale and weighing more than 5 kg but less than 10 kg (described in statistical reporting number 8539.49.0040)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8539.90.0000	Molybdenum foil filament assemblies, designed for use in ultraviolet lamps (described in statistical reporting number 8539.90.0000)	1	Excluded	20-Mar-19	84 FR 32821 of 07/09/2019	9903.88.06	#19-000155
8541.10.0050	Zener diodes, each valued not over \$0.25 (described in statistical reporting number 8541.10.0050)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8541.10.0080	Surface-mount glass passivated rectifiers with a rectified output current not exceeding 1.25 A (described in statistical reporting number 8541.10.0080)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8541.10.0080	Surface-mount transient voltage suppressors having a peak pulse power capacity not exceeding 5 A (described in statistical reporting number 8541.10.0080)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8541.10.0080	Zener diodes having an admissible zener current of not more than 0.15 A at 25 degrees C (described in statistical reporting number 8541.10.0080)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8541.10.0080	Surface-mount glass passivated rectifier diodes, having a rectified output current over 0.5 A but not exceeding 1.25 A (described in statistical reporting number 8541.10.0080)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8541.21.0075	Transistors, with a dissipation rate of less than 1 W and an operating frequency of not less than 100 MHz, valued over \$0.04 but not over \$0.05 each (described in statistical reporting number 8541.21.0075)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8541.21.0095	Bipolar junction transistors, with a dissipation rate of less than 1 W and with an operating frequency of less than 100 MHz (described in statistical reporting number 8541.21.0095)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8541.29.0095	Metal-oxide transistors on a silicon-carbide substrate, with a dissipation rate of 1W or more of less than 1 W and an operating frequency of less than 100 MHz (described in statistical reporting number 8541.29.0095)	1	Excluded	18-Sep-19	Updated: 84 FR 69016 of 12/17/2019 Original: 84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8541.40.6015	Crystalline silicon photovoltaic cells of a kind described in statistical note 11 to chapter 85, made up into panels with a surface area not exceeding 3,061 cm2 (described in statistical reporting number 8541.40.6015)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8541.40.6015	Solar panels, each of a surface area not exceeding 3,100 cm2 (described in statistical reporting number 8541.40.6015 and 8541.40.6035)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8541.40.6035	Solar panels, each of a surface area not exceeding 3,100 cm2 (described in statistical reporting number 8541.40.6015 and 8541.40.6035)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8541.60.0060	Mounted quartz piezoelectric crystals operating at a supply voltage of 1.5 V or greater but not exceeding 3.75 V and a frequency range not over 175 MHz (described in statistical reporting number 8541.60.0060)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8542.31.0001	Application specific integrated circuits (ASICs), not containing memories, designed for use in engine control units (ECUs) to interface with linear exhaust gas oxygen sensors (UEGOs) (described in statistical reporting number 8542.31.0001)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8543.10.0000	S-band and X-band linear accelerators designed for use in radiation surgery or radiation therapy equipment (described in statistical reporting number 8543.10.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8543.30.2000	Copper panel or pattern electroplating machines of a kind used solely or principally for the manufacture of printed circuits (described in statistical reporting number 8543.30.2000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8543.30.2000	Electrolysis copper etchback and desmear machines of a kind used solely or principally for the manufacture of printed circuits (described in statistical reporting number 8543.30.2000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8543.30.9040	Magnesium anodes, each not exceeding 48 kg in weight (described in statistical reporting number 8543.30.9040)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
8543.30.9080	Aluminum anodes for use with machines and apparatus for electroplating, electrolysis or electrophoresis (described in statistical reporting number 8543.30.9080)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8543.30.9080	Chlorine generator chambers containing titanium plates for use with machines and apparatus for electroplating, electrolysis or electrophoresis (described in statistical reporting number 8543.30.9080)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8543.30.9080	Zinc anodes for use with machines and apparatus for electroplating, electrolysis or electrophoresis (described in statistical reporting number 8543.30.9080)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8543.30.9080	Weather station sets, each consisting of a monitoring display and outdoor weather sensors, having a transmission range of not over 140 m and valued not over \$50 per set (described in statistical reporting number 9015.80.8080)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
8543.70.4500	Position or speed sensors for motor vehicle transmission systems, each valued not over \$12 (described in statistical reporting number 8543.70.4500)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.4500	Wheel speed sensors for anti-lock motor vehicle braking systems, each valued not over \$12 (described in statistical reporting number 8543.70.4500)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.8500	Hand held, battery-powered electrical devices that administer transcutaneous electrical nerve stimulation (TENS) and electrical muscle stimulation (EMS) via adhesive electrode pads attached to the skin (described in statistical reporting number 8543.70.8500)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8543.70.9100	Hybrid signal processing apparatus capable of connecting to a wired or wireless network for the mixing of sound (described in statistical reporting number 8543.70.9100)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8543.70.9960	Antenna amplifiers, each valued not over \$15 (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Antenna noise suppressors, each valued not over \$5 (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Apparatus using passive infrared detection sensors designed for turning lights on and off (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Audio controllers, each valued not over \$100 (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Audio mixers, each valued not over \$75 (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Devices incorporating sensors and monitors for identifying encoded television and radio signal information of survey participants (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Electrically powered cat noise control devices (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Electrically powered combs of a kind used on pets (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Electrically powered dog training, controlling, repelling or locating apparatus whether or not put up in kits, including dog collars fitted with GPS or other transmitting or receiving devices and electrical barrier transmitter devices (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Electrically powered insect control apparatus (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Electrically powered static-emitting plastic strips designed for use in training or controlling pets (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	LED lamps for flash curing nail polish (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Liquid leak detectors (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Multiple device remote controls, other than radio remote control, each valued not over \$2 (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565

				-			
HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8543.70.9960	Robots, programmable, measuring not more than 40 cm high by 22 cm wide by 27 cm deep, incorporating an LCD display, camera and microphone but without "hands" (described in statistical reporting number 8543.70.9960)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8543.70.9960	Electrical control devices which modulate electrical signals, not containing two or more apparatus of 8535 or 8536, each valued over \$60 but not over \$70 (described in statistical reporting number 8543.70.9960)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8544.30.0000	Coaxial antenna feeder cables designed for use in motor vehicles (described in statistical reporting number 8544.30.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8544.30.0000	Ignition coil and wiring sets designed for use with motor vehicle engines, each valued not over \$7 (described in statistical reporting number 8544.30.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8544.30.0000	Power supply cables designed for use in aircraft (described in statistical reporting number 8544.30.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8544.30.0000	Wiring sets designed for use with motor vehicle gear shifters, each valued not over \$7 (described in statistical reporting number 8544.30.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8544.42.2000	Insulated electric conductors for a voltage not exceeding 1,000 V, fitted with connectors of a kind used for telecommunications, each valued over \$0.35 but not over \$2 (described in statistical reporting number 8544.42.2000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8544.42.9010	Extension cords, as defined in statistical note 6 to chapter 85, for a voltage not exceeding 1,000 V, each with a receptacle at one end and a male plug at the other with prongs perpendicular to the rest of the cord, the plug under a cover of plastics measuring 115 mm in length and 70 mm in width (described in statistical reporting number 8544.42.9010)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8544.42.9010	Extension cords of copper wire with polyvinyl chloride (PVC) sheaths, for a voltage not exceeding 1,000 V, each measuring at least 9 m but not longer than 16 m in length, with National Electrical Manufacturers Association (NEMA) type 5-15P plug on one end and NEMA type 5-15R receptacle on the other (described in statistical reporting number 8544.42.9010)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8544.42.9090	Insulated electric conductors, for a voltage not exceeding 1,000 V, fitted with connectors (other than of a kind used for telecommunications, other than extension cords as defined in statistical note 6 to chapter 85), such conductors measuring not less than 8 m and not more than 10 m in length, incorporating a connector on one end and a weather-resistant compartment and cover designed to house 4 AA batteries on the other end (described in statistical reporting number 8544.42.9090)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8544.42.9090	Insulated conductors, not of a kind used for telecommunications, for a voltage not exceeding 1,000 V, each with polyvinyl chloride (PVC) covers and connectors at each end in bundles of 3, 5 or 6 for use in connecting patients to monitoring devices (described in statistical reporting number 8544.42.9090)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8544.42.9090	Extension cords of copper wire with polyvinyl chloride (PVC) sheaths, for a voltage not exceeding 1,000 V, each measuring at least 4 m but not longer than 16 m in length, with National Electrical Manufacturers Association (NEMA) type TT-30P plug on one end and NEMA type TT-30R receptacle on the other or NEMA type 14-50P plug on one end and NEMA type 14-50R receptacle on the other, with handles on each end in the shape of loops (described in statistical reporting number 8544.42.9090)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8544.42.9090	Electric conductors for a voltage not exceeding 300 V, insulated with polyvinyl chloride (PVC), each fitted with connectors, measuring not less than 200 mm and not more than 1.2 m in length (described in statistical reporting number 8544.42.9090)	3	Excluded	19-Feb-20	85 FR 9921 of 02/20/2020	9903.88.40	
8544.49.2000	16-gauge 2-conductor wire, not fitted with connectors, for a voltage not exceeding 80 V (described in statistical reporting number 8544.49.2000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8544.49.2000	Electric conductors, not fitted with connectors, for a voltage not exceeding 80 V, each overmolded with polypropylene (described in statistical reporting number 8544.49.2000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8544.49.2000	Conductors, for a voltage not exceeding 1,000 V, with 4 unfitted wire connectors and 4 waterproof gel wire splice capsules (described in statistical reporting number 8544.49.2000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8544.49.2000	Copper wire, twenty (20) gauge, insulated with polyvinylchloride (PVC), not fitted with connectors, for a voltage not exceeding 80 V, not designed for use in telecommunications (described in statistical reporting number 8544.49.2000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8544.49.2000	Sets comprising conductors and markers for electrically powered dog training, controlling, repelling or locating apparatus (described in statistical reporting number 8544.49.2000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8544.49.9000	Insulated aluminum cables, not fitted with connectors, for a voltage exceeding 80 V but not exceeding 600 V (described in statistical reporting number 8544.49.9000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8544.60.4000	Wiring sets for golf carts with electric motor for propulsion (described in statistical reporting number 8544.30.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8544.60.4000	Insulated three conductor cables of copper, for a voltage exceeding 1,000 V, for subsea use, of a length exceeding 3.5 km and weighing over 90 t (described in statistical reporting number 8544.60.4000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8544.60.6000	Monopolar conductors for a voltage exceeding 1,000 V, other than of copper and not fitted with connectors (described in statistical reporting number 8544.60.6000)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8544.70.0000	Digital optical fiber cables, with connectors, of a length exceeding 0.5 m but not exceeding 4.0 m (described in statistical reporting number 8544.70.0000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8546.10.0000	Electrical insulators of glass (described in statistical reporting number 8546.10.0000)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8546.90.0000	Electrical insulators ("wire nuts") of plastics and steel (described in statistical reporting number 8546.90.0000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8607.19.3010	Truck bolsters for railway cars, each weighing more than 650 kg (described in statistical reporting number 8607.19.3010)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8607.19.3020	Truck side frames for railway cars, each weighing more than 400 kg (described in statistical reporting number 8607.19.3020)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8607.21.1000	Air brakes and parts thereof for railway or tramway vehicles of heading 8605 or 8606	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
8607.30.1000	Couplers, knuckles and yokes and parts thereof for vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
8607.30.1000	Bottom shelf coupler assemblies designed for use with coupling systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8607.30.1000	Draft pack rear aligning and overtravel protection members, designed for use with hybrid railcar cushioning systems of freight railcars of heading 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8607.30.1000	Follower block plates, designed for use with buffering/cushioning systems of freight railcars of heading 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8607.30.1000	Rear draft lugs, designed to stop the movement of buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8607.30.1000	Type F knuckles, designed for use with coupling systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8607.30.1000	Buffering/cushioning front retainer plates, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8607.30.1000	Buffering/cushioning intermediate aligning and overtravel protection members, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8607.30.1000	Buffering/cushioning rear aligning and overtravel protection members designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8607.30.1000	Buffering/cushioning rear structural units, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8607.30.1000	Buffering/cushioning retention and alignment shafts, designed for use with buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8607.30.1000	Buffering/cushioning retention caps, designed for use with buffering/cushioning systems of freight railcars of heading 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8607.30.1000	Front draft lugs, designed to stop the movement of buffering/cushioning systems of vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8703.21.0110	Four-wheel off-road vehicles, with only spark-ignition internal combustion reciprocating piston engines, of a cylinder capacity not exceeding 1,000 cc, with straddle seat and handlebar control, each with label indicating that vehicle is for operation only by persons at least 16 years of age, each valued not over \$5000 (described in statistical reporting number 8703.21.0110)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8708.21.0000	Safety seat belts of the motor vehicles of headings 8701 to 8705, each valued over \$3.50 but not over \$4.50 (described in statistical reporting number 8708.21.0000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8708.29.5060	Seat belt retractor assemblies without a ratchet mechanism (described in statistical reporting number 8708.29.5060)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8708.29.5060	Cup holder assemblies, designed to be incorporated in the vehicles of headings 8701 to 8705 (described in statistical reporting number 8708.29.5060)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8708.29.5060	Devices for mounting phones on motor vehicle interiors without a Universal Serial Bus (USB) charging port (described in statistical reporting number 8708.29.5060)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8708.30.5020	Brake drums of grey cast iron for the motor vehicles of headings 8701 to 8705 (other than tractors for agricultural purposes), with an inside diameter of 38 cm or more but not over 42 cm (described in statistical reporting number 8708.30.5020)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
8708.30.5030	Brake discs of grey cast iron for the motor vehicles of headings 8701 to 8705 (other than tractors for agricultural purposes), with an outside diameter of 32 cm or more but not over 44 cm (described in statistical reporting number 8708.30.5030)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
8708.30.5090	Guide pins and guide bolts designed for use in brakes and servo-brakes of subheading 8708.30 (described in statistical reporting number 8708.30.5090)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8708.50.8100	Cast iron parts of differential dampers for motor vehicles of heading 8703 (described in statistical reporting number 8708.50.8100)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8708.50.8500	For vehicles of heading 8703: half shafts	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
8708.50.9500	No description listed	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8708.70.4545	Road wheels for the vehicles of heading 8703, of A 356 aluminum, each measuring at least 50.8 cm but not more than 66.04 cm (20 inches to 26 inches) in diameter and at least 25.4 cm but not more than 40.64 cm (10 inches to 16 inches) in width (described in statistical reporting number 8708.70.4545)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8708.70.4545	Road wheels of aluminum for motor vehicles of subheading 8703.21.01, each measuring 30 cm or more but not over 51 cm in diameter and 14 cm or more but not over 28 cm in width (described in statistical reporting number 8708.70.4545)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8708.91.5000	Aluminum radiators for motor vehicles of headings 8701 to 8705 (other than for tractors suitable for agricultural use), measuring 50 cm or more but not exceeding 77 cm (20 inches to 30 inches) in width, 50 cm or more but not exceeding 77 cm (20 inches to 30 inches) in height, and 5 cm or more but not exceeding 11 cm (2 inches to 4 inches) in thickness, consisting of upper and lower tanks or side tanks welded to a center core (described in statistical reporting number 8708.91.5000)	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8708.93.7500	Clutch covers and discs of steel for the motor vehicles of headings 8701 to 8705 (other than for tractors suitable for agricultural use) (described in statistical reporting number 8708.93.7500)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8708.93.7500	Clutches and parts thereof: for other vehicles, other	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8708.94.7510	For other vehicles, other	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
8708.99.5300	Wheel hubs of cast iron, for off-road vehicles of headings 8701 to 8705, each weighing 2 kg or more but not exceeding 4 kg (described in statistical reporting number 8708.99.5300)	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
	Motor mount kits each consisting of 3 to 5 components, each of stainless-steel or aluminum combined with a						
	heat resistant rubber material and with holes machined for mounting the engine to the car or truck body,						
8708.99.5500	designed for use in aftermarket automotive repair (described in statistical reporting number 8708.99.5500)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Drive shafts, also known as propeller shafts, that connect a transmission to a differential, allowing a vehicle to						
	move, designed for use in the manufacture of motor vehicles primarily used for amusement, recreation,						
8708.99.6805	sporting and off-road transportation classified in heading 8703 (described in statistical reporting number	3			84 FR 61674 of 11/13/2019	9903.88.34	#40710742
	8708.99.6805)		Excluded	7-Nov-19			
8708.99.8105	Other, Brake hoses of plastics, with attached fittings	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	#41052773
	Anti-vibration control components of ASTM A519 1020 cold-drawn precision mechanical tubing of steel, valued						
9709 00 9190	over <del>\$0.50 each but not over \$0.60 each</del> , <b>\$0.40 each but not over \$.080</b> for motor vehicles of headings 8701 to	3	Evaludad		84 ED E7802 of 10/28/2010	0002 88 22	#40564257
8708.99.8180	8705 (other than for tractors suitable for agricultural use) (described in statistical reporting number	3	Excluded		84 FR 57803 of 10/28/2019	9903.88.33	#40504257
	8708.99.8180)			23-Oct-19			
8708.99.8180	EGR coolant tube assemblies of stainless steel for diesel powered vehicles of headings 8701 to 8705 (described	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8708.99.8180	in statistical reporting number 8708.99.8180)	3	Excluded	20-1000-19	84 FR 05882 01 11/29/2019	9905.88.55	#40901928
	Wear bars comprising strips of carbide for the vehicles of 8703.10.10 (described in statistical reporting number						
8708.99.8180	8708.99.8180)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Hitches receivers of steel, not suitable for towing applications, each receiver to be clamped onto the rear						
	bumper of a recreational vehicle, such bumpers being square in section and measuring not more than 102 mm						
8708.99.8180	on a side (described in statistical reporting number 8708.99.8180)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
	Tank holders of steel, designed to be mounted to the external rear bumper of a recreational vehicle, to safely						
	secure portable holding tanks while the vehicle is in motion (described in statistical reporting number						
8708.99.8180	8708.99.8180)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8709.11.0030	Works trucks, electrical, operator riding, each of a curb weight exceeding 8,500 kg but not exceeding 9,500 kg	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
	(described in statistical reporting number 8709.11.0030)					-	
0711 10 0000	Motorcycles (including mopeds), with reciprocating internal combustion piston engine of a cylinder capacity not	2	Evel, de d	21 1.1 10	04 50 27201 - 6 07/21/2010	0002 00 12	#20100505
8711.10.0000	exceeding 50 cc, valued not over \$500 each (described in statistical reporting number 8711.10.0000)	Z	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
	Skateboards with electric power for propulsion, of a power not exceeding 250 W (described in statistical-				Updated: 84 FR 69011 of		
	reporting number 8711.60.0050) of 1.0 kW or more but not over 2.1 kW (described in statistical reporting				12/17/2019		
8711.60.0050	number 8711.60.0090, effective July 1, 2019; described in statistical reporting number 8711.60.0000, prior to	2	Excluded	18-Sep-19	Original: 84 FR 49600 of	9903.88.17	#40001360
	July 1, 2019)				09/20/2019		
	Motorcycles with electric power for propulsion, each of a power not exceeding 1,000 W (described in statistical-				Updated: 84 FR 69011 of		
	reporting numbers 8711.60.0050 or 8711.60.0090) (described in statistical reporting numbers 8711.60.0050 or				12/17/2019		
8711.60.0050	8711.60.0090, effective July 1, 2019; described in statistical reporting number 8711.60.000, effective prior to	2	Excluded	18-Sep-19	Original: 84 FR 49600 of	9903.88.17	#40001360
	July 1. 2019)				09/20/2019		
	Motorcycles with electric power for propulsion, each of a power not exceeding 1,000 W (described in statistical	-					
8711.60.0090	reporting numbers 8711.60.0050 or 8711.60.0090)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8712.00.1510	Bicycles, not motorized, w/both wheels not exceeding 50 cm in diameter	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Bicycles and other cycles (including delivery tricycles), not motorized: Bicycles having both wheels not						#41052773
8712.00.1520	exceeding 63.5 cm in diameter, Having both wheels exceeding 50 cm but not exceeding 55 cm in diameter	3	Excluded	13-Dec-19	84 FR 69012 of 12/17/2019	9903.88.36	
8712.00.1550	Bicycles, not motorized, w/both wheels exceeding 55 cm but not exceeding 63.5 cm in diameter	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
	Single-speed bicycles having both wheels exceeding 63.5 cm in diameter, weighing less than 16.3 kg without						
8712.00.2500	accessories and not designed for use with tires having a cross-sectional diameter exceeding 4.13 cm (described	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
	in statistical reporting number 8712.00.2500)					1	

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8712.00.2500	Bicycles, not motorized, each having aluminum- or magnesium- alloy wheels both measuring more than 69 cm but not more than 71 cm in diameter, tires of cross-sectional diameter of 3.5 cm, aluminum frame, a polyurethane/carbon fiber cord drive belt, 3-, 7- or 12-speed rear hub and twist shifter (described in statistical reporting number 8712.00.2500)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8712.00.3500	Bicycles, not motorized, each having both wheels exceeding 63.5 cm in diameter, fixed gearing and a coaster brake (described in statistical reporting number 8712.00.3500)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8712.00.3500	Bicycles, not motorized, having both wheels exceeding 63.5 cm in diameter, each having no more than three speeds and a coaster brake (described in statistical reporting number 8712.00.3500)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8712.00.4400	Single-speed bicycles meeting the criteria of HTS subheading 8712.00.44, each having steel frame, with aluminum stems, rims and crankset and with rider contact area of plastics, each bicycle weighing not over 11.5 kg (described in statistical reporting number 8712.00.4400)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8713.90.0030	Three-wheeled carriages for disabled persons, with electric power for propulsion, each carriage having a second passenger seat capable of being stowed and a foot-operated brake (described in statistical reporting number 8713.90.0030)	2	Excluded	18-Sep-19	84 FR 49600 of 09/20/2019	9903.88.17	#40001360
8713.90.0030	Modified 8713.90.0030 by deleting "Three-wheeled carriages for disabled persons, with electric power for propulsion, each carriage having a second passenger seat capable of being stowed and a foot-operated brake (described in statistical reporting number 8713.90.0030)"	2	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.20	#40208881
8714.91.3000	Bicycle frames, of carbon fiber, valued not over \$600 each (described in statistical reporting number 8714.91.3000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8714.95.0000	Bicycle saddles, each having a cover of plastics, man-made textile fabrics or a combination of the two (described in statistical reporting number 8714.95.0000) Wheeled trailers suitable for towing behind an adult bicycle, each comprising a frame of aluminum with a hitch	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
8716.40.0000	mechanism, weighing not more than 17.5 kg, with a capacity of not more than 46 kg, with those trailers designated for carrying children meeting ASTM International standard F1975 (described in statistical reporting number 8716.40.0000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
8716.80.5090	Carts, not mechanically propelled, each with three or four wheels, of the kind used for household shopping (described in statistical reporting number 8716.80.5090)	3	Excluded	6-Aug-19	84 FR 38717 of 08/07/2019	9903.88.13	#39268267
8716.80.5090	Carts (other than industrial hand trucks and portable luggage carts) that convert into ladders, each weighing not more than 15 kg, measuring not more than 105 cm by 56 cm by 11 cm (described in statistical reporting number 8716.80.5090)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8716.80.5090	Dump carts, each with a steel frame, a plastic bed and four pneumatic tires on wheels, with a capacity not exceeding 681 550 kg (described in statistical reporting number 8716.80.5090)	3	Excluded	26-Nov-19	Updated: 1/31/2020 USTR Website 84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8716.8050.90	Mobile bases, of which the length of the sides can be adjusted, with a capacity of 182 kg or more but not exceeding 680 kg (described in statistical reporting number 8716.8050.90)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
8716.90.3000	Casters, with diameter (including, where appropriate, tires) of 20 cm or more but not over 23 cm (described in statistical reporting number 8716.90.3000)	3	Excluded	7-Nov-19	84 FR 61674 of 11/13/2019	9903.88.34	#40710742
8716.90.5060	Truck trailer skirt brackets, other than parts of general use of Section XV (described in statistical reporting number 8716.90.5060)	3	Excluded	6-Aug-19	84 FR 38717 of 08/07/2019	9903.88.13	#39268267
8716.90.5060	Tractor trailer skirts, consisting of panels designed to be attached to each side of a trailer, each with an upper section having a polyethylene core, steel layer and polyester finish coat and each lower section composed of thermoplastic vulcanite compound (described in statistical reporting number 8716.90.5060	3	Excluded	18-Sep-19	84 FR 49591 of 09/20/2019	9903.88.18	#40003027
8803.30.0030	Gearhead assemblies and parts thereof, for use in civil aircraft other than by the Department of Defense or the United States Coast Guard, each valued not over \$90 (described in statistical reporting number 8803.30.0030)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
8803.30.0030	Output carriers, of passivated stainless steel, having a gear measuring 36.754 mm in length and 33.782 mm in diameter, with 17 teeth each of a maximum circular thickness of 0.8306 mm, of a kind used in a gearhead assembly for the high-lift system of aircraft, for use in civil aircraft other than by the Department of Defense or the United States Coast Guard (described in statistical reporting number 8803.30.0030)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
8803.30.0030	Gearhead assemblies, and parts thereof, for use in civil aircraft, each valued not over \$40 (described in statistical reporting number 8803.30.0030 )	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8803.90.9060	Wing, tail, fuselage and other body sections, including structural components and parts of the foregoing, designed for use on drone aircraft not capable of transporting persons (described in statistical reporting number 8803.90.9060)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
8903.10.0060	Inflatable boats, other than kayaks and canoes, with over 20 gauge polyvinyl chloride (PVC), each valued at \$500 or less and weighing not over 52 kg (described in statistical reporting number 8903.10.0060)	3	Excluded	6-Aug-19	84 FR 38717 of 08/07/2019	9903.88.13	#39268267
8903.10.0060	Inflatable kayaks and canoes, with over 20 gauge polyvinyl chloride (PVC), each valued at \$500 or less and weighing not over 22 kg (described in statistical reporting number 8903.10.0060)	3	Excluded	6-Aug-19	84 FR 38717 of 08/07/2019	9903.88.13	#39268267
8903.99.0500	Canoes (other than of wood or of metal) each valued over \$800, not of a type designed to be principally used with motors or sails (described in statistical reporting number 8903.99.0500)	3	Excluded	26-Nov-19	84 FR 65882 of 11/29/2019	9903.88.35	#40901928
8903.99.0500	Kayaks of high-density polyethylene, not inflatable (described in statistical reporting number 8903.99.0500)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
9001.20.0000	Polarizing film, of triacetate, with a pressure sensitive adhesive backing (described in statistical reporting number 9001.20.0000)	2	Excluded	31-Jul-19	84 FR 37381 of 07/31/2019	9903.88.12	#39169565
9001.90.4000	Unmounted lenses for rifle scopes, rangefinders and spotting scopes (described in statistical reporting number 9001.90.4000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
9001.90.9000	Clear rectangular filter cover lenses, unmounted, of allyl diglycol carbonate for arc welding helmets, each measuring 50 mm by 110 mm or measuring 115 mm by 135 mm (described in statistical reporting number 9001.90.9000)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
9002.90.9500	Motor vehicle lens cover assemblies (described in statistical reporting number 9002.90.9500)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9011.10.8000	Stereoscopic microscopes, not provided with a means for photographing the image, valued not over \$500 per unit (described in statistical reporting number 9011.10.8000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
9011.80.0000	Compound binocular optical microscopes (other than stereoscopic microscopes and microscopes for photomicrography, cinemicrography or microprojection), each with magnification of 40X or more but not exceeding 1,000X, weighing not more than 3 kg (described in statistical reporting number 9011.80.0000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
9011.80.0000	Compound optical microscopes (other than stereoscopic microscopes and microscopes for photomicrography, cinemicrography or microprojection), each with magnification of 40X or more but not exceeding 400X, weighing not more than 15 kg (described in statistical reporting number 9011.80.0000)	3	Excluded	31-Dec-19	85 FR 549 of 01/06/2020	9903.88.37	
9011.90.0000	Accessories designed for compound optical microscope stages (described in statistical reporting number 9011.90.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9011.90.0000	Camera adapter mounts designed for compound optical microscopes (described in statistical reporting number 9011.90.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9011.90.0000	Episcopic fluorescence microscopy accessories designed for compound optical microscopes (described in statistical reporting number 9011.90.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9011.90.0000	Adapter rings, tubes and extension sleeves, stands and arm assemblies, stages and gliding tables, eyeguards and focusing racks, all the foregoing designed for use with compound optical microscopes (described in statistical reporting number 9011.90.0000)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
9013.20.0000	Lasers, other than laser diodes, each valued over \$200 but not over \$300 (described in statistical reporting number 9013.20.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
9013.80.7000	Liquid-crystal displays, each measuring not over 85 cm in diagonal measurement (described in statistical reporting number 9013.80.7000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9013.80.7000	Flexible pressure sensitive LCD panel display devices used as a surface for electronic writing (described in statistical reporting number 9013.80.7000)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
9013.80.7000	Thin-film-transistor, light-emitting diode (LED) backlit flat panel liquid crystal display modules, each with an aluminum bezel and a video display diagonal measuring 113 mm or more but not over 339 mm (described in statistical reporting number 9013.80.7000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
9014.80.2000	Depth-sounding apparatus, each valued not over \$50 (described in statistical reporting number 9014.80.2000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9014.80.2000	Depth-sounding apparatus with digital display, each designed for installation in a 63.5 mm hole in dashboard, designed for recreational boating use (described in statistical reporting number 9014.80.2000)	1	Excluded	20-Mar-19	84 FR 11154 of 03/25/2019	9903.88.06	#19-000155
9014.90.6000	Parts, of plastics, of fish finders of subheading 9014.80.20 (described in statistical reporting number 9014.90.6000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9015.30.4000	Electrical levels, each with four indicator lights that change from red to green when the surface on which the device rests is horizontal (described in statistical reporting number 9015.30.4000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
9015.90.0190	Parts and accessories of meteorological instruments and appliances, consisting of a kit including a housing for mounting to a pole with an integrated tightening knob and an extension cord measuring not less than 8 m and not more than 10 m in length (described in statistical reporting number 9015.90.0190)	3	Excluded	23-Oct-19	84 FR 57803 of 10/28/2019	9903.88.33	#40564257
9016.00.2000	Digital electronic balances of 5 cg or better sensitivity, battery powered, with outer housings of plastic, furnished with bowls or stainless steel platforms (described in statistical reporting number 9016.00.2000)	3	Excluded	31-Jan-20	85 FR 6674 of 02/05/2020	9903.88.38	
9018.11.9000	Disposable electrocardiograph (ECG) electrodes (described in statistical reporting number 9018.11.9000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9018.12.0000	Veterinary ultrasound device with black-and-white image quality used as a medical diagnostic tool (described in statistical reporting number 9018.12.0000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
9018.12.0000	Portable ultrasonic scanner consoles, each weighing less than 4 kg, presented with or without transducer (described in statistical reporting number 9018.12.0000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9018.19.9550	Digital peak flow meters suitable for use by medical professionals (described in statistical reporting number 9018.19.9550)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9018.19.9550	Fingertip pulse oximeters suitable for use by medical professionals (described in statistical reporting number 9018.19.9550)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9018.19.9560	Disposable self-adhesive brain monitoring sensor patches for use with an oximeter, each incorporating a circuit board, lightemitting diode (LED), photo diodes and memory device and a connector (described in statistical reporting number 9018.19.9560)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
9018.19.9560	Disposable stainless steel subdermal needle electrodes with accompanying harness for use with electromyography (EMG) equipment (described in statistical reporting number 9018.19.9560)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
9018.19.9560	Disposable surface electrodes for intra-operative neuromonitoring ("IONM") systems, each composed of a surface electrode pad, an insulated wire, and a standard DIN 42802 connector (described in statistical reporting number 9018.19.9560)	1	Excluded	4-Jun-19	84 FR 25895 of 06/04/2019	9903.88.10	#19-000332
9018.19.9560	Bismuth germanate crystals with set dimensional and surface finish requirements and used as a detection element in Positron Emission Tomography (PET) detectors (described in statistical reporting number 9018.19.9560)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9018.19.9560	Magnetic resonance imaging ("MRJ") patient enclosure devices, each incorporating radio frequency and gradient coils (described in statistical reporting number 9018.19.9560)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9018.19.9560	Parts and accessories of capnography monitors (described in statistical reporting number 9018.19.9560)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982

HTS #	HTS Description	Applicable List	Tariff Rate	Effective Date	Notes / Federal Register Cites	HTS To Use for Duty or Granted Exclusion	CSMS #
9018.20.0040	Therapeutic mouthpieces, of silicone and polycarbonate plastics, having embedded infrared (880 nm) and red (660 nm) LED lights, of a kind used for radiating the upper and lower gum lines within the mouth, valued at \$45 or more but not over \$50 each (described in statistical reporting number 9018.20.0040)	1	Excluded	27-Sep-19	84 FR 52567 of 10/02/2019	9903.88.19	#40330403
9018.20.0040	Ultraviolet or infrared LED light therapy devices for the professional treatment of pain or of ailments of the skin (described in statistical reporting number 9018.20.0040)	1	Excluded	9-May-19	84 FR 21389 of 05/14/2019	9903.88.08	#19-000244
9018.90.2000	Otoscopes (described in statistical reporting number 9018.90.2000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9018.90.3000	Anesthesia masks (described in statistical reporting number 9018.90.3000)	1	Excluded	18-Sep-19	84 FR 49564 of 09/20/2019	9903.88.14	#40002982
9018.90.6000	Microwave ablation antennas, whether or not with attached controls, as parts of ablation systems used to ablate live tumors (described in statistical reporting number 9018.90.6000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
9018.90.6000	Parts and accessories of electrosurgical instruments and appliances, other than extracorporeal shock wave lithotripters (described in statistical reporting number 9018.90.6000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
9018.90.6000	Smoke evacuation pencils with accompanying tubing and hoses designed to integrate smoke evacuation into electrosurgery by combining both features into a single handpiece, which is designed to apply mono-polar electrosurgical energy to target tissue in a surgical setting while simultaneously evacuating smoke from the surgical site (described in statistical reporting number 9018.90.6000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764
9018.90.6000	Suction coagulators, consisting of a hand-piece with mechanical and/ or electrical controls and a disposable shaft, used for the coagulation of tissue and aspiration of fluids during surgical procedures (described in statistical reporting number 9018.90.6000)	1	Excluded	9-Jul-19	84 FR 32821 of 07/09/2019	9903.88.11	#38840764